## **Tender Notice**

National Small Industries Corporation Limited
NSIC Bhawan
Okhla Industrial Estate
New Delhi-110020

Tel: +91-11-26826941/26826847 Email: tech@nsic.co.in

Tender no.: SIC/HO/TID/AU/12-100 Date: 22<sup>nd</sup> September, 2014

Subject: Supply and installation of one set of Rapier Weaving Machine with Electronic Jacquard Loom at Cairo, Egypt.

NSIC is setting up India-Africa Vocational Training Centre (VTC) at Cairo, Egypt.

We are please to invite your offer in two parts viz. (a) Technical and (b) Financial, strictly as per enclosed terms and conditions and instructions to bidders, in sealed covers for the under mentioned plant and machinery / equipment required for supply and installation at Cairo (Egypt) consisting of the following:

SI. No.	Description	Quantity
1.	Rapier Weaving Machine with Electronic Jacquard Loom	1 No.
	<ul> <li>Reed width - 240 cm</li> <li>No. of colour (electronic weft selector) - 6 nos.,</li> <li>Warp stop motion: Automatic stop with 6 row warp dropper stand</li> <li>Shedding - electronic jacquard (hook capacity - minimum 1408)</li> <li>Gantry to hold jacquard</li> <li>Jacquard panel: To accept EP files only for design</li> <li>Software for EP file will be provided</li> <li>Wear's beam with aluminium flange - 2 nos. of 600 mm flange diameter each with length 110 inches</li> </ul>	
	<ul> <li>Weft accumulator with stands - 6 nos.</li> <li>Weft stop motion - fully automatic.</li> <li>Thread broken : Clutch brake to stop motion</li> <li>Heald wires &amp; Drop pins - 10000 pieces each</li> <li>Crank shaft - single piece</li> </ul>	

	<ul> <li>Oil pump centralised lubrication system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control - electronic panel (PLC) / micro computer with USB port</li> <li>Colour selector - to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> </ul>	
2.	Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc).	One set
3.	Spares to maintain the normal operations of machine for two years including lubricating oil and cleaning oil.  Ensure the spares list include all the items/ parts those are required to be replaced during the course of normal running of machine, due to their wear & tear.	One set
4.	Raw material (cotton threads compatible with the machine and other material) required for taking out the pilot production after the installation & commissioning of machines at site. (Please specify break up of raw material).	500 Kg.

#### Note:

The aspects mentioned below must be noted while submitting bids for the above mentioned plant and machinery / equipments:

- a) All machines / equipment should be compatible with 220 V Single Phase, 380-440 V Three Phase 50 cycle per second supply. Electrical wiring for interconnection of the machines upto main supply wherever necessary should be supplied along with machines.
- b) In case foundation of the machine is required for installation, necessary foundation bolts, pads, washers etc. should be supplied along with foundation drawing.
- c) All machines should be supplied with electricals, raw material handling alongwith working tools.

- d) List out the technical specification, additional equipment required, if any, for smooth running of the project.
- e) All machines should be complete and ready for production of stated capacity and should be supplied with operation and maintenance manual.

The detailed tender document can be obtained free of cost from Chief Manager (TID) at the above address. The tender document can also be downloaded from NSIC website <a href="www.nsic.co.in">www.nsic.co.in</a>. Any clarification on technical specifications can be obtained in writing from NSIC before tender opening. Manufacturers are welcome to have pre-bid meeting with NSIC for better understanding our requirements.

Please submit your lowest quotation / offer for the above requirement subject to our terms and conditions. Your offer should be submitted to General Manager (TID), National Small Industries Corporation Limited, NSIC Bhawan, Okhla Industrial Estate, New Delhi-110020 latest by 10<sup>th</sup> October, 2014 till 5:00 P.M. Offers received after the last date and scheduled time shall not be considered.

The format for technical bid and financial bid shall be as per Annexure-I and Annexure-II respectively. The offer should be submitted with a covering letter as per format at Annexure-III in a sealed envelope clearly mentioning the above tender number on top of the envelope.

The technical bid shall be opened on 13<sup>th</sup> October, 2014 at 2:30 P.M. in the presence of authorized representatives of the bidders who may like to be present. The authorized representative should bring authority letter from their principals for attending the bid opening.

**Note:** The vendor should submit their best price while submitting their bids itself and they will not be allowed to revise the price any time thereafter.

NSIC reserves the right to reject one or all of the bids without assigning any reasons.

KINDLY READ ALL TERMS AND CONDITIONS OF "TENDER DOCUMENT" THOROUGHLY. QUOTATION NOT IN ACCORDANCE WITH THE TERMS AND CONDITIONS IS LIABLE TO BE DISQUALIFIED AND IGNORED.

General Manager (TID)

#### **Important Instructions to bidders for submission of tender**

## 1) <u>Preparation of Bids</u>:

The bids should be prepared in the following manner:-

- a. The Bid shall be neatly arranged, plain and intelligible.
- b. Each page of the bid should be signed by the authorised person. Letter regarding the authorisation of such person should be obtained from the Principal / Manufacturer and enclosed with the bid.
- c. Insertions, postscripts, additions and alterations shall not be recognized, unless confirmed by bidder's signature.
- d. Bids should not contain any terms and conditions, printed or otherwise, which are not applicable to the Bid.
- e. Any conditional bid not adhering to the terms & conditions of the tender or part bid shall be rejected.
- f. The bidder should be the Principal / Original manufacturers of plant & machinery/ equipment, failing which the quotation shall not be considered.
- g. The bidders should have executed at least three purchase orders / contracts of equivalent value in the last five years. The bidder is required to submit catalogue of the plant & machinery/ equipment, complete reference of the past supply of equipment for the same or similar specification giving details of customer with name of the contact person, Fax no, phone no, E-mail.
- h. The bidders (originals manufacturers) will have to submit ink-signed offer / bid in original to NSIC. **Bids not complying with this condition shall not be considered**.
- i. In the Financial Bid, prices are to be indicated in both figures and words. In case of any discrepancy of value the prices quoted in words shall be considered for evaluation and establishing L1 status.
- j. No price variation clause will be entertained.

- k. Specifications are the basic essence of the "Product". Mere copying of the tender specifications by the Bidder into their bids shall not make them eligible for consideration. Appropriate and sufficient evidence of conformity by way of data (catalogues etc.) shall be furnished. There should be an item-by-item commentary on the Specifications demonstrating responsiveness of the offered equipment to the specifications.
- I. Bid with any pre-conditions (like conditional discounts) for price are liable to be "Not considered/Rejected".

#### 2) Submission of Bids:

- a. Bids must be received by NSIC on or before the due date and time at the address specified in the tender document. In the event of the specified date for the submission of bids being declared a holiday for NSIC, the bid-closing deadline will stand extended to the next working day up to the same time.
- b. Any bid received by NSIC after the deadline for submission of bids, will not be accepted and returned unopened to the bidder.
- c. NSIC at its discretion may extend the deadline for the submission of bids if the bid document undergoes changes during the bidding period, in order to give prospective bidders time to take into consideration the amendments while preparing their bids.
- d. In case of receipt of inadequate numbers of bids, NSIC may extend the deadline for submission of bids giving opportunity to other bidders to participate in the bidding process to make it competitive.
- e. If the Supplier submits only one envelop / cover containing all the bids or combined bids e.g. techno-commercial bid & price bid together, the bid is liable for rejection.
- **NOTE:** The manufacturers should submit their best price at this stage itself and they will not be allowed to revise the price. Any revision / discount given by manufacturers subsequently will be ignored.

#### 3) Amendment of Bidding Documents:

- a. At any time prior to the deadline for submission of bids, NSIC may, for any reason, whether on its own initiative or in response to the clarification request by a prospective bidder, modify the bid document.
- b. All prospective bidders who have requested for the bidding document will be notified of the amendment in writing, and such amendments/ modifications will be binding on them.

#### 4) Bid opening and evaluation of Bids:

- a. The technical bids shall be opened on 13<sup>th</sup> October, 2014 at 2:30 P.M.
- b. Bidder whose technical bid is qualified based on the eligibility criteria as specified in this tender document will be considered for financial bid evaluation. The date and time of opening of the financial bid will be informed to such bidders.
- c. NSIC will open financial bids of only the technically qualified, in the presence of the bidders or their authorised representative who choose to attend the bid opening.
- d. The bidder's authorised representative who attends the bid opening shall sign an attendance register as a proof of having attended the bid opening.
- e. The bidder's name, bid prices, discounts and such other details will be announced at the time of opening of the financial bids.

#### 5) Award of Contract

- a. The financial bids of the technically qualified bidders shall be opened by the constituted committee. Thereafter the committee shall prepare the comparative statement (CST) based on the FOR, ICD, Tughlakabad, New Delhi price quoted by the bidders. This will facilitate to shortlist the L-1 bidder quoting the lowest price.
- b. L-1 will be decided on the basis of total value of the bid.

- c. NSIC shall award the contract to the eligible bidder whose financial bid has been accepted and determined as the lowest evaluated financial bid.
- d. If more than one bidder happens to quote the same lowest price, NSIC reserves the right to award the contract to any one bidder.
- e. Supply order shall be placed for supply and installation of machinery and equipment required at Cairo. The bidder shall deposit 'Security Deposit' for Rs. 70,000/- (Rupees Seventy Thousand only) for supply orders placed.
- f. The successful bidder, on award of contract/order, must send the contract/order acceptance in writing, within 7 days of award of contract/order, failing which the EMD will be forfeited.

# 6) <u>Interpretation of the clauses in the Tender Document / Contract Document</u>

In case of any ambiguity / dispute in the interpretation of any of the clauses in this Tender Document, NSIC's interpretation of the clauses shall be final and binding on all parties.

#### 7) Earnest Money Deposit:

- a. The units registered with Central Purchase Organization (DGS&D), National Small Industries Corporation (NSIC) or the concerned Ministry or Department shall be exempted from the payment of Earnest Money as defined under Rule 157 of General Financial Rules (GFR), 2005.
  - In such case, copy of the certificate showing registration with the above mentioned institutions to be enclosed alongwith the Technical Bid.
- b. In case, the unit is not covered under a. above, it should submit the offer along with Earnest Money Deposit (EMD) for Rs. 70,000/- (in words Seventy Thousand only) by way of Demand Draft (DD) drawn in favour of "National Small Industries Corporation Limited" payable at New Delhi. No cash / cheque towards EMD shall be accepted. The DD for EMD should be placed inside the envelope containing technical bid. The offers without EMD shall be rejected.

- c. The EMD of unsuccessful bidder shall be refunded within 30 days from the award of contract.
- d. No interest will be allowed for earnest money deposited with the Company.
- e. The EMD shall be forfeited:
- 1. If the bidder withdraws the bid during the period of bid validity specified in the tender.
- 2. If the successful bidder fails to furnish the acceptance in writing, within 7 days of award of contract/order.

#### 8) <u>Security Deposit</u>

- a. The EMD of successful bidder shall be kept as 'Security Deposit' for supply of goods against each supply order and shall be released at the time of final payment after successful completion of work.
- b. In case of bidder exempted from payment of EMD (as mentioned in Para 7 a. above), 'Security Deposit' for Rs. 70,000/- by way of demand draft in favour of "National Small Industries Corporation Limited" payable at New Delhi should be submitted alongwith order acceptance against each supply order. However, the successful bidder can furnish a Bank Guarantee of Nationalized Bank of equivalent amount in lieu of 'Security Deposit' valid for one year from the date of supply order.

#### 9) Prices:

All items are to be quoted in INR only in the format as per Annexure-II. The price quoted should be inclusive of sea worthy packing, insurance and freight on FOR, ICD, Tughlakabad, New Delhi basis. The prices should also be inclusive of all taxes and duties as applicable. The price quoted shall be considered firm and no price escalation shall be permitted.

#### 10) Validity of the Ouote:

The validity of quote should be at least six months (180 days) from the closing date of tender. A bid valid for a shorter period shall stand rejected.

NSIC may ask for the bidder's consent to extend the period of validity. Such request and the response shall be made in writing only. A bidder agreeing to the request for extension will not be permitted to modify his bid.

#### 11) Delivery period:

The goods shall be delivered to NSIC's C&F agent at Delhi (or any other place as specified by NSIC) within 120 days from the date of award of contract. Part delivery shall not be permitted. Separate dispatch instruction shall be issued after inspection of goods and acceptance thereof by NSIC. No other delivery terms shall be acceptable.

#### 12) Taxes / Duties:

- a. The bidders should be registered with sales tax / income tax department of Govt. of India and should hold a valid VAT registration certificate, as applicable.
- b. Sales tax, excise duty, VAT, octroi or any other tax shall be paid on actual as per rule applicable and on production of documentary proof. No tax concession form or proof of shipment of goods shall be issued.

#### 13) Payment terms:

- a. 80% of order value to be released on submission of following documents:
  - i. Signed commercial Invoice-two copies certifying that the goods are exactly as per the purchase order and the specification quoted.
- ii. One copy of NSIC supply order.
- iii. Proof of delivery of the consignment to our C&F agent.
- iv. Clean report of findings issued by NSIC.
- v. Packing list two copies duly signed.
- b. Balance 20% order value shall be released after successful installation and commissioning of equipment at site and upon furnishing performance guarantee as stated at para 15 of this tender document.

#### 14) Packing & Marking:

Consignment must be packed in Sea Worthy in strong packing cases, taking all precaution against damage during handling and sea weather corrosion.

Proper marking on the packing cases should be made for smooth handling of consignment. The supplier will be held responsible for the plant and machinery / equipments not being sufficiently and properly packed and in such eventuality the supplier shall have to transport them by rail, road at their destination, at his expense free from loss or damage.

Every package delivered under our order shall at the expense of the supplier be distinctly marked with description and quantity or contents with the consignee name and address (which shall be notified subsequently) with gross weight and net weight, with the distinctive number and mark which is also to be shown for the purpose of identification on the suppliers packing account.

Each packet shall contain a packing note quoting a number and date of our order and showing its contents in detail.

#### 15) <u>Performance Guarantee:</u>

Performance Guarantee in the form of Bank Guarantee (BG) on the prescribed format @10% of order value in favour of NSIC Ltd. towards performance of the contract (Purchase Order) shall be required to be submitted by the party after successful installation of the project at site. This bank guarantee shall be valid for 18 months from date of shipment or 12 months from the date of successful completion of installation and commissioning at site whichever is later.

# 16) Pre-Shipment Inspection:

The plant and machinery / equipment to be supplied and packing thereof shall be subject to inspection by NSIC or third party (name shall be conveyed to the successful bidder) at manufacturer's premises prior to dispatch thereof. Approval and clean report of findings shall be submitted at the time of claiming 80% payment. Machinery & equipment including packing boxes shall be offered by the awarded unit for inspection at least 10 days before the stipulated date of delivery. Deviations, if any pointed out by the visiting inspection team, as mentioned above, shall be corrected and

the machinery and equipment as per specification shall be dispatched on or before the contract delivery date.

## 17) <u>Liquidated damages:</u>

In the event of delay in supply of the goods within the stipulated period, Liquidated Damages (LD) shall be charged by NSIC @ ½% (one-half of one percent) of the total order value per week of delay or part thereof subject to a maximum of 5 (five percent) of the order value. Supplier shall deduct the applicable LD from the first payment while raising the claim for the same.

#### 18) <u>Insurance:</u>

All goods are to be insured for 110% of the FOR value of the goods by successful bidder from the works to warehouse of our C&F agent at Delhi.

#### 19) <u>Installation & Commissioning:</u>

- a. The awarded bidders shall have to depute expert(s) for installation & commissioning at site as and when instructed by NSIC.
- b. No additional charges shall be payable for installation & commissioning of equipment at site except for the following:
- i. Return economy class Air Ticket shall be provided by NSIC.
- ii. Lodging shall be taken care of by NSIC.
- iii. Local conveyance shall be taken care of by NSIC.
- iv. Out of pocket allowance as per MEA rate shall be paid by NSIC.
- v. Skilled and unskilled workers shall be provided by Host country at site.
- vi. The supplier has to inform in advance about the material handling facilities to be arranged by host country for successful installation, commissioning, training and pilot production from the machines and equipments supplied.
- c. Time and manpower required (skilled / unskilled) for Erection & commissioning should be clearly given in terms of working days and number respectively.
- d. The supplier will be required to train for at least 7 days the operators as decided by NSIC / host country.

#### 20) After Sales Service / Warranties by Suppliers:

The equipment shall be warranted for any manufacturing defect for a period of 18 months from the date of shipment or 12 months from the date of successful completion of installation and commissioning at site, whichever is later. Should any part or parts fail or proved defective within the period specified above, owing to defect in design, material or workmanship, the supplier will have to replace them at the place of installation free of all charges.

During the warranty period, expert(s) shall be deputed at site by the awarded unit whenever found essential and which cannot be undertaken locally or by the NSIC's experts including rectifying any defect / malfunctioning of plant & machinery. The cost of deputation of expert(s) and any other associated expenditure shall be borned by the awarded unit.

#### 21) Technical Documents:

The awarded unit shall provide technical documents like operation and maintenance manual etc. in English language in three copies for each items of equipment. Two copies to go with the consignment, one copy to be forwarded to NSIC office.

#### 22) Risk Purchase:

In case of delays in supplies / defective supplies or nonfulfillment of any other terms and conditions given in the Supply Order, NSIC may cancel the supply order in full or part thereof, and may also make the purchase of such material from elsewhere / alternative source at the risk and cost of the supplier.

In case vendor does not agree to above risk purchase clause, their offer is liable to be rejected. In case any vendor accepts risk purchase clause initially and subsequently declines to honour the term in the eventuality of RISK PURCHASE, they may be banned for business with NSIC.

#### 23) Cancellation of Bids

a. NSIC reserves the rights to cancel any bid without assigning any reasons.

b. NSIC reserves the rights to cancel bids and refloat a fresh tender, at any time after opening of the bids, in case it finds the response to its bid are not meeting its requirement. This shall be at the sole discretion of NSIC.

#### 24) Blacklisting / Debarring of Firm

- a. Units blacklisted by any Government Departments / PSUs are not eligible to participate in the tender.
- b. If the unit(s) commits breach of contract, it shall be black listed / debarred for further business with NSIC for a declared period.

#### 25) Post Tender Negotiations

- a. NSIC reserves the right to conduct negotiations on the `Price' and 'other commercial terms' with the lowest ranked offerer, and
- b. If so required by NSIC, supplier may have to share their cost data / costing sheet with NSIC.

#### 26) <u>Force Majeure</u>

If at any time during the currency of this contract, the performance in whole or in part, by either party of any obligations under this contract shall be prevented or delayed by reason, of any war, hostilities, acts of the public enemy, civil commotion, sabotage, fires, explosions, epidemics, quarantine, restrictions or acts of GOD (hereinafter referred to as events), then provided notice of happening of any such events is given by either party to other within ten days from the date of occurrence thereof, neither party shall reason of such events be entitled to terminate this contract nor shall either party have any such non performance and delay is resumed as soon as practicable after such events has come to an end or ceased to exist. If the performance in whole or part of any obligation under this contract is prevented or delayed by reason or any such event claims for extension of time shall be granted for period considered reasonable by the purchaser subject to prompt notification by the seller to the purchaser of the particulars of the events and supply to the purchaser if required of any supporting evidence. Any waiver of time in respect of partial installment shall not be deemed to be a waiver of time in respect of remaining deliveries.

# Annexure-I

# Format for technical bid

SI.	Tender requirements	Quantity	Compliance
No.			(Yes/No)
	One set of Rapier Weaving Machine with Electronic Jacquard		
	n for Supply, Installation & Commissioning a		
	pt) consisting of the following:	T	
1.	Rapier Weaving Machine with Electronic	1 No.	
	Jacquard Loom		
	<ul><li>Reed width – 240 cm</li></ul>		
	No. of colour (electronic weft selector)		
	– 6 nos.,		
	Warp stop motion: Automatic stop		
	with 6 row warp dropper stand		
	<ul><li>Shedding – electronic jacquard (hook</li></ul>		
	capacity – minimum 1408)		
	Gantry to hold jacquard		
	Jacquard panel: To accept EP files only		
	for design		
	Software for EP file will be provided		
	<ul><li>Wear's beam with aluminium flange –</li></ul>		
	2 nos. of 600 mm flange diameter		
	each with length 110 inches		
	<ul><li>Weft accumulator with stands – 6 nos.</li></ul>		
	Weft stop motion – fully automatic.		
	Thread broken : Clutch brake to stop		
	motion		
	Heald wires & Drop pins – 10000		
	pieces each		
	<ul><li>Crank shaft – single piece</li></ul>		
	Oil pump centralised lubrication		
	system		
	Let off & Take off : Mechanical		
	Control – electronic panel (PLC) /		
	micro computer with USB port		
	<ul><li>Colour selector – to attached with</li></ul>		
	jacquard		
	Elec. Optical wrap over tension sensor		
	> Fabric roller diameter: around 400mm		
2.	Complete set of tools, jigs & fixtures	One set	
	required for installations (Anti-vibration		

	mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc). (please specify each item with detailed specifications / quantity - use separate sheet).		
3.	Spares to maintain the normal operations of machine for two years including lubricating oil and cleaning oil. Ensure the spares list include all the items/ parts those are required to be replaced during the course of normal running of machine, due to their wear & tear. (please specify each item with detailed specifications / quantity - use separate sheet).	One set	
4.	Raw material (cotton threads compatible with the machine and other material) required for taking out the pilot production after the installation & commissioning of machines at site. (Please specify break up of raw material). (please specify each item with detailed specifications / quantity - use separate sheet).	500 Kg.	

#### Enclosures:

- 1. Company profile with catalogues.
- 2. Detailed specification of all items mentioned above.
- 3. Copy of purchase orders/ contracts of similar nature and size in the last five years.
- 4. Copy of Pan Card / Sales tax / VAT registration certificate.
- 5. Copy of SSI / MSME Memorandum part II / NSIC registration certificate, if applicable.
- 6. Demand draft for Rs. 70,000/- as EMD.
- 7. Authorization letter in favour of authorized signatory from the bidder.

# Annexure-II

# **Financial price schedule**

One set of Rapier Weaving Machine with Electronic Jacquard Loom for Supply, Installation & Commissioning at Cairo (Egypt) consisting of the following:  1. Rapier Weaving Machine with Electronic Jacquard Loom    Reed width - 240 cm   No.   No.   No.   Reed width - 240 cm   No.   No. of colour (electronic weft selector) - 6 nos.,   Warp stop motion: Automatic stop with 6 row warp dropper stand   Shedding - electronic jacquard (hook capacity - minimum 1408)   Gantry to hold jacquard   Jacquard panel: To accept EP files only for design   Software for EP file will be provided   Wear's beam with aluminium flange - 2 nos. of 600 mm flange diameter each with length 110 inches   Weft accumulator with stands - 6 nos.   Weft stop motion - fully automatic.   Thread broken : Clutch brake to stop motion   Heald wires & Drop pins - 10000 pieces each   Crank shaft - single piece   Oil pump centralised lubrication system   Let off & Take off : Mechanical   Control - electronic panel (PLC) / micro computer with USB port   Colour selector - to attached with jacquard   Elec. Optical wrap over tension sensor   Fabric roller diameter: around 400mm   Set   Set	SI. No.	Description and Technical specification		Price (INR)	Tax & Duties (INR)	Total price (FOR, Delhi) (INR)
1. Rapier Weaving Machine with Electronic Jacquard Loom  > Reed width - 240 cm > No. of colour (electronic weft selector) - 6 nos.,  > Warp stop motion: Automatic stop with 6 row warp dropper stand > Shedding - electronic jacquard (hook capacity - minimum 1408) > Gantry to hold jacquard > Jacquard panel: To accept EP files only for design > Software for EP file will be provided > Wear's beam with aluminium flange - 2 nos. of 600 mm flange diameter each with length 110 inches > Weft accumulator with stands - 6 nos. > Weft stop motion - fully automatic. > Thread broken: Clutch brake to stop motion > Heald wires & Drop pins - 10000 pieces each > Crank shaft - single piece > Oil pump centralised lubrication system > Let off & Take off: Mechanical > Control - electronic panel (PLC) / micro computer with USB port > Colour selector - to attached with jacquard > Elec. Optical wrap over tension sensor Fabric roller diameter: around 400mm  2. Complete set of tools, jigs & fixtures One				-		for Supply,
Jacquard Loom  Reed width – 240 cm No. of colour (electronic weft selector) – 6 nos., Warp stop motion: Automatic stop with 6 row warp dropper stand Shedding – electronic jacquard (hook capacity – minimum 1408) Gantry to hold jacquard Jacquard panel: To accept EP files only for design Software for EP file will be provided Wear's beam with aluminium flange – 2 nos. of 600 mm flange diameter each with length 110 inches Weft accumulator with stands – 6 nos. Weft stop motion – fully automatic. Thread broken: Clutch brake to stop motion Heald wires & Drop pins – 10000 pieces each Crank shaft – single piece Oil pump centralised lubrication system Let off & Take off: Mechanical Control – electronic panel (PLC) / micro computer with USB port Colour selector – to attached with jacquard Elec. Optical wrap over tension sensor Fabric roller diameter: around 400mm  Complete set of tools, jigs & fixtures One			_	ing of t	he followir	ng:
> Reed width - 240 cm > No. of colour (electronic weft selector) - 6 nos., > Warp stop motion: Automatic stop with 6 row warp dropper stand > Shedding - electronic jacquard (hook capacity - minimum 1408) > Gantry to hold jacquard > Jacquard panel: To accept EP files only for design > Software for EP file will be provided > Wear's beam with aluminium flange - 2 nos. of 600 mm flange diameter each with length 110 inches > Weft accumulator with stands - 6 nos. > Weft stop motion - fully automatic. > Thread broken: Clutch brake to stop motion > Heald wires & Drop pins - 10000 pieces each > Crank shaft - single piece > Oil pump centralised lubrication system > Let off & Take off: Mechanical > Control - electronic panel (PLC) / micro computer with USB port > Colour selector - to attached with jacquard > Elec. Optical wrap over tension sensor Fabric roller diameter: around 400mm  2. Complete set of tools, jigs & fixtures One	1.	· ·				
<ul> <li>No. of colour (electronic weft selector) – 6 nos.,</li> <li>Warp stop motion: Automatic stop with 6 row warp dropper stand</li> <li>Shedding – electronic jacquard (hook capacity – minimum 1408)</li> <li>Gantry to hold jacquard</li> <li>Jacquard panel: To accept EP files only for design</li> <li>Software for EP file will be provided</li> <li>Wear's beam with aluminium flange – 2 nos. of 600 mm flange diameter each with length 110 inches</li> <li>Weft accumulator with stands – 6 nos.</li> <li>Weft stop motion – fully automatic.</li> <li>Thread broken: Clutch brake to stop motion</li> <li>Heald wires &amp; Drop pins – 10000 pieces each</li> <li>Crank shaft – single piece</li> <li>Oil pump centralised lubrication system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control – electronic panel (PLC) / micro computer with USB port</li> <li>Colour selector – to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures</li> </ul>		Jacquard Loom	NO.			
<ul> <li>No. of colour (electronic weft selector) – 6 nos.,</li> <li>Warp stop motion: Automatic stop with 6 row warp dropper stand</li> <li>Shedding – electronic jacquard (hook capacity – minimum 1408)</li> <li>Gantry to hold jacquard</li> <li>Jacquard panel: To accept EP files only for design</li> <li>Software for EP file will be provided</li> <li>Wear's beam with aluminium flange – 2 nos. of 600 mm flange diameter each with length 110 inches</li> <li>Weft accumulator with stands – 6 nos.</li> <li>Weft stop motion – fully automatic.</li> <li>Thread broken: Clutch brake to stop motion</li> <li>Heald wires &amp; Drop pins – 10000 pieces each</li> <li>Crank shaft – single piece</li> <li>Oil pump centralised lubrication system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control – electronic panel (PLC) / micro computer with USB port</li> <li>Colour selector – to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures</li> </ul>		Reed width - 240 cm				
selector) – 6 nos.,  > Warp stop motion: Automatic stop with 6 row warp dropper stand  > Shedding – electronic jacquard (hook capacity – minimum 1408)  > Gantry to hold jacquard  > Jacquard panel: To accept EP files only for design  > Software for EP file will be provided  > Wear's beam with aluminium flange – 2 nos. of 600 mm flange diameter each with length 110 inches  > Weft accumulator with stands – 6 nos.  > Weft stop motion – fully automatic.  > Thread broken: Clutch brake to stop motion  > Heald wires & Drop pins – 10000 pieces each  > Crank shaft – single piece  > Oil pump centralised lubrication system  > Let off & Take off: Mechanical  > Control – electronic panel (PLC) / micro computer with USB port  > Colour selector – to attached with jacquard  > Elec. Optical wrap over tension sensor  Fabric roller diameter: around 400mm  2. Complete set of tools, jigs & fixtures  One						
<ul> <li>Warp stop motion: Automatic stop with 6 row warp dropper stand</li> <li>Shedding - electronic jacquard (hook capacity - minimum 1408)</li> <li>Gantry to hold jacquard</li> <li>Jacquard panel: To accept EP files only for design</li> <li>Software for EP file will be provided</li> <li>Wear's beam with aluminium flange - 2 nos. of 600 mm flange diameter each with length 110 inches</li> <li>Weft accumulator with stands - 6 nos.</li> <li>Weft stop motion - fully automatic.</li> <li>Thread broken: Clutch brake to stop motion</li> <li>Heald wires &amp; Drop pins - 10000 pieces each</li> <li>Crank shaft - single piece</li> <li>Oil pump centralised lubrication system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control - electronic panel (PLC) / micro computer with USB port</li> <li>Colour selector - to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures</li> </ul>		•				
with 6 row warp dropper stand  > Shedding – electronic jacquard (hook capacity – minimum 1408)  > Gantry to hold jacquard  > Jacquard panel: To accept EP files only for design  > Software for EP file will be provided  > Wear's beam with aluminium flange  - 2 nos. of 600 mm flange diameter each with length 110 inches  > Weft accumulator with stands – 6 nos.  > Weft stop motion – fully automatic.  > Thread broken: Clutch brake to stop motion  > Heald wires & Drop pins – 10000 pieces each  > Crank shaft – single piece  > Oil pump centralised lubrication system  > Let off & Take off: Mechanical  > Control – electronic panel (PLC) / micro computer with USB port  > Colour selector – to attached with jacquard  > Elec. Optical wrap over tension sensor Fabric roller diameter: around 400mm  2. Complete set of tools, jigs & fixtures One						
<ul> <li>Shedding – electronic jacquard (hook capacity – minimum 1408)</li> <li>Gantry to hold jacquard</li> <li>Jacquard panel: To accept EP files only for design</li> <li>Software for EP file will be provided</li> <li>Wear's beam with aluminium flange  – 2 nos. of 600 mm flange diameter each with length 110 inches</li> <li>Weft accumulator with stands – 6 nos.</li> <li>Weft stop motion – fully automatic.</li> <li>Thread broken: Clutch brake to stop motion</li> <li>Heald wires &amp; Drop pins – 10000 pieces each</li> <li>Crank shaft – single piece</li> <li>Oil pump centralised lubrication system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control – electronic panel (PLC) / micro computer with USB port</li> <li>Colour selector – to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures</li> </ul>		· · · · · · · · · · · · · · · · · · ·				
(hook capacity – minimum 1408)  Gantry to hold jacquard  Jacquard panel: To accept EP files only for design  Software for EP file will be provided  Wear's beam with aluminium flange  - 2 nos. of 600 mm flange diameter each with length 110 inches  Weft accumulator with stands – 6 nos.  Weft stop motion – fully automatic.  Thread broken: Clutch brake to stop motion  Heald wires & Drop pins – 10000 pieces each  Crank shaft – single piece  Oil pump centralised lubrication system  Let off & Take off: Mechanical  Control – electronic panel (PLC) / micro computer with USB port  Colour selector – to attached with jacquard  Elec. Optical wrap over tension sensor Fabric roller diameter: around 400mm  Complete set of tools, jigs & fixtures One		· · · ·				
<ul> <li>Gantry to hold jacquard</li> <li>Jacquard panel: To accept EP files only for design</li> <li>Software for EP file will be provided</li> <li>Wear's beam with aluminium flange  - 2 nos. of 600 mm flange diameter each with length 110 inches</li> <li>Weft accumulator with stands - 6 nos.</li> <li>Weft stop motion - fully automatic.</li> <li>Thread broken: Clutch brake to stop motion</li> <li>Heald wires &amp; Drop pins - 10000 pieces each</li> <li>Crank shaft - single piece</li> <li>Oil pump centralised lubrication system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control - electronic panel (PLC) / micro computer with USB port</li> <li>Colour selector - to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures</li> </ul>						
<ul> <li>Jacquard panel: To accept EP files only for design</li> <li>Software for EP file will be provided</li> <li>Wear's beam with aluminium flange         <ul> <li>2 nos. of 600 mm flange diameter each with length 110 inches</li> <li>Weft accumulator with stands – 6 nos.</li> <li>Weft stop motion – fully automatic.</li> <li>Thread broken: Clutch brake to stop motion</li> <li>Heald wires &amp; Drop pins – 10000 pieces each</li> <li>Crank shaft – single piece</li> <li>Oil pump centralised lubrication system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control – electronic panel (PLC) / micro computer with USB port</li> <li>Colour selector – to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> </ul> </li> <li>Complete set of tools, jigs &amp; fixtures One</li> </ul>						
<ul> <li>Software for EP file will be provided</li> <li>Wear's beam with aluminium flange         <ul> <li>2 nos. of 600 mm flange diameter</li> <li>each with length 110 inches</li> </ul> </li> <li>Weft accumulator with stands - 6         <ul> <li>nos.</li> <li>Weft stop motion - fully automatic.</li> <li>Thread broken: Clutch brake to stop motion</li> <li>Heald wires &amp; Drop pins - 10000 pieces each</li> <li>Crank shaft - single piece</li> <li>Oil pump centralised lubrication system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control - electronic panel (PLC) / micro computer with USB port</li> <li>Colour selector - to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> </ul> </li> <li>Complete set of tools, jigs &amp; fixtures</li> </ul>						
<ul> <li>Wear's beam with aluminium flange         - 2 nos. of 600 mm flange diameter         each with length 110 inches</li> <li>Weft accumulator with stands - 6         nos.</li> <li>Weft stop motion - fully automatic.</li> <li>Thread broken: Clutch brake to stop         motion</li> <li>Heald wires &amp; Drop pins - 10000         pieces each</li> <li>Crank shaft - single piece</li> <li>Oil pump centralised lubrication         system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control - electronic panel (PLC) /         micro computer with USB port</li> <li>Colour selector - to attached with         jacquard</li> <li>Elec. Optical wrap over tension         sensor         Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures</li> </ul>		only for design				
- 2 nos. of 600 mm flange diameter each with length 110 inches  > Weft accumulator with stands – 6 nos.  > Weft stop motion – fully automatic.  > Thread broken : Clutch brake to stop motion  > Heald wires & Drop pins – 10000 pieces each  > Crank shaft – single piece  > Oil pump centralised lubrication system  > Let off & Take off : Mechanical  > Control – electronic panel (PLC) / micro computer with USB port  > Colour selector – to attached with jacquard  > Elec. Optical wrap over tension sensor Fabric roller diameter: around 400mm  2. Complete set of tools, jigs & fixtures  One		Software for EP file will be provided				
each with length 110 inches  > Weft accumulator with stands – 6 nos.  > Weft stop motion – fully automatic.  > Thread broken : Clutch brake to stop motion  > Heald wires & Drop pins – 10000 pieces each  > Crank shaft – single piece  > Oil pump centralised lubrication system  > Let off & Take off : Mechanical  > Control – electronic panel (PLC) / micro computer with USB port  > Colour selector – to attached with jacquard  > Elec. Optical wrap over tension sensor Fabric roller diameter: around 400mm  2. Complete set of tools, jigs & fixtures One		Wear's beam with aluminium flange				
<ul> <li>Weft accumulator with stands – 6         nos.</li> <li>Weft stop motion – fully automatic.</li> <li>Thread broken: Clutch brake to stop motion</li> <li>Heald wires &amp; Drop pins – 10000         pieces each</li> <li>Crank shaft – single piece</li> <li>Oil pump centralised lubrication system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control – electronic panel (PLC) / micro computer with USB port</li> <li>Colour selector – to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures</li> </ul>		<ul> <li>2 nos. of 600 mm flange diameter</li> </ul>				
nos.  > Weft stop motion – fully automatic.  > Thread broken : Clutch brake to stop motion  > Heald wires & Drop pins – 10000 pieces each  > Crank shaft – single piece  > Oil pump centralised lubrication system  > Let off & Take off : Mechanical  > Control – electronic panel (PLC) / micro computer with USB port  > Colour selector – to attached with jacquard  > Elec. Optical wrap over tension sensor  Fabric roller diameter: around 400mm  2. Complete set of tools, jigs & fixtures One		each with length 110 inches				
<ul> <li>Weft stop motion – fully automatic.</li> <li>Thread broken: Clutch brake to stop motion</li> <li>Heald wires &amp; Drop pins – 10000 pieces each</li> <li>Crank shaft – single piece</li> <li>Oil pump centralised lubrication system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control – electronic panel (PLC) / micro computer with USB port</li> <li>Colour selector – to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures One</li> </ul>		<ul><li>Weft accumulator with stands – 6</li></ul>				
<ul> <li>Thread broken: Clutch brake to stop motion</li> <li>Heald wires &amp; Drop pins - 10000 pieces each</li> <li>Crank shaft - single piece</li> <li>Oil pump centralised lubrication system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control - electronic panel (PLC) / micro computer with USB port</li> <li>Colour selector - to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures</li> </ul>						
motion  Heald wires & Drop pins – 10000 pieces each  Crank shaft – single piece  Oil pump centralised lubrication system  Let off & Take off : Mechanical  Control – electronic panel (PLC) / micro computer with USB port  Colour selector – to attached with jacquard  Elec. Optical wrap over tension sensor Fabric roller diameter: around 400mm  Complete set of tools, jigs & fixtures One		1				
<ul> <li>Heald wires &amp; Drop pins - 10000         pieces each</li> <li>Crank shaft - single piece</li> <li>Oil pump centralised lubrication         system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control - electronic panel (PLC) /         micro computer with USB port</li> <li>Colour selector - to attached with         jacquard</li> <li>Elec. Optical wrap over tension         sensor         Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures One</li> </ul>		•				
pieces each  Crank shaft – single piece  Oil pump centralised lubrication system  Let off & Take off : Mechanical  Control – electronic panel (PLC) / micro computer with USB port  Colour selector – to attached with jacquard  Elec. Optical wrap over tension sensor  Fabric roller diameter: around 400mm  Complete set of tools, jigs & fixtures One						
<ul> <li>Crank shaft – single piece</li> <li>Oil pump centralised lubrication system</li> <li>Let off &amp; Take off: Mechanical</li> <li>Control – electronic panel (PLC) / micro computer with USB port</li> <li>Colour selector – to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures One</li> </ul>						
<ul> <li>Oil pump centralised lubrication system</li> <li>Let off &amp; Take off : Mechanical</li> <li>Control - electronic panel (PLC) / micro computer with USB port</li> <li>Colour selector - to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures One</li> </ul>		· ·				
system  Let off & Take off : Mechanical  Control – electronic panel (PLC) / micro computer with USB port  Colour selector – to attached with jacquard  Elec. Optical wrap over tension sensor  Fabric roller diameter: around 400mm  Complete set of tools, jigs & fixtures One						
<ul> <li>Let off &amp; Take off: Mechanical</li> <li>Control - electronic panel (PLC) /         micro computer with USB port</li> <li>Colour selector - to attached with         jacquard</li> <li>Elec. Optical wrap over tension         sensor         Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures One</li> </ul>						
<ul> <li>Control – electronic panel (PLC) /         micro computer with USB port</li> <li>Colour selector – to attached with         jacquard</li> <li>Elec. Optical wrap over tension         sensor         Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures One</li> </ul>		1				
micro computer with USB port  Colour selector – to attached with jacquard  Elec. Optical wrap over tension sensor  Fabric roller diameter: around 400mm  Complete set of tools, jigs & fixtures One						
<ul> <li>Colour selector – to attached with jacquard</li> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures One</li> </ul>						
jacquard  Elec. Optical wrap over tension sensor Fabric roller diameter: around 400mm  2. Complete set of tools, jigs & fixtures One		The state of the s				
<ul> <li>Elec. Optical wrap over tension sensor</li> <li>Fabric roller diameter: around 400mm</li> <li>Complete set of tools, jigs &amp; fixtures One</li> </ul>						
sensor Fabric roller diameter: around 400mm  2. Complete set of tools, jigs & fixtures One						
Fabric roller diameter: around 400mm  2. Complete set of tools, jigs & fixtures One						
2. Complete set of tools, jigs & fixtures One						
	2.		One			
		required for installations (Anti-vibration				

mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc). (please specify each item with detailed specifications / quantity - use separate sheet).	
Total price FOR, ICD, Tughlakabad, New Delhi (Sl. No. 1 to 2)	

Lump sum price of one set of	machinery & equipment (FOR, ICD,
Tughlakabad, New Delhi: Rs.	
(in words Rupees:	

## **Spares & Raw Materials**

SI. No.	Description and Technical specification	Qty.	Price (INR)	Tax & Duties (INR)	Total price (FOR, Delhi) (INR)
3.	Spares to maintain the normal operations of machine for two years including lubricating oil and cleaning oil. Ensure the spares list include all the items/ parts those are required to be replaced during the course of normal running of machine, due to their wear & tear. (please specify each item with detailed specifications / quantity - use separate sheet).	set			
4.	Raw material (cotton threads compatible with the machine and other material) required for taking out the pilot production after the installation & commissioning of machines at site. (Please specify break up of raw material). (please specify each item with detailed specifications / quantity - use separate sheet).	Kg.			

Note: The above price should be inclusive of sea-worthy packing, transportation and insurance and Taxes & Duties etc. No tax concession form or proof of shipment of goods shall be issued.

# Annexure-III

# Format of covering letter

Ref. No.:.....
Date:.....

General Manager (TID) National Small Industries Corporation Limited NSIC Bhawan, Okhla Industrial Estate, New Delhi-110020.
Ref.: Tender No SIC/HO/TID/AU/12-100 dated 22 <sup>nd</sup> September, 2014 for supply and installation of one set of Rapier Weaving Machine with Electronic Jacquard Loom at Cairo (Egypt).
Dear Sir,
With reference to above tender notice, we are submitting herewith our offer for above as per following documents:
1. Technical bid in prescribed format as Annexure-I in sealed envelope no.1 alongwith enclosures (No financial figures should be mentioned directly or indirectly in technical bid).
2. EMD for Rs. 70,000/- in the form of Demand Draft in favour of "National Small Industries Corporation Limited" payable at New Delhi along with technical bid in an envelope marked "EMD" placed inside sealed envelope no.1.
3. Financial bid in prescribed format in sealed envelope no.2.
We hereby agree to fully abide by all the terms & condition of this tender.
Thanking you,
Yours faithfully,
Name Designation

# **Annexure-IV**

#### **Proforma for Bank Guarantee**

In consideration of the National Small Industries Corporation Ltd. (NSIC), Okhla Industrial Estate, New Delhi (hereinafter called the 'Company') having agreed to exempt
'Contractor' which term includes Suppliers for the purpose of this Bond) from the demand under the terms and conditions of an Agreement date Made between for (hereinafter
called the said 'Agreement') of Security Deposit for the due fulfillment by the said Contractor of the terms and conditions contained in the said Agreement, on production of a Bank Guarantee for Rs (Rupeesonly).
a. We,
b. We,
c. We undertake to pay to the Company any money so demanded notwithstanding any dispute or disputes raised by the Contractor(s) in any suit or proceeding pending before any court or Tribunal relating thereto our liability under this present being

Signature of Bidder
Seal of Bidder

absolute and unequivocal.

The payment so made by us under this bond shall be a valid discharge of our liability for payment there under and the Contractor(s) shall have no claim against us for making such payment.
d. We,
the liability under this guarantee thereafter.  e. We,(indicate the name of the Bank) further agree with the
Company that the Company shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said Agreement or to extend time of performance by the said contractor(s) form time to time or to postpone for any time or from time to time any of the power exercisable by the company against the said contractor(s) and to forbear or enforce any of the terms and conditions relating to the said Agreement and we shall not be relieved from our liability by any reason of any such variation or extension being granted to the said contractor(s) or for any forbearance, act or omission on the part of the company or any indulgence by the company to the said contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would but for this provision have effect of so relieving us.
f. This guarantee will not be discharged due to the change in the constitution of the Bank or the contractor(s).
g. We,(indicate the name of the bank) lastly undertake not to revoke this guarantee during its currency except with the previous consent of the Company in writing.
Dated the day of For (indicate the name of the bank)

Seal of Bidder

**Signature of Bidder**