Tender Notice

National Small Industries Corporation Limited
NSIC Bhawan Okhla
Industrial Estate New
Delhi-110020

Tel: +91-11-26826941/26826847 Email: tech@nsic.co.in

Tender no.: SIC/HO/TIDC/AU/12-154 Date: 1st October, 2015

Subject: Supply, Installation & Commissioning of one set of Semi-Automatic Pet Preform Stretch Blow Moulding Machine, Capacity: 400 bottles per hour of size 500 ml and 1000 ml at Banjul, Gambia on Turnkey Basis.

NSIC is setting up India-Africa Incubation Centre for Small Enterprise Establishment at Banjul (Gambia).

We are pleased to invite your offer in two parts viz. (a) Technical and (b) Financial, strictly as per enclosed terms and conditions and instructions to bidders, in sealed covers for the under mentioned plant and machinery / equipment required for supply and installation at Banjul (Gambia). One set of equipment as given in "Technical Bid Schedule" of this tender document.

The detailed tender document can be obtained free of cost from Manager (TID) at the above address. The tender document can also be downloaded from NSIC website www.nsic.co.in. Any clarification on technical specifications can be obtained in writing from NSIC before tender opening. Manufacturers are welcome to have pre-bid meeting with NSIC for better understanding our requirements.

Please submit your lowest quotation / offer for the above requirement subject to our terms and conditions. Your offer should be submitted to General Manager (TID), National Small Industries Corporation Limited, NSIC Bhawan, Okhla Industrial Estate, New Delhi-110020 latest by 23rd October, 2015 till 5:30 P.M. Offers received after the last date and scheduled time shall not be considered.

The format for technical bid and financial bid shall be as per Annexure-I and Annexure-II respectively. The offer should be submitted with a covering letter as per format at Annexure-III in a sealed envelope clearly mentioning the above tender number on top of the envelope.

The technical bid shall be opened on 26th October, 2015 at 2:30 P.M. in the presence of authorized representatives of the bidders who may like to be present. The authorized representative should bring authority letter from their principals for attending the bid opening.

Note: The vendor should submit their best price while submitting their bids itself and they will not be allowed to revise the price any time thereafter.

NSIC reserves the right to reject one or all of the bids without assigning any reasons.

KINDLY READ ALL TERMS AND CONDITIONS OF "TENDER DOCUMENT" THOROUGHLY. QUOTATION NOT IN ACCORDANCE WITH THE TERMS AND CONDITIONS IS LIABLE TO BE DISQUALIFIED AND IGNORED.

General Manager (TID)

Important Instructions to bidders for submission of tender

1) Preparation of Bids:

The bids should be prepared in the following manner: -

- a. The Bid shall be neatly arranged, plain and intelligible.
- b. Each page of the bid should be signed by the authorised person. Letter regarding the authorisation of such person should be obtained from the Principal / Manufacturer and enclosed with the bid.
- c. Insertions, postscripts, additions and alterations shall not be recognized, unless confirmed by bidder's signature.
- d. Bids should not contain any terms and conditions, printed or otherwise, which are not applicable to the Bid.
- e. Any conditional bid not adhering to the terms & conditions of the tender shall be rejected.
- f. The bidder should be the Principal / Original manufacturers of plant & machinery/ equipment, failing which the quotation shall not be considered.
- g. The bidders should have executed at least three purchase orders / contracts of equivalent value in the last five years. The bidder is required to submit catalogue of the plant & machinery/ equipment, complete reference of the past supply of equipment for the same or similar specification giving details of customer with name of the contact person, Fax no, phone no, E-mail.
- h. The bidders (originals manufacturers) will have to submit ink-signed offer / bid in original to NSIC. **Bids not complying with this condition shall not be considered**.
- i. In the Financial Bid, prices are to be indicated in both figures and words. In case of any discrepancy of value the prices quoted in words shall be considered for evaluation and establishing L1 status.
- j. No price variation clause will be entertained.

- k. Specifications are the basic essence of the "Product". Mere copying of the tender specifications by the Bidder into their bids shall not make them eligible for consideration. Appropriate and sufficient evidence of conformity by way of data (catalogues etc.) shall be furnished. There should be an item-by-item commentary on the Specifications demonstrating responsiveness of the offered equipment to the specifications.
- I. Bid with any pre-conditions (like conditional discounts) for price are liable to be "Not considered" / "Rejected".

2) Submission of Bids:

- a. Bids must be received by NSIC on or before the due date and time at the address specified in the tender document. In the event of the specified date for the submission of bids being declared a holiday for NSIC, the bid-closing deadline will stand extended to the next working day up to the same time.
- b. Any bid received by NSIC after the deadline for submission of bids, will not be accepted and returned unopened to the bidder.
- c. NSIC at its discretion may extend the deadline for the submission of bids if the bid document undergoes changes during the bidding period, in order to give prospective bidders time to take into consideration the amendments while preparing their bids.
- d. In case of receipt of inadequate numbers of bids, NSIC may extend the deadline for submission of bids giving opportunity to other bidders to participate in the bidding process to make it competitive.
- e. If the Supplier submits only one envelop / cover containing all the bids or combined bids e.g. techno-commercial bid & price bid together, the bid is liable for rejection.
- NOTE: The manufacturers should submit their best price at this stage itself and they will not be allowed to revise the price. Any revision / discount given by manufacturers subsequently will be ignored.

3) Amendment of Bidding Documents:

- a. At any time prior to the deadline for submission of bids, NSIC may, for any reason, whether on its own initiative or in response to the clarification request by a prospective bidder, modify the bid document.
- b. All prospective bidders who have requested for the bidding document will be notified of the amendment in writing, and such amendments/ modifications will be binding on them.

4) Bid opening and evaluation of Bids:

- a. The technical bids shall be opened on 26th October, 2015 at 2:30 P.M.
- b. Bidder whose technical bid is qualified based on the eligibility criteria as specified in this tender document will be considered for financial bid evaluation. The date and time of opening of the financial bid will be informed to such bidders.
- c. NSIC will open financial bids of only the technically qualified, in the presence of the bidders or their authorised representative who choose to attend the bid opening.
- d. The bidder's authorised representative who attends the bid opening shall sign an attendance register as a proof of having attended the bid opening.
- e. The bidder's name, bid prices, discounts and such other details will be announced at the time of opening of the financial bids.

5) Award of Contract

- a. The financial bids of the technically qualified bidders shall be opened by the constituted committee. Thereafter the committee shall prepare the comparative statement (CST) based on the FOR, ICD, Tuglakabad, New Delhi price quoted by the bidders. This will facilitate to shortlist the L-1 bidder quoting the lowest price.
- b. L-1 will be decided on the basis of total value of the bid.

- c. NSIC shall award the contract to the eligible bidder whose financial bid has been accepted and determined as the lowest evaluated financial bid.
- d. If more than one bidder happens to quote the same lowest price, NSIC reserves the right to award the contract to any one bidder.
- e. Separate supply order shall be placed for supply and installation of machinery and equipment required for location at Banjul. The bidder shall deposit 'Security Deposit' for Rs. 20,000/- (Rupees Twenty Thousand only) for each supply orders placed for different locations.
- f. The successful bidder, on award of contract/order, must send the contract/order acceptance in writing, within 7 days of award of contract/order, failing which the EMD will be forfeited.

6) <u>Interpretation of the clauses in the Tender Document /</u> Contract Document

In case of any ambiguity / dispute in the interpretation of any of the clauses in this Tender Document, NSIC's interpretation of the clauses shall be final and binding on all parties.

7) <u>Earnest Money Deposit:</u>

a. The units registered with Central Purchase Organization (DGS&D), National Small Industries Corporation (NSIC) or the concerned Ministry or Department shall be exempted from the payment of Earnest Money as defined under Rule 157 of General Financial Rules (GFR), 2005.

In such case, copy of the certificate showing registration with the above mentioned institutions to be enclosed alongwith the Technical Bid.

- b. In case, the unit is not covered under a. above, it should submit the offer along with Earnest Money Deposit (EMD) for Rs. 20,000/- (Rupees Twenty Thousand only) by way of Demand Draft (DD) drawn in favour of "National Small Industries Corporation Limited" payable at New Delhi for one set of goods only (even in case the bidder is quoting for more than one set). No cash / cheque towards EMD shall be accepted. The DD for EMD should be placed inside the envelope containing technical bid. The offers without EMD shall be rejected.
- c. The EMD will be refunded to the unsuccessful bidder within 30 days from the award of contract.
- d. No interest will be allowed for earnest money deposited with the Company.
- e. The EMD shall be forfeited:
 - (i) If the bidder withdraws the bid during the period of bid validity specified in the tender.
 - (ii) If the successful bidder fails to furnish the acceptance in writing, within 7 days of award of contract/order.

8) Security Deposit

- a. The EMD of successful bidder shall be kept as 'Security Deposit' for supply of goods against each supply order and shall be released at the time of final payment after successful completion of work.
- b. In case of bidder exempted from payment of EMD (as mentioned in Para 7 a. above), 'Security Deposit' for Rs. 20,000/- by way of demand draft in favour of "National Small Industries Corporation Limited" payable at New Delhi should be submitted along with order acceptance against each supply order. However, the successful bidder can furnish a Bank Guarantee of Nationalized Bank of equivalent amount in lieu of 'Security Deposit' valid for one year from the date of supply order.

9) Prices:

All items are to be quoted in INR only in the format as per Annexure-II. The price quoted should be inclusive of sea worthy packing, insurance and freight on FOR, ICD, Tulglakabad (New Delhi) basis. The prices should also be inclusive of all taxes and duties as applicable. The price quoted shall be considered firm and no price escalation shall be permitted.

10) Validity of the Quote:

The validity of quote should be at least six months (180 days) from the closing date of tender. A bid valid for a shorter period shall stand rejected.

NSIC may ask for the bidder's consent to extend the period of validity. Such request and the response shall be made in writing only. A bidder agreeing to the request for extension will not be permitted to modify his bid.

11) Delivery period:

The goods shall be delivered to NSIC's C&F agent at New Delhi (or any other place as specified by NSIC) within 60 days from the date of award of contract. Part delivery shall not be permitted. Separate dispatch instruction shall be issued after inspection of goods and acceptance thereof by NSIC. No other delivery terms shall be acceptable.

12) Taxes / Duties:

- a. The bidders should be registered with sales tax / income tax department of Govt. of India and should hold a valid VAT registration certificate, as applicable.
- b. Sales tax, excise duty, VAT, octroi or any other tax shall be paid on actual as per rule applicable and on production of documentary proof. No tax concession form or proof of shipment of goods shall be issued.

13) Payment terms:

- a. 80% of order value to be released on submission of following documents:
 - i. Signed commercial Invoice-two copies certifying that the goods are exactly as per the purchase order and the specification quoted.
- ii. One copy of NSIC supply order.
- iii. Proof of delivery of the consignment to our C&F agent.
- iv. Clean report of findings issued by NSIC.
- v. Packing list two copies duly signed.
- b. Balance 20% order value shall be released after successful installation and commissioning of equipment at site and upon furnishing performance guarantee as stated at para 15 of this tender document.

14) Packing & Marking:

Consignment must be packed in Sea Worthy in strong packing cases, taking all precaution against damage during handling and sea weather corrosion.

Proper marking on the packing cases should be made for smooth handling of consignment. The supplier will be held responsible for the plant and machinery / equipment not being sufficiently and properly packed and in such eventuality the supplier shall have to transport them by rail, road at their destination, at his expense free from loss or damage.

Every package delivered under our order shall at the expense of the supplier be distinctly marked with description and quantity or contents with the consignee name and address (which shall be notified subsequently) with gross weight and net weight, with the distinctive number and mark which is also to be shown for the purpose of identification on the suppliers packing account.

Each packet shall contain a packing note quoting a number and date of our order and showing its contents in detail.

15) Performance Guarantee:

Performance Guarantee in the form of Bank Guarantee (BG) on the prescribed format @10% of order value in favour of NSIC Ltd. towards performance of the contract (Purchase Order) shall be required to be submitted by the party after successful installation of the project at site. This bank guarantee shall be valid for 18 months from date of shipment or 12 months from the date of successful completion of installation and commissioning at site whichever is later.

16) Pre-Shipment Inspection:

The plant and machinery / equipment to be supplied and packing thereof shall be subject to inspection by NSIC or third party (name shall be conveyed to the successful bidder) at manufacturer's premises prior to dispatch thereof. Approval and clean report of findings shall be submitted at the time of claiming 80% payment. Machinery & equipment including packing boxes shall be offered by the awarded unit for inspection at least 10 days before the stipulated date of delivery. Deviations, if any pointed out by the visiting inspection team, as mentioned above, shall be corrected and the machinery and equipment as per specification shall be dispatched on or before the contract delivery date.

17) Liquidated damages:

In the event of delay in supply of the goods within the stipulated period, Liquidated Damages (LD) shall be charged by NSIC @ 1½% (one-half of one percent) of the total order value per week of delay or part thereof subject to a maximum of 5% (five percent) of the order value. Supplier shall deduct the applicable LD from the first payment while raising the claim for the same.

18) Insurance:

All goods are to be insured for 110% of the FOR value of the goods by successful bidder from the works to warehouse of our C&F agent at New Delhi.

19) Installation & Commissioning:

a. The awarded bidders shall have to depute expert(s) for installation & commissioning at site as and when instructed by NSIC.

- b. No additional charges shall be payable for installation & commissioning of equipment at site except for the following:
- i. Return economy class Air Ticket shall be provided by NSIC.
- ii. Lodging shall be taken care of by NSIC.
- iii. Local conveyance shall be taken care of by NSIC.
- iv. Out of pocket allowance as per MEA rate shall be paid by NSIC.
- v. Skilled and unskilled workers shall be provided by Host country at site.
- vi. The supplier has to inform in advance about the material handling facilities to be arranged by host country for successful installation, commissioning, training and pilot production from the machines and equipment supplied.
- c. Time and manpower required (skilled/unskilled) for erection & commissioning should be clearly given in terms of working days and number respectively.
- d. The supplier will be required to train for at least 7 days the operators as decided by NSIC / host country.

20) After Sales Service / Warranties by Suppliers:

The equipment shall be warranted for any manufacturing defect for a period of 18 months from the date of shipment or 12 months from the date of successful completion of installation and commissioning at site, whichever is later.

Should any part or parts fail or proved defective within the period specified above, owing to defect in design, material or workmanship, the supplier will have to replace them at the place of installation free of all charges.

During the warranty period, expert(s) shall be deputed at site by the awarded unit whenever found essential and which cannot be undertaken locally or by the NSIC's experts including rectifying any defect / malfunctioning of plant & machinery. The cost of deputation of expert(s) and any other associated expenditure shall be borne by the awarded unit.

21) Technical Documents:

The awarded unit shall provide technical documents like operation and maintenance manual etc. in English language in three copies for each items of equipment. Two copies to go with the consignment, one copy to be forwarded to NSIC office.

22) Risk Purchase:

In case of delays in supplies / defective supplies or non-fulfillment of any other terms and conditions given in the Supply Order, NSIC may cancel the supply order in full or part thereof, and may also make the purchase of such material from elsewhere / alternative source at the risk and cost of the supplier.

In case vendor does not agree to above risk purchase clause, their offer is liable to be rejected. In case any vendor accepts risk purchase clause initially and subsequently declines to honour the term in the eventuality of RISK PURCHASE, they may be banned for business with NSIC.

23) Cancellation of Bids

- a. NSIC reserves the rights to cancel any bid without assigning any reasons.
- b. NSIC reserves the rights to cancel bids and refloat a fresh tender, at any time after opening of the bids, in case it finds the response to its bid are not meeting its requirement. This shall be at the sole discretion of NSIC.

24) Blacklisting / Debarring of Firm

- a. Units blacklisted by any Government Departments / PSUs are not eligible to participate in the tender.
- b. If the unit(s) commits breach of contract, it shall be black listed / debarred for further business with NSIC for a declared period.

25) Post Tender Negotiations

- a. NSIC reserves the right to conduct negotiations on the `Price' and 'other commercial terms' with the lowest ranked offerer, and
- b. If so required by NSIC, supplier may have to share their cost data / costing sheet with NSIC.

26) Force Majeure

If at any time during the currency of this contract, the performance in whole or in part, by either party of any obligations under this contract shall be prevented or delayed by reason, of any war, hostilities, acts of the public enemy, civil commotion, sabotage, fires, explosions, epidemics, quarantine, restrictions or acts of GOD (hereinafter referred to as events), then provided notice of happening of any such events is given by either party to other within ten days from the date of occurrence thereof, neither party shall reason of such events be entitled to terminate this contract nor shall either party have any such non-performance and delay is resumed as soon as practicable after such events has come to an end or ceased to exist. If the performance in whole or part of any obligation under this contract is prevented or delayed by reason or any such event claims for extension of time shall be granted for period considered reasonable by the purchaser subject to prompt notification by the seller to the purchaser of the particulars of the events and supply to the purchaser if required of any supporting evidence. Any waiver of time in respect of partial installment shall not be deemed to be a waiver of time in respect of remaining deliveries.

Annexure-I

Format for technical bid

SI. No.	Tender requirements	Quantity	Compliance (Yes/No)		
One Mac 100	One set of Semi-Automatic Pet Preform Stretch Blow Moulding Machine, Capacity: 400 bottles per hour of size 500 ml and 1000 ml:				
For	Supply, Installation & Commissioning at Banjul (Gambia).			
	set of equipment consisting of the following:				
1.	Semi-automatic Pet Preform stretch blow moulding machine with Mould temperature controller, Cold air circulation with Rotary preheating oven; with infrared conveyor (to hold 50 nos. of preforms) for preheating Preform tubes (Auto temperature controller), conveyorised speed variable A/C drive with UPS power backup.	One No.			
	The machine fitted with PLC based control panel, pneumatic cylinders, Electrical Motor (reputed make), Electrical starter, Switch, overload protector and complete panel board with safety switch etc. The machine to be supplied with one set of moulds (two cavities) for 500 ml and one set of moulds (two cavities) for 1000 ml.				
	Capacity: 400 to 1200 bottles per hour Clamping Force: 16 tones Maximum mould thickness: 200 mm Maximum stretching stroke: 350 mm Maximum operating pressure: 10 bar Maximum blow pressure: 25 bar No. of heating zone: 6 Bottle Size: 500 ml and 1000 ml. Size of bottle cap: 28 ROPP				
	The machine to be supplied with the following:				
	(i) Air compressor with working pressure 15 to 35 kg, 36.6 CFM, 480 liters tank (thickness – 12 mm), air compressor mounted on horizontal air receiver fitted with 20 HP motor				

(reputed make) and starter with Oil Low Sensor and standard accessories.

- (ii) Air drier refrigerated type, digitally controlled, pre filter and post filter with built in pre (5 micron) and micro (0.01 PPM) filters, capacity: 60 CFM.
- (iii) Water Chiller: 2 TR 3 phase with pump motor inbuilt with standard accessories.

Water flow rate: 20-40 LPM

Please ensure that the specifications of equipment at Sl.No. (i), (ii) & (iii) shall be in accordance to the requirement of above Pet Preform Stretch Blow Moulding Machine.

Connecting pipes (length of pipe required around 20 meters) and fittings shall be supplied with the machine.

Compressor: Reciprocating compressor, reputed make

Chiller(Evaporator): Coil in tank

Condenser: Aluminum finned copper tube type Chilled water pump: 0.5 HP, Reputed Make

Controls such as

- (a) Thermostatic Expansion valve: Danfoss/Alco
- (b) Digital Temp. Controller /Indicator: VEI/SUBZERO/equiv.
- (c) L.P. / H.P. Gauges: Wika (Gernmany)
- (d) L.P./H.P. switch: Alco/Danfoss
- (e) Antifreeze Thermostat:

Alco/Ranco/Danfoss

- (f) Filter Dryer: Danfoss/Emerson
- (g) Sight Glass: Castle/equiv.
- (h) Hand shut off valves: Castle/synergy
- (i) Accumulations: Frigtools/Equiv.

Other controls include safety valve, air purge valves, globe valves etc.

Electrical panel box equipped with:

(i) Contactors: Telemechanique/Schnieder/LG

		SIC/HO/TID/AL	J/12-154
	(ii) Overload relays:		
	Telemechanique/Schnieder/LG		
	(iii) MCB: Legrand/Merlin		
	Gerin/LG/Schnieder		
	(iv) Voltage scanner: Minilec		
	(v) Control relays: Omron/LG		
	(vi) Timer: Selectron		
	(vii) Voltmeter & Amperemeter: L&T		
	(viii) HRC fuses, push buttons, indicators etc.		
	with wiring work within the chiller.		
	Interconnecting conner refrigeration nining		
	Interconnecting copper refrigeration piping		
	with fittings. The suction line is duly insulated.		
	Interconnecting chilled water piping (G.I) duly		
	insulated.		
	Refrigerant gas Freon R-22.		
	Water storage tank, 80 liters, duly insulated.		
2	Extra Moulds for 500 ml and 1000 ml with	One	
_	regular neck size of 28mm ROPP neck.	Each	
3.	Complete set of tools, jigs & fixtures required	One set	
٥.	,	One set	
	for installations		
	(please specify each item with detailed		
	specifications / quantity - use separate		
	sheet)		
	(Anti-vibration mountings/ foundation bolts		
	etc), tools for smooth operations &		
	maintenance of machines (hand tools, special		
	tools including electrical circuit diagrams and		
	electrical spares etc) including the following:		
	i. 20 meters MS seamless pipe for high		
	pressure line (should be sufficient for one		
	plant)		
	ii. MS high pressure fitting 8 each: L band,		
	nipple, union reducer, sockets.		
	iii. Ball valve 4 Nos. for high pressure line		
	. .		
	iv. Host pipe of 1 mtr length 4 Nos. to connect		
	pipe line with machine blowing unit.		
	v. Tool kit set include L N key set 3 mm to 16		
	mm and spanner set from 4 no to 32 no		
	vi. Electrical wiring layout diagram with		
	manual for references		
	vii. Troubleshooting guide		
	viii. Do's and Don'ts		
	ix. Daily, weekly, monthly check list for		
	smooth operation of plant		
1	x. Training acceptance form check list		

		SIC/HO/TID/A	0/ 12 13+
	xi. Pneumatic fittings and PU pipe shall be		
	provided in adequate lengths and sizes by		
	you to connect line with machines.		
	Any other necessary provisions required for		
	satisfactory operation		
4.	Spares to maintain normal operations of	One set	
	machine for two years.		
	(please specify each item with detailed		
	specifications / quantity - use separate		
	sheet)		
	Ensure the spares list include all the items/		
	parts those are required to be replaced during		
	the course of normal running of machine, due		
	to their wear & tear including the following:		
	(i) PU pipe 8 mm – 20 mtr		
	(ii) PU pipe 10 mm – 20 mtr		
	(iii) Neck seals 28 mm – 50 Nos.		
	(iv) Neck seals 26 min = 50 Nos.		
	(v) Pneumatic valve seals kit-6 Nos.		
	(vi) Pneumatic cylinder seal kits – 6 Nos.		
	(vii) Pneumatic fittings – 30 Nos.		
	(viii) IR lamp (2000 watt) – 6 Nos.		
	(ix) Bolt – 60 Nos.		
	(x) Mounting wheel – 4 Nos.		
	(xi) Mounting pad- 4 Nos.		
	(xii) SSR – 1 No.		
	(xiii) Coil for valves-2 Nos.		
	(xiv) Mounting pad – 4 Nos.		
	(xv) SSR – 1 No.		
	(xvi) Coil for valves – 2 Nos.		
	(xvii) SMPS – 1 No.		
	(xviii) Stretch Rod – 2 Nos.		
	(xix) Broad neck settings – 1 set		
	(xx) NRV – 1 No.		
	(xxi) Preform holder extra – 8 Nos.		
	(xxii) Preform holder broad neck – 8 Nos.		
	Annually and an analysis of the second secon		
	Any other necessary provisions required for		
	satisfactory operation		
5.	Raw material (Preforms) required for taking out	One lot	
	the pilot production after the installation &		
	commissioning of machines at site		
	(please specify each item with detailed		
	specifications / quantity - use separate		
	sheet)		
	including the following:		
	(i) Preform (25.5gms) for 500ml juice bottle		
	with neck size-28mm -5000 Nos.		
		noture of	

_		SIC/HO/TID/A	U/12-154
	(ii) Preform (38gms) for 1000ml juice bottle with neck size-28mm -5000 Nos.		
	Any other necessary provisions required for		
	satisfactory operation		

Note:

The aspects mentioned below must be noted while submitting bids for the above mentioned plant and machinery / equipment:

- a) Finished products should have quality similar to norms of Bureau of Indian Standards / FPO AGMARK, wherever applicable.
- b) All machines / equipment should be compatible with 220 V Single Phase, 380-400 V Three Phase 50 cycle per second supply. Electrical wiring for interconnection of the machines upto main supply wherever necessary should be supplied along with machines.
- c) In case foundation of the machine is required for installation, necessary foundation bolts, pads, washers etc. should be supplied along with foundation drawing.
- d) All machines should be supplied with electricals, raw material handling and finished material packing arrangement along with working tools.
- e) List out the technical specification, additional equipment required, if any, for smooth running of the project.
- f) All machines should be complete and ready for production of stated capacity and should be supplied with operation and maintenance manual.

Enclosures:

- 1. Company profile with catalogues.
- 2. Detailed specification of all items mentioned above.
- 3. Copy of purchase orders/ contracts of similar nature and size in the last five years.
- 4. Copy of Pan Card / Sales tax / VAT registration certificate.
- 5. Copy of SSI / MSME Memorandum part II / NSIC registration certificate, if applicable.
- 6. Demand draft for Rs. 20,000/- as EMD.
- 7. Authorization letter in favour of authorized signatory from the bidder.

Financial price schedule

Annexure-II

SI. No.	Description and Technical specification	Qty.	Price (INR)	Tax & Duties	Total price
140.	Specification		(IIIII)	(As	(FOR,
				applicable	Delhi)
)	(INR)
				(INR)	
	set of Semi-Automatic Pet Preform S bottles per hour of size 500 ml and 100			•	
1.	Semi-automatic Pet Preform stretch		Jiisistiiig o	THE TONOVIII	9.
	blow moulding machine with Mould	No.			
	temperature controller, Cold air				
	circulation with Rotary preheating				
	oven; with infrared conveyor (to hold				
	50 nos. of preforms) for preheating				
	Preform tubes (Auto temperature				
	controller), conveyorised speed variable A/C drive with UPS power				
	backup.				
	Sacrap.				
	The machine fitted with PLC based				
	control panel, pneumatic cylinders,				
	Electrical Motor (reputed make),				
	Electrical starter, Switch, overload				
	protector and complete panel board with safety switch etc.				
	The machine to be supplied with one				
	set of moulds (two cavities) for 500				
	ml and one set of moulds (two				
	cavities) for 1000 ml.				
	Capacity: 400 to 1200 bottles per				
	hour				
	Clamping Force: 16 tones				
	Maximum mould thickness: 200 mm				
	Maximum stretching stroke: 350 mm				
	Maximum operating pressure: 10 bar				
	Maximum blow pressure: 25 bar				
	No. of heating zone: 6				
	Bottle Size: 500 ml and 1000 ml.				
	Size of bottle cap: 28 ROPP				
	The machine to be supplied with the				
	following:				
<u> </u>	. J		ı	i	

- (i) Air compressor with working pressure 15 to 35 kg, 36.6 CFM, 480 liters tank (thickness 12 mm), air compressor mounted on horizontal air receiver fitted with 20 HP motor (reputed make) and starter with Oil Low Sensor and standard accessories.
- (ii) Air drier refrigerated type, digitally controlled, pre filter and post filter with built in pre (5 micron) and micro (0.01 PPM) filters, capacity: 60 CFM.
- (iii) Water Chiller: 2 TR 3 phase with pump motor inbuilt with standard accessories.

Water flow rate: 20-40 LPM

Please ensure that the specifications of equipment at SI.No. (i), (ii) & (iii) shall be in accordance to the requirement of above Pet Preform Stretch Blow Moulding Machine.

Connecting pipes (length of pipe required around 20 meters) and fittings shall be supplied with the machine.

Compressor: Reciprocating compressor, reputed make

Chiller(Evaporator): Coil in tank

Condenser: Aluminum finned copper

tube type

Chilled water pump: 0.5 HP, Reputed

Make

Controls such as

- (a) Thermostatic Expansion valve: Danfoss/Alco
- (b) Digital Temp. Controller /Indicator: VEI/SUBZERO/equiv.
- (c) L.P. / H.P. Gauges: Wika (Gernmany)
- (d) L.P./H.P. switch: Alco/Danfoss

	(e) Antifreeze Thermostat:			
	Alco/Ranco/Danfoss			
	(f) Filter Dryer: Danfoss/Emerson			
	(g) Sight Glass: Castle/equiv.			
	(h) Hand shut off valves:			
	Castle/synergy (i) Accumulations: Frigtools/Equiv.			
	(i) Accumulations. Trigitoois/Equiv.			
	Other controls include safety valve, air purge valves, globe valves etc.			
	Electrical panel box equipped with:			
	(i) Contactors:			
	Telemechanique/Schnieder/LG			
	(ii) Overload relays:			
	Telemechanique/Schnieder/LG			
	(iii) MCB: Legrand/Merlin			
	Gerin/LG/Schnieder (iv) Voltage scanner: Minilec			
	(v) Control relays: Omron/LG			
	(vi) Timer: Selectron			
	(vii) Voltmeter & Amperemeter: L&T			
	(viii) HRC fuses, push buttons,			
	indicators etc. with wiring work within			
	the chiller.			
	Interconnecting copper refrigeration			
	piping with fittings. The suction line is			
	duly insulated.			
	Interconnecting chilled water piping			
	(G.I) duly insulated.			
	Refrigerant gas Freon R-22.			
	Water storage tank, 80 liters, duly			
2.	insulated. Extra Moulds for 500 ml and 1000 ml	One		
۷٠	with regular neck size of 28mm ROPP	Each		
	neck.			
3.	Complete set of tools, jigs & fixtures	One		
	required for installations	set		
	(please specify each item with			
	detailed specifications / quantity			
	use separate sheet)(Anti-vibration mountings/ foundation			
	bolts etc), tools for smooth operations			
	& maintenance of machines (hand			
	tools, special tools including electrical			
	circuit diagrams and electrical spares			
	etc) including the following:			

SIC/HO/TID/AU/12-154 i. 20 meters MS seamless pipe for high pressure line (should be sufficient for one plant) ii. MS high pressure fitting 8 each: L nipple, union reducer, band, sockets. iii. Ball valve 4 Nos. for high pressure iv. Host pipe of 1 mtr length 4 Nos. to connect pipe line with machine blowing unit. v. Tool kit set include L N key set 3 mm to 16 mm and spanner set from 4 no to 32 no vi. Electrical wiring layout diagram with manual for references vii. Troubleshooting guide viii. Do's and Don'ts ix. Daily, weekly, monthly check list for smooth operation of plant x. Training acceptance form check xi. Pneumatic fittings and PU pipe shall be provided in adequate lengths and sizes by you to connect line with machines. Any other necessary provisions required for satisfactory operation Total price FOR, ICD, Tuglakabad, New One Delhi (Sl. No. 1 to 8) set

Lump sum price for one set of machinery & equipment (FOR, ICD,	
Tuglakabad, New Delhi: Rs.	
(in words Rupees_)

Spares

SI. No	Description and Technical specification	Qty.	Price (INR)	Tax & Duties	Total price
			(IIIII)	(INR)	(FOR,
1.	Spares to maintain normal operations of machine for two years. (please specify each item with detailed specifications / quantity - use separate sheet) Ensure the spares list include all the items/ parts those are required to be replaced during the course of normal running of machine, due to their wear & tear including the following:	One set			
	 (i) PU pipe 8 mm - 20 mtr (ii) PU pipe 10 mm - 20 mtr (iii) Neck seals 28 mm - 50 Nos. (iv) Neck seals broad neck- 50 Nos. (v) Pneumatic valve seals kit-6 Nos. (vi) Pneumatic cylinder seal kits - 6 Nos. (vii) Pneumatic fittings - 30 Nos. (viii) IR lamp (2000 watt) - 6 Nos. (ix) Bolt - 60 Nos. (x) Mounting wheel - 4 Nos. (xi) Mounting pad- 4 Nos. (xii) SSR - 1 No. (xiv) Mounting pad - 4 Nos. (xiv) Mounting pad - 4 Nos. (xv) SSR - 1 No. (xvi) Coil for valves - 2 Nos. (xvii) Coil for valves - 2 Nos. (xviii) SMPS - 1 No. (xviii) Stretch Rod - 2 Nos. (xix) Broad neck settings - 1 set (xx) NRV - 1 No. (xxi) Preform holder extra - 8 Nos. (xxii) Preform holder broad neck - 8 Nos. 				
	satisfactory operation				
2.	Raw material (assorted threads) required for taking out the pilot production after the installation & commissioning of machines at site (please specify each item with detailed specifications / quantity - use separate shoot)				
	sheet) including the following:				

(i) Preform (25.5gms) for 500ml juice bottle with neck size-28mm -5000 Nos.

(ii) Preform (38gms) for 1000ml juice bottle with neck size-28mm -5000 Nos.

Any other necessary provisions required for satisfactory operation

Note: The above price should be inclusive of sea-worthy packing, transportation and insurance and Taxes & Duties etc.

Annexure-III

Format of covering letter

Ref. No.: Date:
General Manager (TID) National Small Industries Corporation Limited NSIC Bhawan, Okhla Industrial Estate, New Delhi-110020.
Ref.: Tender No SIC/HO/TID/AU/12-154 dated 1st October, 2015 for One set of Semi-Automatic Pet Preform Stretch Blow Moulding Machine, Capacity: 400 bottles per hour of size 500 ml and 1000 ml, for Supply, Installation & Commissioning at Banjul, Gambia
Dear Sir,
With reference to above tender notice, we are submitting herewith our offer for above as per following documents:
 Technical bid in prescribed format as Annexure-I in sealed envelope no.1 along with enclosures (No financial figures should be mentioned directly or indirectly in technical bid).
2. EMD for Rs. 20,000/- in the form of Demand Draft in favour of "National Small Industries Corporation Limited" payable at New Delhi along with technical bid in an envelope marked "EMD" placed inside sealed envelope no.1.
3. Financial bid in prescribed format in sealed envelope no.2.
We hereby agree to fully abide by all the terms & condition of this tender.
Thanking you,
Yours faithfully,
Name Designation Signature of Bidder Seal of Bidder

Annexure-IV

Proforma for Bank Guarantee

In consideration of the National Small Industries Corporation Ltd. (NSIC), Okhla Industrial Estate, New Delhi (hereinafter called the 'Company') having agreed to exempt (hereinafter called the said
'Contractor' which term includes Suppliers for the purpose of this Bond) from the demand under the terms and conditions of an Agreement date Made between for (hereinafter
called the said 'Agreement') of Security Deposit for the due fulfillment by the said Contractor of the terms and conditions contained in the said Agreement, on production of a Bank Guarantee for Rs (Rupeesonly).
a. We,(Indicate the name of the Bank) (hereinafter referred to as the 'Bank') at the
request(Contractor(s) do hereby undertake to pay to the Company an amount not exceeding Rs against any loss or damage
caused to or suffered or would be caused to or suffered by the Company by reason of any breach by the said Contractor (s) of any of the terms and conditions contained in the said Agreement.
b. We,(indicate the name of the Bank) do hereby undertake to pay
the amounts due and payable under this guarantee without any demur, merely on a demand from the Company stating that the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by the Company by reason of breach by the said Contractor(s), of any of the terms of conditions contained in the said Agreement or by reason of the contractor(s), failure to perform the said Agreement. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs
c. We undertake to pay to the Company any money so demanded notwithstanding any dispute or disputes raised by the Contractor(s) in any suit or proceeding pending before any court or Tribunal relating thereto our liability under this present being absolute and unequivocal.

have no claim	າ against us	for making s	uch paym	nent.		
d. We, Bank)						the the
(NSIC) certific have been fu and accordin claim under the	nat would Ind that it sompany und its of the	be taken for shall continued der or by virt claims satisficational Smaterms and corporty carried ged this guate is made on v	the perion the ue of the ed or distions of the edge of	formance enforceable said Agre charged cries Corport the said countries atting on or	of the e till a ement or till oration Agreen otracto demar before	e said II the have Ltd. nent or(s) and or
e. We, Bank)		(indicate	the	name agree	of with	the the
Company that consent and hereunder to Agreement or form time to any of the productions relation of the production of the production of the provision have the provision have the provision of the provision have the provision have the provision have the provision of the provision have the	without a vary any to extend to time or to power exerciand to footing to the sail to the sail continuity by any the sail continui	of the term of the term ime of perform postpone for cisable by the order or end and contractor of the compatractor (s) or the law relating relieving us not be disch	any mars and comance by any time compart and with any such with any such with any or any or any or any	nner our onditions the said cor from to the said core of the eshall not variation core any forbeany indulguisuch matesties would	obligation obligation of the terms of the rextender arance ence by the following of the content	ations said tor(s) time said s and ieved nsion y the thing or this
g. We, bank)		(indicate	the lastly und	name ertake no	of t to rev	the voke
this guarante of the Compa Dated the	e during its ny in writing	currency exc J.	ept with	the previo	us con	sent

The payment so made by us under this bond shall be a valid discharge of our liability for payment there under and the Contractor(s) shall