

Tender Notice

National Small Industries Corporation Limited
NSIC Bhawan Okhla
Industrial Estate New
Delhi-110020
Tel: +91-11-26826941/26826847
Email: tech@nsic.co.in

Tender no. : SIC/HO/TIDC/AU/12-163 Date: 30th January, 2016

Subject: Supply and installation of set of Sheet Metal Processing Machinery at Banjul, Gambia on Turnkey Basis.

NSIC is setting up India-Africa Incubation Centre for Small Enterprise Establishment at Banjul (Gambia).

We are pleased to invite your offer in two parts viz. (a) Technical and (b) Financial, strictly as per enclosed terms and conditions and instructions to bidders, in sealed covers for the under mentioned plant and machinery / equipment required for supply and installation at Banjul (Gambia). One set of equipment as given in "Technical Bid Schedule" of this tender document.

The detailed tender document can be obtained free of cost from Manager (TID) at the above address. The tender document can also be downloaded from NSIC website www.nsic.co.in. Any clarification on technical specifications can be obtained in writing from NSIC before tender opening. Manufacturers are welcome to have pre-bid meeting with NSIC for better understanding our requirements.

Please submit your lowest quotation / offer for the above requirement subject to our terms and conditions. Your offer should be submitted to General Manager (TID), National Small Industries Corporation Limited, NSIC Bhawan, Okhla Industrial Estate, New Delhi-110020 latest by 15th February, 2016 till 5:30 P.M. Offers received after the last date and scheduled time shall not be considered.

The format for technical bid and financial bid shall be as per Annexure-I and Annexure-II respectively. The offer should be submitted with a covering letter as per format at Annexure-III in a sealed envelope clearly mentioning the above tender number on top of the envelope.

The technical bid shall be opened on 16th February, 2016 at 2:30 P.M. in the presence of authorized representatives of the bidders who may like to be present. The authorized representative should bring authority letter from their principals for attending the bid opening.

Note: The vendor should submit their best price while submitting their bids itself and they will not be allowed to revise the price any time thereafter.

NSIC reserves the right to reject one or all of the bids without assigning any reasons.

KINDLY READ ALL TERMS AND CONDITIONS OF "TENDER DOCUMENT" THOROUGHLY. QUOTATION NOT IN ACCORDANCE WITH THE TERMS AND CONDITIONS IS LIABLE TO BE DISQUALIFIED AND IGNORED.

General Manager (TID)

Important Instructions to bidders for submission of tender

1) Preparation of Bids:

The bids should be prepared in the following manner: -

- a. The Bid shall be neatly arranged, plain and intelligible.
- b. Each page of the bid should be signed by the authorised person. Letter regarding the authorisation of such person should be obtained from the Principal / Manufacturer and enclosed with the bid.
- c. Insertions, postscripts, additions and alterations shall not be recognized, unless confirmed by bidder's signature.
- d. Bids should not contain any terms and conditions, printed or otherwise, which are not applicable to the Bid.
- e. Any conditional bid not adhering to the terms & conditions of the tender shall be rejected.
- f. The bidder should be the Principal / Original manufacturers of plant & machinery/ equipment, failing which the quotation shall not be considered.
- g. The bidders should have executed at least three purchase orders / contracts of equivalent value in the last five years. The bidder is required to submit catalogue of the plant & machinery/ equipment, complete reference of the past supply of equipment for the same or similar specification giving details of customer with name of the contact person, Fax no, phone no, E-mail.
- h. The bidders (originals manufacturers) will have to submit ink-signed offer / bid in original to NSIC. **Bids not complying with this condition shall not be considered.**
- i. In the Financial Bid, prices are to be indicated in both figures and words. In case of any discrepancy of value the prices quoted in words shall be considered for evaluation and establishing L1 status.
- j. No price variation clause will be entertained.

Signature of Bidder
Seal of Bidder

- k. Specifications are the basic essence of the "Product". Mere copying of the tender specifications by the Bidder into their bids shall not make them eligible for consideration. Appropriate and sufficient evidence of conformity by way of data (catalogues etc.) shall be furnished. There should be an item-by-item commentary on the Specifications demonstrating responsiveness of the offered equipment to the specifications.
- l. Bid with any pre-conditions (like conditional discounts) for price are liable to be "Not considered" / "Rejected".

2) Submission of Bids:

- a. Bids must be received by NSIC on or before the due date and time at the address specified in the tender document. In the event of the specified date for the submission of bids being declared a holiday for NSIC, the bid-closing deadline will stand extended to the next working day up to the same time.
- b. Any bid received by NSIC after the deadline for submission of bids, will not be accepted and returned unopened to the bidder.
- c. NSIC at its discretion may extend the deadline for the submission of bids if the bid document undergoes changes during the bidding period, in order to give prospective bidders time to take into consideration the amendments while preparing their bids.
- d. In case of receipt of inadequate numbers of bids, NSIC may extend the deadline for submission of bids giving opportunity to other bidders to participate in the bidding process to make it competitive.
- e. If the Supplier submits only one envelop / cover containing all the bids or combined bids e.g. techno-commercial bid & price bid together, the bid is liable for rejection.

NOTE: The manufacturers should submit their best price at this stage itself and they will not be allowed to revise the price. Any revision / discount given by manufacturers subsequently will be ignored.

Signature of Bidder
Seal of Bidder

3) Amendment of Bidding Documents:

- a. At any time prior to the deadline for submission of bids, NSIC may, for any reason, whether on its own initiative or in response to the clarification request by a prospective bidder, modify the bid document.
- b. All prospective bidders who have requested for the bidding document will be notified of the amendment in writing, and such amendments/ modifications will be binding on them.

4) Bid opening and evaluation of Bids:

- a. The technical bids shall be opened on 16th February, 2016 at 2:30 P.M.
- b. Bidder whose technical bid is qualified based on the eligibility criteria as specified in this tender document will be considered for financial bid evaluation. The date and time of opening of the financial bid will be informed to such bidders.
- c. NSIC will open financial bids of only the technically qualified, in the presence of the bidders or their authorised representative who choose to attend the bid opening.
- d. The bidder's authorised representative who attends the bid opening shall sign an attendance register as a proof of having attended the bid opening.
- e. The bidder's name, bid prices, discounts and such other details will be announced at the time of opening of the financial bids.

5) Award of Contract

- a. The financial bids of the technically qualified bidders shall be opened by the constituted committee. Thereafter the committee shall prepare the comparative statement (CST) based on the FOR, ICD, Tuglakabad, New Delhi price quoted by the bidders. This will facilitate to shortlist the L-1 bidder quoting the lowest price.
- b. L-1 will be decided on the basis of total value of the bid.

Signature of Bidder
Seal of Bidder

- c. NSIC shall award the contract to the eligible bidder whose financial bid has been accepted and determined as the lowest evaluated financial bid.
- d. If more than one bidder happens to quote the same lowest price, NSIC reserves the right to award the contract to any one bidder.
- e. Separate supply order shall be placed for supply and installation of machinery and equipment required for location at Banjul. The bidder shall deposit 'Security Deposit' for Rs. 1,50,000/- (Rupees One Lac Fifty Thousand only) for each supply orders placed for different locations.
- f. The successful bidder, on award of contract/order, must send the contract/order acceptance in writing, within 7 days of award of contract/order, failing which the EMD will be forfeited.

6) Interpretation of the clauses in the Tender Document / Contract Document

In case of any ambiguity / dispute in the interpretation of any of the clauses in this Tender Document, NSIC's interpretation of the clauses shall be final and binding on all parties.

7) Earnest Money Deposit:

- a. The units registered with Central Purchase Organization (DGS&D), National Small Industries Corporation (NSIC) or the concerned Ministry or Department shall be exempted from the payment of Earnest Money as defined under Rule 157 of General Financial Rules (GFR), 2005.

In such case, copy of the certificate showing registration with the above mentioned institutions to be enclosed alongwith the Technical Bid.

Signature of Bidder
Seal of Bidder

- b. In case, the unit is not covered under a. above, it should submit the offer along with Earnest Money Deposit (EMD) for Rs. 1,50,000/- (Rupees One Lac Fifty Thousand only) by way of Demand Draft (DD) drawn in favour of "National Small Industries Corporation Limited" payable at New Delhi for one set of goods only (even in case the bidder is quoting for more than one set). No cash / cheque towards EMD shall be accepted. The DD for EMD should be placed inside the envelope containing technical bid. The offers without EMD shall be rejected.
- c. The EMD will be refunded to the unsuccessful bidder within 30 days from the award of contract.
- d. No interest will be allowed for earnest money deposited with the Company.
- e. The EMD shall be forfeited:
 - (i) If the bidder withdraws the bid during the period of bid validity specified in the tender.
 - (ii) If the successful bidder fails to furnish the acceptance in writing, within 7 days of award of contract/order.

8) **Security Deposit**

- a. The EMD of successful bidder shall be kept as 'Security Deposit' for supply of goods against each supply order and shall be released at the time of final payment after successful completion of work.
- b. In case of bidder exempted from payment of EMD (as mentioned in Para 7 a. above), 'Security Deposit' for Rs. 1,50,000/- by way of demand draft in favour of "National Small Industries Corporation Limited" payable at New Delhi should be submitted along with order acceptance against each supply order. However, the successful bidder can furnish a Bank Guarantee of Nationalized Bank of equivalent amount in lieu of 'Security Deposit' valid for one year from the date of supply order.

Signature of Bidder
Seal of Bidder

9) Prices:

All items are to be quoted in INR only in the format as per Annexure-II. The price quoted should be inclusive of sea worthy packing, insurance and freight on FOR, ICD, Tulglakabad (New Delhi) basis. The prices should also be inclusive of all taxes and duties as applicable. The price quoted shall be considered firm and no price escalation shall be permitted.

10) Validity of the Quote:

The validity of quote should be at least six months (180 days) from the closing date of tender. A bid valid for a shorter period shall stand rejected.

NSIC may ask for the bidder's consent to extend the period of validity. Such request and the response shall be made in writing only. A bidder agreeing to the request for extension will not be permitted to modify his bid.

11) Delivery period:

The goods shall be delivered to NSIC's C&F agent at New Delhi (or any other place as specified by NSIC) within 60 days from the date of award of contract. Part delivery shall not be permitted. Separate dispatch instruction shall be issued after inspection of goods and acceptance thereof by NSIC. No other delivery terms shall be acceptable.

12) Taxes / Duties:

- a. The bidders should be registered with sales tax / income tax department of Govt. of India and should hold a valid VAT registration certificate, as applicable.
- b. Sales tax, excise duty, VAT, octroi or any other tax shall be paid on actual as per rule applicable and on production of documentary proof. No tax concession form or proof of shipment of goods shall be issued.

Signature of Bidder
Seal of Bidder

13) Payment terms:

- a. 80% of order value to be released on submission of following documents:
 - i. Signed commercial Invoice-two copies certifying that the goods are exactly as per the purchase order and the specification quoted.
 - ii. One copy of NSIC supply order.
 - iii. Proof of delivery of the consignment to our C&F agent.
 - iv. Clean report of findings issued by NSIC.
 - v. Packing list two copies duly signed.
- b. Balance 20% order value shall be released after successful installation and commissioning of equipment at site and upon furnishing performance guarantee as stated at para 15 of this tender document.

14) Packing & Marking:

Consignment must be packed in Sea Worthy in strong packing cases, taking all precaution against damage during handling and sea weather corrosion.

Proper marking on the packing cases should be made for smooth handling of consignment. The supplier will be held responsible for the plant and machinery / equipment not being sufficiently and properly packed and in such eventuality the supplier shall have to transport them by rail, road at their destination, at his expense free from loss or damage.

Every package delivered under our order shall at the expense of the supplier be distinctly marked with description and quantity or contents with the consignee name and address (which shall be notified subsequently) with gross weight and net weight, with the distinctive number and mark which is also to be shown for the purpose of identification on the suppliers packing account.

Each packet shall contain a packing note quoting a number and date of our order and showing its contents in detail.

Signature of Bidder
Seal of Bidder

15) Performance Guarantee:

Performance Guarantee in the form of Bank Guarantee (BG) on the prescribed format @10% of order value in favour of NSIC Ltd. towards performance of the contract (Purchase Order) shall be required to be submitted by the party after successful installation of the project at site. This bank guarantee shall be valid for 18 months from date of shipment or 12 months from the date of successful completion of installation and commissioning at site whichever is later.

16) Pre-Shipment Inspection:

The plant and machinery / equipment to be supplied and packing thereof shall be subject to inspection by NSIC or third party (name shall be conveyed to the successful bidder) at manufacturer's premises prior to dispatch thereof. Approval and clean report of findings shall be submitted at the time of claiming 80% payment. Machinery & equipment including packing boxes shall be offered by the awarded unit for inspection at least 10 days before the stipulated date of delivery. Deviations, if any pointed out by the visiting inspection team, as mentioned above, shall be corrected and the machinery and equipment as per specification shall be dispatched on or before the contract delivery date.

17) Liquidated damages:

In the event of delay in supply of the goods within the stipulated period, Liquidated Damages (LD) shall be charged by NSIC @ 1½% (one-half of one percent) of the total order value per week of delay or part thereof subject to a maximum of 5% (five percent) of the order value. Supplier shall deduct the applicable LD from the first payment while raising the claim for the same.

18) Insurance:

All goods are to be insured for 110% of the FOR value of the goods by successful bidder from the works to warehouse of our C&F agent at New Delhi.

19) Installation & Commissioning:

- a. The awarded bidders shall have to depute expert(s) for installation & commissioning at site as and when instructed by NSIC.

Signature of Bidder
Seal of Bidder

- b. No additional charges shall be payable for installation & commissioning of equipment at site except for the following:
 - i. Return economy class Air Ticket shall be provided by NSIC.
 - ii. Lodging shall be taken care of by NSIC.
 - iii. Local conveyance shall be taken care of by NSIC.
 - iv. Out of pocket allowance as per MEA rate shall be paid by NSIC.
 - v. Skilled and unskilled workers shall be provided by Host country at site.
 - vi. The supplier has to inform in advance about the material handling facilities to be arranged by host country for successful installation, commissioning, training and pilot production from the machines and equipment supplied.
- c. Time and manpower required (skilled/unskilled) for erection & commissioning should be clearly given in terms of working days and number respectively.
- d. The supplier will be required to train for at least 7 days the operators as decided by NSIC / host country.

20) After Sales Service / Warranties by Suppliers:

The equipment shall be warranted for any manufacturing defect for a period of 18 months from the date of shipment or 12 months from the date of successful completion of installation and commissioning at site, whichever is later.

Should any part or parts fail or proved defective within the period specified above, owing to defect in design, material or workmanship, the supplier will have to replace them at the place of installation free of all charges.

During the warranty period, expert(s) shall be deputed at site by the awarded unit whenever found essential and which cannot be undertaken locally or by the NSIC's experts including rectifying any defect / malfunctioning of plant & machinery. The cost of deputation of expert(s) and any other associated expenditure shall be borne by the awarded unit.

21) Technical Documents:

The awarded unit shall provide technical documents like operation and maintenance manual etc. in English language in three copies for each items of equipment. Two copies to go with the consignment, one copy to be forwarded to NSIC office.

Signature of Bidder
Seal of Bidder

22) Risk Purchase:

In case of delays in supplies / defective supplies or non-fulfillment of any other terms and conditions given in the Supply Order, NSIC may cancel the supply order in full or part thereof, and may also make the purchase of such material from elsewhere / alternative source at the risk and cost of the supplier.

In case vendor does not agree to above risk purchase clause, their offer is liable to be rejected. In case any vendor accepts risk purchase clause initially and subsequently declines to honour the term in the eventuality of RISK PURCHASE, they may be banned for business with NSIC.

23) Cancellation of Bids

- a. NSIC reserves the rights to cancel any bid without assigning any reasons.
- b. NSIC reserves the rights to cancel bids and refloat a fresh tender, at any time after opening of the bids, in case it finds the response to its bid are not meeting its requirement. This shall be at the sole discretion of NSIC.

24) Blacklisting / Debarring of Firm

- a. Units blacklisted by any Government Departments / PSUs are not eligible to participate in the tender.
- b. If the unit(s) commits breach of contract, it shall be black listed / debarred for further business with NSIC for a declared period.

25) Post Tender Negotiations

- a. NSIC reserves the right to conduct negotiations on the 'Price' and 'other commercial terms' with the lowest ranked offerer, and
- b. If so required by NSIC, supplier may have to share their cost data / costing sheet with NSIC.

Signature of Bidder
Seal of Bidder

26) Force Majeure

If at any time during the currency of this contract, the performance in whole or in part, by either party of any obligations under this contract shall be prevented or delayed by reason, of any war, hostilities, acts of the public enemy, civil commotion, sabotage, fires, explosions, epidemics, quarantine, restrictions or acts of GOD (hereinafter referred to as events), then provided notice of happening of any such events is given by either party to other within ten days from the date of occurrence thereof, neither party shall reason of such events be entitled to terminate this contract nor shall either party have any such non-performance and delay is resumed as soon as practicable after such events has come to an end or ceased to exist. If the performance in whole or part of any obligation under this contract is prevented or delayed by reason or any such event claims for extension of time shall be granted for period considered reasonable by the purchaser subject to prompt notification by the seller to the purchaser of the particulars of the events and supply to the purchaser if required of any supporting evidence. Any waiver of time in respect of partial installment shall not be deemed to be a waiver of time in respect of remaining deliveries.

Signature of Bidder
Seal of Bidder

Annexure-I**Format for technical bid**

Sl. No.	Tender requirements	Quantity	Compliance (Yes/No)
	One set of Sheet Metal Processing Machinery for Supply, Installation & Commissioning at Banjul (Gambia). One set of equipment consisting of the following:		
1.	<p>Hydraulic Fixed Rake Angle Guillotine Shearing Machine, having Cutting Cap. 2000 x 4mm for M.S Stroke per minute – 50.</p> <p>Machine shall be equipped Foot paddle, fly wheel and gear guard, self-lubrication system, motor pulley, a pair of 4 Edge HcHcr Blade shear blade, front gauge, motorized back gauge, V-belt, Reputed make electric motor, starter, control panel, stroke counter, extension arm and tools kit with 4 Edge HcHcr Shearing Blades – 2 Nos.</p> <p>Suitable, reputed make electricals & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic & Lubricating Oil to be provided in separate packing</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc if required, please specify each item with detailed specifications / quantity - use separate sheet)</p> <p>Spares to maintain the normal operations of machine for two years. (if required, please specify each item with detailed specifications / quantity - use separate sheet).</p>	One no.	
2.	Rear Cylinder Hydraulic Press Brake Machine - 30 Ton, having Bending Cap. 2000 x 4mm for M.S, Stroke length - 76mm, Stroke per minute - 25, Ram adjustment - 25mm, Shut	One no.	

Signature of Bidder
Seal of Bidder

	<p>"Height" Ram stroke - 250mm, Stroke of ram - 76mm, Ram adjustment –both motorized & manual, with:</p> <ul style="list-style-type: none"> (i) Multi Groove V Block and Die/Punch – 1Set. (ii) Die block lifting link – 3 Nos. (iii) V-block & punch – 5 Sets covering all standard angles (iv) Gauges – 5 Nos. <p>With Multi Groove V Block and Die/Punch (Fitted with machine) and motorized Back Gauge</p> <p>Foot paddle, Reputed Make motor complete with pulley & v-belt, motor mounting brackets, automatic lubrication system, stroke counter, electric panel, foundation bolt and other machine related complete tools.</p> <p>Suitable, reputed make electricals & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic & Lubricating Oil to be provided in separate packing</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc).(if required, please specify each item with detailed specifications / quantity - use separate sheet)</p> <p>Spares to maintain the normal operations of machine for two years. (if required, please specify each item with detailed specifications/quantity - use separate sheet).</p>		
3.	<p>Double Geared Steel Body 'C' Frame Fixed Type Press:</p> <ul style="list-style-type: none"> i. Capacity (Tons) : 30 Ton ii. Stroke Adjustment from 10 to 84 mm iii. Throat of the Equipment 178 mm 	One no.	

Signature of Bidder
Seal of Bidder

<p>iv. Max. distance bolster to RAM(SUAU) :300mm</p> <p>v. Slide Adjustment: 38 mm</p> <p>vi. Slide Face (FB*LR): 145*335 mm</p> <p>vii. Slide Face Opening (Dia * Depth) : 38 * 65 mm</p> <p>viii. Height of table surface from floor:750mm</p> <p>ix. Size of table(FB*LR): 355*610mm</p> <p>x. Opening in the table dia:127 mm</p> <p>xi. Bolster thickness:70 mm</p> <p>xii. Strokes per minute(App.): 50</p> <p>With Reputed Make motor complete with pulley, Revolving Clutch Key, clutch key spring, slide adjustable spanner, fly wheel and gear guard, knock-out system, stroke counter, extra base plate, automatic lubrication system, tommy bar, foundation bolts, etc.</p> <p>With 1 Set each of Die Tool for Notching and Punch of various job and suitable for Cup Board Making</p> <p>Suitable, reputed make electricals & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic & Lubricating Oil to be provided in separate packing</p> <p>Any other necessary provisions required for satisfactory operation</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc).(if required, please specify each item with detailed specifications / quantity - use separate sheet)</p> <p>Spares to maintain the normal operations of machine for two years. (if required, please specify each item with detailed specifications/quantity - use separate sheet).</p>		
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

Signature of Bidder
Seal of Bidder

4.	<p>Universal shearing punching and notching machine, Flat shear 60x8 mm, Angle shear 75x75x6 mm, "T" iron shear 75x75x6, Bar shear 25dia mm, Bar shear 20sq mm, Punching- 1 Dia. 15mm x10 mm thick, Punching- 2Dia. 25mm x8 mm thick, Notching 45 degree 'V' upto 100 mm Length and 8mm Thick Vee- Notcher.</p> <p>Accessories: - Machines design electrically runs with attachment of multifunctional operation with standard tooling / maintenance free machine. Suitable, reputed make electrical & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic, Lubricating Oil & cutting oil to be provided in separate packing</p> <p>Any other necessary provisions required for satisfactory operation</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc). (if required, please specify each item with detailed specifications / quantity - use separate sheet)</p> <p>Spares to maintain the normal operations of machine for two years. (If required, please specify each item with detailed specifications/quantity - use separate sheet).</p>	One no.	
5.	<p>Fly wheel press Double pillar hand fly wheel screw press provide 'V' guides, lubricating grooves with 2 catch dogs, wheel fly handle and 02 balls weight on wheel desired. Size of press 4 no. Screw diameter 3.3/4". Standard accessories.</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth</p>	One no.	

Signature of Bidder
Seal of Bidder

	<p>operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc).(if required, please specify each item with detailed specifications / quantity - use separate sheet)</p> <p>Spares to maintain the normal operations of machine for two years. (If required, please specify each item with detailed specifications/quantity - use separate sheet).</p>		
6.	<p>Cone Pulley Type Lathe Machine having Length of Bed 1370mm, Admit between Center 508mm, Swing over Bed 381mm, Swing without Gap 610mm, Swing over Cross Slide 203mm, Height of Center 215mm, Width of Bed 280mm, Spindle Hole 54mm, No. of Spindle speed 6, Lead Screw Dia 32mm, Steady Rest, Follow Rest, Chuck Plate, 1 No. Dog Chuck of 10" and 1 No. True Chuck of 8" Face Plate, Rear Tool Post, Tapper Turning Attachment, Chuck Plate.</p> <p>Suitable, reputed make electrical & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic, Lubricating Oil & cutting oil to be provided in separate packing</p> <p>Any other necessary provisions required for satisfactory operation</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc).(if required, please specify each item with detailed specifications / quantity - use separate sheet)</p> <p>Spares to maintain the normal operations of machine for two years. (If required, please specify each item with detailed specifications/quantity - use separate sheet).</p>	One no.	

Signature of Bidder
Seal of Bidder

7.	<p>Pillar type drill Machine ,Drilling Capacity in M.S-40 mm ,Drilling Capacity in C.I45 mm, Rough Boring in M.S 75 mm, Tapping in M.S 25 mm, Spindle Hole Taper MT-4, Spindle travel 250 mm, Spindle Speeds (RPM x Steps)70-1225x9, Diameter of Ram 78mm,</p> <p>Auto-feed Range (mm/rev.) 0.05 & 0.09, Max. Distance from Spindle nose to table - 575 mm, Spindle center to column 345mm, Table size 450x455 mm, Column Diameter 130 mm, Distance From spindle nose to base 920 mm, Drill chuck and arbor, V-belt, Machine vice, coolant pump with tank, taping attachment, electrical control panel, set of straight shank drill (0.5 to 15 mm), set of taps (5, 6, 8 & 10 mm) and tools kit. Suitable, reputed make electrical & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic & Lubricating Oil to be provided in separate packing</p> <p>Any other necessary provisions required for satisfactory operation</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc).(if required, please specify each item with detailed specifications / quantity - use separate sheet)</p> <p>Spares to maintain the normal operations of machine for two years. (If required, please specify each item with detailed specifications/quantity - use separate sheet).</p>	One No.	
8.	<p>Pedestal Grinding machine, Heavy duty double ended pedestal grinder provide heavy metal rough or finish the metal with quality wheels, tool rest, safety guard . Wheel size – dia. 250 mm,</p> <p>Machine shall be dynamically balanced and have minimum vibrations</p>	One No.	

Signature of Bidder
Seal of Bidder

	<p>Accessories-Eye shield for safety 06 Nos, Apron-06 Nos, 06 pairs of Hand gloves and pair of extra grinding wheel, Machined adjustable tool rest, coolant system. Suitable, reputed make electrical & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic, Lubricating Oil & cutting oil to be provided in separate packing</p> <p>Any other necessary provisions required for satisfactory operation</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc).(if required, please specify each item with detailed specifications / quantity - use separate sheet)</p> <p>Spares to maintain the normal operations of machine for two years. (If required, please specify each item with detailed specifications/quantity - use separate sheet).</p>		
9.	<p>Hydraulic power hacksaw machine, Cutting Blade size-1"x18". Suitable, reputed make electrical & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic & Lubricating Oil to be provided in separate packing</p> <p>Any other necessary provisions required for satisfactory operation</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc).(if required, please specify each item with detailed specifications / quantity - use separate sheet)</p>	One no.	

Signature of Bidder
Seal of Bidder

	Spares to maintain the normal operations of machine for two years. (If required, please specify each item with detailed specifications/quantity - use separate sheet).		
10.	Bench vice, Body material-Cast Iron, Jaws carbon steel Hardened and knurled. Size 125mm (5"), Swivel Base type, Complete with nut & bolts Fitted On Bench.	Two nos.	
11.	Flexible Shaft Grinder with 8Feet Long Shaft and Grinding Stone Machine shall be dynamically balance and have minimum vibrations. 1.0 HP X 3 Phase X 2800 RPM Suitable, reputed make electrical & motor for 380/400V, 3 Phase, 50 Hz AC Mains Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc). (if required, please specify each item with detailed specifications / quantity - use separate sheet) Spares to maintain the normal operations of machine for two years. (If required, please specify each item with detailed specifications/quantity - use separate sheet).	One no.	
12.	Single Stage, Single Piston Air Compressor, having Tank Cap.200 LPM, with Suitable reputed make electrical for 380/400V, 3 Phase, 50 Hz AC Mains, 10 Meter Air Pipe, Spray Gun for paint work. Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc). (if required, please specify each item with detailed specifications / quantity - use separate sheet) Spares to maintain the normal operations of machine for two years. (If required, please	One no.	

Signature of Bidder
Seal of Bidder

	specify each item with detailed specifications/quantity - use separate sheet).		
13.	<p>TIG/MMA (ARC) welding machine, input Voltage AC 180V (+/-)15%, Rating in put MMA/TIG43/28 No load Voltage V56, Output Current Range 7-200A,</p> <p>Accessories: - Pair of holder, welding screen, 06 Nos. black glasses, 2 packet filter glasses, helmet, 06nos leather apron, 06 pairs of leather hand gloves, pair of chipping hammer, pair of tongs, welding cable 08 Meter, Earthling cable with clamp, pair of wire brush and other tools etc.</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc).(if required, please specify each item with detailed specifications / quantity - use separate sheet)</p> <p>Spares to maintain the normal operations of machine for two years. (If required, please specify each item with detailed specifications/quantity - use separate sheet).</p>	One no.	
14.	<p>Spot welding, Main voltage – AC 180V single phase -380V 3 phase, Electrical parameter 5kva, Frequency 50Hz, Welding current (+/-) – 10% to1500A, Duty cycle (%) 40-50, Cooling model water cool, Electrode copper,</p> <p>Machine fitted with foot operated paddle, standard copper electrodes, standard tools and accessories.</p> <p>Suitable, reputed make electrical for 380/400V, 3 Phase, 50 Hz AC Mains.</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth</p>	One no.	

Signature of Bidder
Seal of Bidder

	<p>operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc).(if required, please specify each item with detailed specifications / quantity - use separate sheet)</p> <p>Spares to maintain the normal operations of machine for two years. (If required, please specify each item with detailed specifications/quantity - use separate sheet).</p>		
15.	<p>Tools</p> <p>S.no Particulars Size</p> <p>1) Vernier 8", 12"</p> <p>2) Outside Micrometer(0-25, 25-50)</p> <p>3) Inside micrometer (0-25, 25-50)</p> <p>4) Radius Gauge (1 -25)</p> <p>5)Grinding wheel 350x35x38.10</p> <p>6)Drill bit 1,2,3,4,5,6,7,8,9,10,11,12,13</p> <p>7)Electrodes (Arc Welding)- SWG-12,10 & 8</p> <p>8) Threads Gauge (BSW,BSP,IS)</p> <p>9) End mill Cutters Straight shank (8,10&12mm)</p> <p>10) Emery Cloth (Grades 80, 100, 120)</p> <p>11)Oil Stone-4" Grades-120 (Triangles, Square, round)</p> <p>12)Oil Stone-8" Grades-120 (Triangles, Square, round)</p> <p>13)Angle grinding wheels (Spindle thread) 180mm - M14</p> <p>14)Mini angle grinding wheels 100x2.5x14</p> <p>15)Mini angle cutting wheels 100x1.5x14</p> <p>16)Gas welding brazing rod 1x8, 1x16</p> <p>17)Gas welding M.S copper coated filler rod 1x8, 1x16</p> <p>18)Hammer Cross pan with handle 150gm</p> <p>19)Hammer Cross pan with handle 250gm</p> <p>20)Hammer ball pan with handle 250gm</p> <p>21)Hammer straight pan with handle 250gm</p> <p>22)Hammer Claw with handle 250gm</p> <p>23)Hammer Sledge with handle ½ kg & 1kg</p> <p>24)Plastic Hammer with handle Medium</p> <p>25)Mallet Medium</p> <p>26)Crow bar 1200x25mm</p>	<p>2nos.each</p> <p>2nos.each</p> <p>2nos.each</p> <p>2 nos.</p> <p>5 each</p> <p>5 pkt each</p> <p>5 pkt each</p> <p>2nos. each</p> <p>5nos.each</p> <p>5nos. each</p> <p>5nos.each</p> <p>2nos.each</p> <p>10 nos.</p> <p>10 nos.</p> <p>20 nos.</p> <p>3kg each</p> <p>5kg each</p> <p>5 nos.</p> <p>5 nos.</p> <p>5 nos.</p> <p>5 nos.</p> <p>2 nos</p> <p>2 each</p> <p>5 nos.</p> <p>10 nos.</p> <p>2 nos.</p>	

Signature of Bidder
Seal of Bidder

27)Straight bar (taper face Baari) 1500x30mm	2 nos.	
28)Cast iron slotted angle plate -open end- 250x200x175	1 no.	
29)Cast iron slotted angle plate -open end 350x200x250	1 nos.	
30)Universal V block 80x100x80	2 nos.	
31)Universal V block 70x200x55	2 nos.	
32)Try square-Flat edge (two piece) 150x100x12	5 nos.	
33)Try square-Flat edge (two piece) 250x140x15	5 nos.	
34)Spirit level 200mm	1 nos.	
35)Spirit level 300mm	1 nos.	
36)Wire gauge Standard	2 nos.	
37)Double end spanner 8 to 30mm	2 set	
38)Double end ring Spanner 8 to 20 mm	2 set	
39)Cylinder Spindle key 10mm	4 nos.	
40)Steel measuring tape 3mtr	2 nos.	
41)Steel rule (scale) 12"	2 nos.	
42)Number punch Standard	2 set	
43)Letter punch Standard	2 set	
44)Center punch 100mm	5 nos.	
45)Dot punch 100mm	5 nos.	
46)Outside caliper 100, 150 & 200	2 each	
47)Inside caliper 100, 150 & 200	2 each	
48)Scriber 150mm	5 nos.	
49)Cold Chisel ½"x6", ¾"x8", 7/8"x8" & 1"x12"	2each	
50)Hand Hacksaw frame fix strip Poland type – heavy duty with blade 12"	5 Pkt. each	
51)Hacksaw blade single end & double end 300x12.25x0.63 – 24 TPI, 300x25x0.63 – 24 TPI	5Pkt. each	
52)Hand file Flat-Bastard cut-300mm, 200mm, 150mm	2 each	
53)Hand file Flat-Second cut 300mm, 200mm, 150mm	2 each	
54)Hand file Flat-Smooth cut-300mm, 200mm, 150mm	2 each	
55) Round file - Bastard cut -300mm, 200mm, 150mm	2 each	
55) Round file - Second cut -300mm, 200mm, 150mm	2 each	
55) Round file - Smooth cut-300mm, 200mm, 150mm	2 each	
56)Square file - Bastard cut-300mm, 200mm, 150mm	2 each	

Signature of Bidder
Seal of Bidder

	57) Square file- Second cut-300mm, 200mm, 150mm 58) Square file- Smooth cut-300mm, 200mm, 150mm 59) Triangle file-Bastard cut-300mm, 200mm, 150mm 60) Triangle file-Second cut-300mm, 200mm, 150mm 61) Triangle file-Smooth cut-300mm, 200mm, 150mm 62) Half round file- Bastard cut- 300mm, 200mm, 150mm 63) Half round file - Second cut- 300mm, 200mm, 150mm 64) Half round file- Smooth cut- 300mm, 200mm, 150mm 65) Needle file- round, half round, square & triangular 100mm 66) Knife edge 200mm, 250mm 67) Bevel protector 150mm, 300mm 68) Scissors (Tin Snip) suitable for 1mm thick MS sheet	2 each 2 each 2 each 2 each 2 each 2 each 2 each 2 each 2 each 2 each 3 Nos each 2 Nos each 1 No. each 2 Nos.	
16.	Raw material (assorted sizes) required for taking out the pilot production after the installation & commissioning of machines at site including the following: (i) C.R.C.A Sheet (18 SWG) - 2mt x 1mt (ii) C.R.C.A Sheet (20 SWG) - 2mt x 1mt	10 Sheets each	

Note:

The aspects mentioned below must be noted while submitting bids for the above mentioned plant and machinery / equipment:

- Finished products should have quality similar to norms of Bureau of Indian Standards, wherever applicable.
- All machines / equipment should be compatible with 220 V Single Phase, 380-400 V Three Phase - 50 cycle per second supply. Electrical wiring for interconnection of the machines upto main supply wherever necessary should be supplied along with machines.
- In case foundation of the machine is required for installation, necessary foundation bolts, pads, washers etc. should be supplied along with foundation drawing.
- All machines should be supplied with electricals, raw material handling and finished material packing arrangement along with working tools.

Signature of Bidder
Seal of Bidder

- e) List out the technical specification, additional equipment required, if any, for smooth running of the project.
- f) All machines should be complete and ready for production of stated capacity and should be supplied with operation and maintenance manual.

Enclosures:

1. Company profile / catalogues.
2. Detailed specification of all items mentioned above, if required.
3. Copy of purchase orders/ contracts/invoices of similar nature and size in the last five years.
4. Copy of Pan Card / Sales tax / VAT registration certificate.
5. Copy of SSI / MSME Memorandum part – II / NSIC registration certificate, if applicable.
6. Demand draft for Rs. 1,50,000/- as EMD.

Signature of Bidder
Seal of Bidder

Financial price schedule**Annexure-II**

Sl. No.	Description and Technical specification	Quantity	Price (INR)	Tax, Duties, Freight, etc (INR)	Total price (FOR, Delhi) (INR)
One set of Sheet Metal Processing Machinery at Banjul, Gambia on Turnkey Basis consisting of the following:					
1.	<p>Hydraulic Fixed Rake Angle Guillotine Shearing Machine, having Cutting Cap. 2000 x 4mm for M.S Stroke per minute – 50.</p> <p>Machine shall be equipped Foot paddle, fly wheel and gear guard, self-lubrication system, motor pulley, a pair of 4 Edge HcHcr Blade shear blade, front gauge, motorized back gauge, V-belt, Reputed make electric motor, starter, control panel, stroke counter, extension arm and tools kit with 4 Edge HcHcr Shearing Blades – 2 Nos.</p> <p>Suitable, reputed make electricals & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic & Lubricating Oil to be provided in separate packing</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares, etc.</p>	One no.			

Signature of Bidder
Seal of Bidder

	Spares to maintain the normal operations of machine for two years.				
2.	<p>Rear Cylinder Hydraulic Press Brake Machine - 30 Ton, having Bending Cap. 2000 x 4mm for M.S, Stroke length - 76mm, Stroke per minute - 25, Ram adjustment - 25mm, Shut "Height" Ram stroke - 250mm, Stroke of ram - 76mm, Ram adjustment –both motorized & manual, with:</p> <p>(i) Multi Groove V Block and Die/Punch – 1Set. (ii) Die block lifting link – 3 Nos. (iii) V-block & punch – 5 Setscovering all standard angles (iv) Gauges – 5 Nos.</p> <p>With Multi Groove V Block and Die/Punch (Fitted with machine) and motorized Back Gauge</p> <p>Foot paddle, Reputed Make motor complete with pulley & v-belt, motor mounting brackets, automatic lubrication system, stroke counter, electric panel, foundation bolt and other machine related complete tools.</p> <p>Suitable, reputed make electricals & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic & Lubricating Oil to be provided in separate packing</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand</p>	One no.			

Signature of Bidder
Seal of Bidder

	<p>tools, special tools including electrical circuit diagrams and electrical spares etc).</p> <p>Spares to maintain the normal operations of machine for two years.</p>				
3.	<p>Double Geared Steel Body 'C' Frame Fixed Type Press:</p> <p>i. Capacity (Tons) : 30 Ton ii. Stroke Adjustment from 10 to 84 mm iii. Throat of the Equipment 178 mm iv. Max. distance bolster to RAM(SUAU) :300mm v. Slide Adjustment: 38 mm vi. Slide Face (FB*LR): 145*335 mm vii. Slide Face Opening (Dia * Depth) : 38 * 65 mm viii. Height of table surface from floor:750mm ix. Size of table(FB*LR):355*610mm x. Opening in the table dia:127 mm xi. Bolster thickness:70 mm xii. Strokes per minute(App.): 50</p> <p>With Reputed Make motor complete with pulley, Revolving Clutch Key, clutch key spring, slide adjustable spanner, fly wheel and gear guard, knock-out system, stroke counter, extra base plate, automatic lubrication system, tommy bar, foundation bolts, etc.</p> <p>With 1 Set each of Die Tool for Notching and Punch of various job and suitable for Cup Board Making</p> <p>Suitable, reputed make electricals & motor for</p>	One no.			

Signature of Bidder
Seal of Bidder

	<p>380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic & Lubricating Oil to be provided in separate packing</p> <p>Any other necessary provisions required for satisfactory operation</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc).</p> <p>Spares to maintain the normal operations of machine for two years.</p>				
4.	<p>Universal shearing punching and notching machine, Flat shear 60 x 8mm, Angle shear 75x75x6 mm, "T" iron shear 75x75x6, Bar shear 25dia mm, Bar shear 20sq mm, Punching- 1 Dia. 15mm x10 mm thick, Punching- 2Dia. 25mmx8 mm thick, Notching 45 degree 'V' upto 100 mm Length and 8mm Thick Vee-Notcher.</p> <p>Accessories: - Machines design electrically runs with attachment of multifunctional operation with standard tooling / maintenance free machine. Suitable, reputed make electrical & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic, Lubricating Oil & cutting oil to be provided in separate packing</p>	One no.			

Signature of Bidder
Seal of Bidder

	<p>Any other necessary provisions required for satisfactory operation</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc.)</p> <p>Spares to maintain the normal operations of machine for two years.</p>				
5.	<p>Fly wheel press Double pillar hand fly wheel screw press provide 'V' guides, lubricating groves with 2 catch dogs, wheel fly handle and 02 balls weight on wheel desired. Size of press 4 no. Screw diameter 3.3/4". Standard accessories.</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc.)</p> <p>Spares to maintain the normal operations of machine for two years.</p>	One no.			
6.	<p>Cone Pulley Type Lathe Machine having Length of Bed 1370mm, Admit between Center 508mm, Swing over Bed 381mm, Swing without Gap 610mm, Swing over Cross Slide 203mm, Height of Center 215mm, Width of Bed 280mm, Spindle Hole 54mm, No. of</p>	One no.			

Signature of Bidder
Seal of Bidder

	<p>Spindle speed 6, Lead Screw Dia 32mm, Steady Rest, Follow Rest, Chuck Plate, 1 No. Dog Chuck of 10" and 1 No. True Chuck of 8" Face Plate, Rear Tool Post, Tapper Turning Attachment, Chuck Plate.</p> <p>Suitable, reputed make electrical & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic, Lubricating Oil & cutting oil to be provided in separate packing</p> <p>Any other necessary provisions required for satisfactory operation</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc.)</p> <p>Spares to maintain the normal operations of machine for two years.</p>				
7.	<p>Pillar type drill Machine ,Drilling Capacity in M.S-40 mm ,Drilling Capacity in C.I 45 mm, Rough Boring in M.S 75 mm, Tapping in M.S 25 mm, Spindle Hole Taper MT-4, Spindle travel 250 mm, Spindle Speeds (RPM x Steps)70-1225x9, Diameter of Ram 78mm, Auto-feed Range (mm/rev.) 0.05 & 0.09, Max. Distance from Spindle nose to table -575 mm, Spindle center to column 345mm, Table size 450x455 mm, Column Diameter 130 mm, Distance From spindle nose to base 920 mm, Drill chuck</p>	One No.			

Signature of Bidder
Seal of Bidder

	<p>and arbor, V-belt, Machine vice, coolant pump with tank, taping attachment, electrical control panel, set of straight shank drill (0.5 to 15 mm), set of taps (5, 6, 8 & 10 mm) and tools kit. Suitable, reputed make electrical & motor for 380/400V, 3 Phase, 50 Hz AC Mains.</p> <p>Required quantity of Hydraulic & Lubricating Oil to be provided in separate packing</p> <p>Any other necessary provisions required for satisfactory operation</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/foundation bolts etc.), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc.). Spares to maintain the normal operations of machine for two years. .</p>				
8.	<p>Pedestal Grinding machine, Heavy duty double ended pedestal grinder provide heavy metal rough or finish the metal with quality wheels, tool rest, safety guard . Wheel size – dia. 250 mm,</p> <p>Machine shall be dynamically balanced and have minimum vibrations</p> <p>Accessories-Eye shield for safety 06 Nos, Apron-06 Nos, 06 pairs of Hand gloves and pair of extra grinding wheel, Machined adjustable tool rest, coolant system.</p> <p>Suitable, reputed make electrical & motor for 380/400V, 3 Phase, 50 Hz AC Mains.</p>	One No.			

Signature of Bidder
Seal of Bidder

	<p>Required quantity of Hydraulic, Lubricating Oil & cutting oil to be provided in separate packing</p> <p>Any other necessary provisions required for satisfactory operation</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc.), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc.)</p> <p>Spares to maintain the normal operations of machine for two years.</p>				
9.	<p>Hydraulic power hacksaw machine, Cutting Blade size-1"x18".</p> <p>Suitable, reputed make electrical & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Required quantity of Hydraulic & Lubricating Oil to be provided in separate packing</p> <p>Any other necessary provisions required for satisfactory operation</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc.)</p> <p>Spares to maintain the normal operations of machine for two years.</p>	One no.			

Signature of Bidder
Seal of Bidder

10.	Bench vice, Body material-Cast Iron, Jaws carbon steel Hardened and knurled. Size 125mm (5"), Swivel Base type, Complete with nut & bolts Fitted On Bench.	Two nos.			
11.	<p>Flexible Shaft Grinder with 8Feet Long Shaft and Grinding Stone Machine shall be dynamically balance and have minimum vibrations. 1.0 HP X 3 Phase X 2800 RPM</p> <p>Suitable, reputed make electrical & motor for 380/400V, 3 Phase, 50 Hz AC Mains</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc.)</p> <p>Spares to maintain the normal operations of machine for two years.</p>	One no.			
12.	<p>Single Stage, Single Piston Air Compressor, having Tank Cap.200 LPM, with Suitable reputed make electrical for 380/400V, 3 Phase, 50 Hz AC Mains,</p> <p>10 Meter Air Pipe, Spray Gun for paint work.</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc.)</p>	One no.			

Signature of Bidder
Seal of Bidder

	Spares to maintain the normal operations of machine for two years.				
13.	<p>TIG/MMA (ARC) welding machine, input Voltage AC 180V (+/-)15%, Rating in put MMA/TIG43/28 No load Voltage V56, Output Current Range 7-200A,</p> <p>Accessories: - Pair of holder, welding screen, 06 Nos. black glasses, 2 packet filter glasses, helmet, 06nos leather apron, 06 pairs of leather hand gloves, pair of chipping hammer, pair of tongs, welding cable 08 Meter, Earthling cable with clamp, pair of wire brush and other tools etc.</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/ foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc.)</p> <p>Spares to maintain the normal operations of machine for two years.</p>	One no.			
14.	<p>Spot welding, Main voltage – AC 180V single phase -380V 3 phase, Electrical parameter5kva, Frequency 50Hz, Welding current (+/-) – 10% to1500A, Duty cycle (%) 40-50, Cooling model water cool, Electrode copper,</p> <p>Machine fitted with foot operated paddle, standard copper electrodes, standard tools and accessories.</p>	One no.			

Signature of Bidder
Seal of Bidder

	<p>Suitable, reputed make electrical for 380/400V, 3 Phase, 50 Hz AC Mains.</p> <p>Complete set of tools, jigs & fixtures required for installations (Anti-vibration mountings/foundation bolts etc), tools for smooth operations & maintenance of machines (hand tools, special tools including electrical circuit diagrams and electrical spares etc.)</p> <p>Spares to maintain the normal operations of machine for two years.</p>			
15.	<p>Tools</p> <p>S.no Particulars Size</p> <p>1) Vernier 8", 12"</p> <p>2) Outside Micrometer(0-25, 25-50)</p> <p>3) Inside micrometer (0-25, 25-50)</p> <p>4) Radius Gauge (1 -25)</p> <p>5)Grinding wheel 350x35x38.10</p> <p>6)Drill bit 1, 2, 3, 4, 5, 6, 7, 8, 9,10, 11, 12, 13</p> <p>7)Electrodes (Arc Welding)-SWG-12,10 & 8</p> <p>8) Threads Gauge (BSW,BSP,IS)</p> <p>9) End mill Cutters Straight shank (8,10&12mm)</p> <p>10) Emery Cloth (Grades 80, 100, 120)</p> <p>11)Oil Stone-4" Grades-120 (Triangles, Square, round)</p> <p>12)Oil Stone-8" Grades-120 (Triangles, Square, round)</p> <p>13)Angle grinding wheels (Spindle thread) 180mm - M14</p> <p>14)Mini angle grinding wheels 100x2.5x14</p> <p>15)Mini angle cutting wheels 100x1.5x14</p> <p>16)Gas welding brazing rod 1x8, 1x16</p>	<p>2nos.each</p> <p>2nos.each</p> <p>2nos.each</p> <p>2 nos.</p> <p>5 each</p> <p>5 pkt each</p> <p>5 pkt each</p> <p>2nos. each</p> <p>5nos.each</p> <p>5nos. each</p> <p>5nos.each</p> <p>2nos.each</p> <p>10 nos.</p> <p>10 nos.</p> <p>20 nos.</p> <p>3kg each</p>		

Signature of Bidder
Seal of Bidder

17)Gas welding M.S copper coated filler rod 1x8, 1x16	5kg each		
18)Hammer Cross pan with handle 150gm	5 nos.		
19)Hammer Cross pan with handle 250gm	5 nos.		
20)Hammer ball pan with handle 250gm	5 nos.		
21)Hammer straight pan with handle 250gm	5 nos.		
22)Hammer Claw with handle 250gm	2 nos		
23)Hammer Sledge with handle ½ kg & 1kg	2 each		
24)Plastic Hammer with handle Medium	5 nos.		
25)Mallet Medium	10 nos.		
26)Crow bar 1200x25mm	2 nos.		
27)Straight bar (taper face Baari) 1500x30mm	2 nos.		
28)Cast iron slotted angle plate - open end- 250x200x175	1 no.		
29)Cast iron slotted angle plate - open end 350x200x250	1 nos.		
30)Universal V block 80 x 100 x 80	2 nos.		
31)Universal V block 70x200x55	2 nos.		
32)Try square-Flat edge (two piece) 150x100x12	5 nos.		
33)Try square-Flat edge (two piece) 250x140x15	5 nos.		
34)Spirit level 200mm	1 nos.		
35)Spirit level 300mm	1 nos.		
36)Wire gauge Standard	2 nos.		
37)Double end spanner 8 to 30mm	2 set		
38)Double end ring Spanner 8 to 20 mm	2 set		
39)Cylinder Spindle key 10mm	4 nos.		
40)Steel measuring tape 3mtr	2 nos.		
41)Steel rule (scale) 12"	2 nos.		
42)Number punch Standard	2 set		
43)Letter punch Standard	2 set		
44)Center punch 100mm	5 nos.		
45)Dot punch 100mm	5 nos.		
46)Outside caliper 100, 150 & 200	2 each		

Signature of Bidder
Seal of Bidder

47)Inside caliper 100, 150 & 200	2 each			
48)Scriber 150mm	5 nos.			
49)Cold Chisel ½"x6", ¾"x8", 7/8"x8" & 1"x12"	2 each			
50)Hand Hacksaw frame fix strip Poland type – heavy duty with blade 12"	5 Pkt. each			
51)Hacksaw blade single end & double end 300x12.25x0.63 – 24 TPI, 300x25x0.63 – 24 TPI	5Pkt. each			
52)Hand file Flat-Bastard cut-300mm, 200mm, 150mm	2 each			
53)Hand file Flat-Second cut 300mm, 200mm, 150mm	2 each			
54)Hand file Flat-Smooth cut-300mm, 200mm, 150mm	2 each			
55) Round file - Bastard cut - 300mm, 200mm, 150mm	2 each			
55) Round file - Second cut - 300mm, 200mm, 150mm	2 each			
55) Round file - Smooth cut-300mm, 200mm, 150mm	2 each			
56)Square file - Bastard cut-300mm, 200mm, 150mm	2 each			
57)Square file- Second cut-300mm, 200mm, 150mm	2 each			
58)Square file- Smooth cut-300mm, 200mm, 150mm	2 each			
59)Triangle file-Bastard cut-300mm, 200mm, 150mm	2 each			
60)Triangle file-Second cut-300mm, 200mm, 150mm	2 each			
61)Triangle file-Smooth cut-300mm, 200mm, 150mm	2 each			
62)Half round file- Bastard cut-300mm, 200mm, 150mm	2 each			
63)Half round file - Second cut-300mm, 200mm, 150mm	2 each			
64)Half round file- Smooth cut-300mm, 200mm, 150mm	2 each			
65)Needle file- round, half round, square & triangular 100mm	3 Nos each			
66)Knife edge200mm, 250mm	2 Nos each			
67)Bevel protector 150mm, 300mm	1 No. each			
68) Scissors (Tin Snip) suitable for 1mm thick MS sheet	2 Nos.			

Signature of Bidder
Seal of Bidder

16.	Raw material (assorted sizes) required for taking out the pilot production after the installation & commissioning of machines at site including the following: (i) C.R.C.A Sheet (18 SWG) - 2mt x 1mt (ii) C.R.C.A Sheet (20 SWG) - 2mt x 1mt	10 Sheets each			
-----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------	--	--	--

Lump sum price for one set of machinery & equipment (FOR, ICD, Tuglakabad, New Delhi : Rs. _____)

(in words Rupees _____)

Note: The above price should be inclusive of sea-worthy packing, transportation and insurance and Taxes & Duties etc.

Signature of Bidder
Seal of Bidder

Annexure-III

Format of covering letter

Ref. No.:

Date:

General Manager (TID)
National Small Industries Corporation Limited
NSIC Bhawan,
Okhla Industrial Estate,
New Delhi-110020.

Ref.: Tender No SIC/HO/TID/AU/12-163 dated 30th January, 2016
for One set of Sheet Metal Processing Machinery at Banjul,
Gambia on Turnkey Basis.

Dear Sir,

With reference to above tender notice, we are submitting herewith
our offer for above as per following documents:

1. Technical bid in prescribed format as Annexure-I in sealed envelope no.1 along with enclosures (No financial figures should be mentioned directly or indirectly in technical bid).
2. EMD for Rs. 1,50,000/- in the form of Demand Draft in favour of "National Small Industries Corporation Limited" payable at New Delhi along with technical bid in an envelope marked "EMD" placed inside sealed envelope no.1.
3. Financial bid in prescribed format in sealed envelope no.2.

We hereby agree to fully abide by all the terms & condition of this tender.

Thanking you,

Yours faithfully,

Name.....
Designation.....

Signature of Bidder
Seal of Bidder

Annexure-IV**Proforma for Bank Guarantee**

In consideration of the National Small Industries Corporation Ltd. (NSIC), Okhla Industrial Estate, New Delhi (hereinafter called the 'Company') having agreed to exempt-----
 ----- (hereinafter called the said 'Contractor' which term includes Suppliers for the purpose of this Bond) from the demand under the terms and conditions of an Agreement date. ----- Made between -----
 -----and ----- for (hereinafter called the said 'Agreement') of Security Deposit for the due fulfillment by the said Contractor of the terms and conditions contained in the said Agreement, on production of a Bank Guarantee for Rs. ----- (Rupees-----only).

a. We, _____(Indicate the name of the Bank)_____ (hereinafter referred to as the 'Bank') at the request _____(Contractor(s)) do hereby undertake to pay to the Company an amount not exceeding Rs. _____ against any loss or damage

caused to or suffered or would be caused to or suffered by the Company by reason of any breach by the said Contractor (s) of any of the terms and conditions contained in the said Agreement.

b. We, _____(indicate the name of the Bank)_____ do hereby undertake to pay

the amounts due and payable under this guarantee without any demur, merely on a demand from the Company stating that the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by the Company by reason of breach by the said Contractor(s), of any of the terms of conditions contained in the said Agreement or by reason of the contractor(s), failure to perform the said Agreement. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs._____.

c. We undertake to pay to the Company any money so demanded notwithstanding any dispute or disputes raised by the Contractor(s) in any suit or proceeding pending before any court or Tribunal relating thereto our liability under this present being absolute and unequivocal.

Signature of Bidder
Seal of Bidder

The payment so made by us under this bond shall be a valid discharge of our liability for payment there under and the Contractor(s) shall have no claim against us for making such payment.

d. We, _____(indicate the name of the Bank)_____ further agree that the

Guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Agreement and that it shall continue to be enforceable till all the dues of the Company under or by virtue of the said Agreement have been fully paid and its claims satisfied or discharged or till _____ National Small Industries Corporation Ltd. (NSIC) certifies that the terms and conditions of the said Agreement have been fully and property carried out by the said contractor(s) and accordingly discharged this guarantee. Unless a demand or claim under this guarantee is made on us in writing on or before the _____ we shall be discharged from all the liability under this guarantee thereafter.

e. We, _____(indicate the name of the Bank)_____ further agree with the

Company that the Company shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said Agreement or to extend time of performance by the said contractor(s) from time to time or to postpone for any time or from time to time any of the power exercisable by the company against the said contractor(s) and to forbear or enforce any of the terms and conditions relating to the said Agreement and we shall not be relieved from our liability by any reason of any such variation or extension being granted to the said contractor(s) or for any forbearance, act or omission on the part of the company or any indulgence by the company to the said contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would but for this provision have effect of so relieving us.

f. This guarantee will not be discharged due to the change in the constitution of the Bank or the contractor(s).

g. We, _____(indicate the name of the bank)_____ lastly undertake not to revoke

this guarantee during its currency except with the previous consent of the Company in writing.

Dated the _____ day of _____
 For _____ (indicate the name of the bank)

Signature of Bidder
Seal of Bidder