



Tender Ref. No.:

NSIC/RJP/TOOL ROOM/2020-21/02

TENDER DOCUMENT

Supply, Installation & Commissioning of Machines, Tools, Accessories & Measuring Instruments

The National Small Industries Corporation Limited

(A Government of India Enterprise)

D-82/83, Focal Point, Rajpura, (Punjab)-140 401

Tele : - 01762-232669

Email: ntsec.rjp@nsic.co.in

Web site: www.nsic.co.in

INDEX

S.No.	Description	Page Nos.
1	Title	1
2	Index	2
3	Notice Inviting Tender	3-5
4	Instructions to the Bidders	6-18
5	Details of requirements and technical specifications (Annexure – A)	19
6	Undertaking from Bidder (Annexure – B)	20
7	Format & Requirements for Submitting Technical Bid(Annexure –C)	21-26
8	Format & Requirements for submitting Commercial Bid (Annexure – D)	27-28

NOTICE INVITING TENDER

The NSIC Technical Services Centre, D-82/83, Focal Point, Rajpura (Punjab) - 140401 invites sealed tender in two bid system (Technical & Commercial bid in two separate envelopes) from eligible & qualified Original Equipment Manufacturers (OEMs)/ Authorised Distributors of OEMs/ Authorised Dealers of OEMs, for the Supply, Installation, Commissioning on site & Training on Operation(s) & Maintenance of the supplied machine, viz. **Machines, Tools, Accessories & Measuring Instruments.**

The details are summarized below: -

a)	Tender number	Reference number for inviting bids through this tender is NSIC/RJP/TOOL ROOM/2020-21/02.
b)	Eligible Bidder	Original Equipment Manufacturers (OEM) / Authorized Distributors of OEM / Authorized Dealers of OEM (as per the eligibility details placed in the tender at Para 2 of " Instructions to the Bidders ").
c)	Purchaser	The NSIC-Technical Service Centre, Rajpura (A Government of India Enterprise) which is one of the Technical Centre of National Small Industries Corporation.
d)	Usage of Machine	The purchaser would place the machine in their training centre and shall be utilized for imparting skill/ entrepreneurship development training and rendering services to the industries.
e)	Scope of Tender	Supply, Installation, Commissioning & Training to trainers, Comprehensive Warranty of 2 years.
f)	Specification/ Details of machine	The detailed specifications of machine are specified in tender document placed at Annexure-A.
g)	Web page for details of tender	Web page: http://www.nsic.co.in/tenders.asp The prospective bidders are advised to visit the website periodically for any update in respect of this tender. No separate advertisement/communication will be sent to the individual and/or parties.
h)	Addresses of supplies	The machine(s) is/are proposed to be supplied at NSIC Technical Services Centre at D-82/83, Focal Point, Rajpura (Punjab) - 140401.
j)	Earnest Money Deposit (EMD) along with Tender	Interest free, EMD of Rs.25000/- (Twenty Five Thousand only) for D-82/83, Focal Point, Rajpura (Punjab) - 140401 shall be submitted in the form of D.D. in favour of ' The National Small Industries Corporation Ltd. ' payable at Rajpura and to be placed in the Technical Bid envelope while submitting the tender. Alternatively, EMD can be submitted through Online Banking Mode for which the details are given below in

		<p>"Instructions to Bidders" section. UTR No. and date of the online banking transaction on letter head of the bidder is to be submitted in the Technical Bid envelope while submitting the tender.</p>
k)	Exemption from the payment of EMD and Tender fee	<p>The exemption for the payment of EMD as well as tender fee will be applicable under Rule 170 & 173 of General Financial Rules (GFR), 2017 for Micro & Small Enterprises (MSEs) as per the "Public Procurement Policy for Micro & Small Enterprises Order 2012". To claim the exemption, self-certified copy of valid certificate/proof of registration for the goods for which this tender floated, must be enclosed with Technical Bid.</p>
l)	Security Deposit	<p>The successful bidder has to submit interest free security deposit amount to the value equalling to 10% (Ten percent) of the total value of order within five working days from the date of issue of purchase order by Purchaser.</p>
m)	Cost of Tender Documents	<p>The tender document can be collected from the office of Sr. General Manager, D-82/83, Focal Point, Rajpura -140401 (Punjab) in between the period from Nov 11,2020 to Dec 02,2020. (Except Saturday & Sunday) between 10:30 hours to 14:00 hours against payment of Rs. 1180/- (Rs. One Thousand One Hundred Eighty Only) (Non-refundable, Inclusive of GST @18%) by way of demand draft, in favour of 'The National Small Industries Corporation Ltd.' payable at Rajpura. Alternatively, tender document form can be downloaded from our website www.nsic.co.in from Nov 11,2020 to Dec 02,2020. In case the tender document downloaded for submission of offer, the non-refundable tender fee of Rs. 1180/- (Rs. One Thousand One Hundred Eighty Only) in form of demand draft in favour of 'The National Small Industries Corporation Ltd.' payable at Rajpura shall be enclosed with Technical Bid of the tender while submitting the tender or through Online Banking for which details are given below in "Instructions to Bidders" section.</p>
n)	Last date of submission of bid	<p>Tender must be delivered to the address below on or before Dec 02,2020 14:00 hours. The bids received after the due date and time shall be rejected. Sr. General Manager, NSIC- Technical Services Centre,</p>

		D-82/83, Focal Point, Rajpura) – 140 401. Punjab
o)	Date of opening of Technical Bid (Envelope-1)	The technical bid for the tender shall be opened on Dec 02, 2020. at 15:00 hours at the address as under: Sr. General Manager, NSIC- Technical Services Centre, D-82/83, Focal Point, Rajpura (Punjab) – 140 401.
p)	Date of opening of Commercial Bid (Envelope-2)	The date for opening second envelope containing Commercial Bid will be intimated to the technically qualified bidders separately.

Note: In case of any further details required, the same can be collected from the office of Sr. General Manager, NSIC- Technical Services Centre, D-82/83, Focal Point, Rajpura (Punjab) – 140401 from **Nov 11,2020 to Dec 02,2020** (except Saturday & Sunday) between 10:30 hours to 14:00 hours.

Sr. General Manager
NSIC- Technical Services Centre, Rajpura

INSTRUCTIONS TO THE BIDDERS

The Tender shall be submitted in accordance with these instructions, as under.

1. Abbreviations:

Throughout this tender document, the word/ term:

- a) "NTSC" means NSIC-Technical Services Centre
- b) "NSIC" means The National Small Industries Corporation Ltd.
- c) "day" means Calendar day.
- d) "working day" means Monday to Friday in week.
- e) "Tender" means tender number NSIC/RJP/TOOL ROOM/2019-20/19.
- f) "Machine" means the machines/ equipment/software/accessories measuring instruments as detailed at Annexure-A.
- g) If context so requires, "singular" means "plural" and vice versa.
- h) "EMD" means Earnest Money Deposit, without interest.
- i) "Purchaser" means The National Small Industries Corporation Ltd.
- j) "Bid" means the document and financial details submitted by bidder in response to this tender.
- k) "Bidder" means the eligible and qualified bidder i.e. Original Equipment Manufacturers / Authorized Distributors/ Authorized Dealers.
- l) "OEM" means Original Equipment Manufacturer.

2. Eligible Bidder:

- a) The intending Bidder, in case of Original Equipment manufacturers shall submit a self-declaration **on their letter-head**, along with the Technical Bid, confirming that they are regular in manufacturing & supplying the similar machines, as asked in this tender, for the last Ten (10) years.
- b) The original equipment manufacturers shall possess ISO Certificate for their establishment. The copy of the valid ISO Certificate shall be placed with the Technical Bid.
- c) The intending Bidder, in case of Authorized Distributor of OEM / Authorized Dealer of OEM shall possess valid authorized Distributorship / Dealership license from Original Equipment Manufacturer and to be engaged in regular supply of similar machines for the last five (5) years. The OEM having ISO certificate may be preferred. Also the authorised Distributor/Dealer shall be associated with OEM on the basis of which, the said tender is participating, for the last three years. The Bidder shall enclose the copies to substantiate their engagement in supplies for the machines/ equipment for which the above said tender is being issued, for the last ten years and associated with OEM for the last three years. The copy of the same should be enclosed in Technical bid while submitting the bid.

- d) The intending bidder has never made any default in supplying the machine/equipment to Government / Semi Government/ Central or State Public sector enterprise(s) for any reasons in the last five years.

3. Scope of Supplies:

- a) The material shall be supplied in compliance to the specifications mentioned in **Annexure- A** of the tender document.
- b) The specifications of the machine as mentioned in the Annexure-A are the minimum requirements of tender, however higher specifications of machine/instruments/equipment may be considered subject to their cost economics i.e. competitiveness in financial terms for the address(es) of supply.
- c) After the supply of machine by the successful bidder as mentioned in the Annexure A, the successful bidder has to execute its installation & commissioning in the designated site(s) at the address. No extra cost shall be paid for this purpose.
- d) After the installation & commissioning of machine i.e **Machines, Tools, Accessories & Measuring Instruments**, the training to the local trainers shall be given for one working day wherein the training about the machine's/instruments operations, maintenance, information about Do's & Don'ts as well as trouble shooting & all other areas which are necessary for smooth functioning of machine shall be provided to the persons designated by purchaser, at site, by the successful bidder. No extra cost shall be paid to the successful bidder for imparting this training.
- e) The successful bidder shall give on-site comprehensive warranty of machine/instruments for minimum two years from the date of successful commissioning of machine at the designated address. The purchaser is not liable to pay any extra charges on any account during warranty period.

4. Address of supplies:

- a) The details of addresses where the machine(s) supplied through this tender are as under:

#	Location	Address for supplies (designated site)
1	Rajpura	NSIC- Technical Services Centre, D-82/83, Focal Point, Rajpura (Punjab) – 140401.

- b) The bidder is free to inspect the address(s) in the premises before submitting the bid under this tender.

5. Special Provision for Micro & Small Enterprises:-

Micro and Small Enterprises (MSEs) participating in the tender will be given benefit as per Public Procurement Policy, 2012. Further, the MSEs owned by SC/ST/Women entrepreneurs will also be given benefits as per Public Procurement Policy, 2012. The definition of MSEs owned by SC/ST/Women is as given under:

- (a) In case of proprietary MSE. Proprietor shall be SC/ST/Women.

- (b) In case of partnership MSE, the SC/ST/Women partners shall be holding at least 51% shares in the unit.
- (c) In case of Private Limited Companies, at least 51% share shall be held by SC/ST promoters.

Document to claim benefits shall be enclosed in Technical Bid.

6. Delivery

- a) **The purchaser expects to complete delivery of machine by the successful bidder within sixty (60) calendar days from the date of issue of supply order at the designated address. However, the bidders have an option to submit the best delivery time while submitting the Technical Bid, but in any case, the delivery should be before 90 days from the date of issue of supply order by purchaser.**
- b) The machine/ equipment shall be inspected by the purchaser, on receipt at site and successful bidder shall be responsible for any damage during the transit of machine/ equipment/Instruments. The Purchaser shall not be responsible for any damage due to any reason during the transportation of machines/equipment to the designated site of the purchaser.
- c) The successful bidder shall not be allowed for part shipments and/or trans-shipments without the permission of purchaser. The insurance cover including insuring the machine/ equipment against the loss or damage incidental to manufacture or acquisition, transportation, storage and delivery/Installation & Commissioning, shall be obtained by the bidder in his own name and not in the name of purchaser. The purchaser will as soon as possible but within 30 days from the date of arrival of machine/ equipment instruments at destination notify the bidder of any loss or damage to the machine/ equipment.

7. Comprehensive Warranty

- a) The successful bidder shall offer on-site comprehensive warranty of machine for two years from the date of successful commissioning of machine at the designated address & shall cover each and every part of the machine including parts having limited life etc. The purchaser is not liable to pay any extra charges on any account during warranty period.
- b) Any part or parts fail or proved defective within the on-site warranty period specified above, owing to defect in design, material or workmanship, the bidder shall have to replace them with original spares only without asking for any extra charges.
- c) The successful bidder shall have to visit the address at which the machine supplied once in a quarter as a "Preventive maintenance service" to check the working of hardware & software of machine, associate systems, efficiency of operational areas etc., during the warranty period.
- d) During the warranty period, expert(s) shall be deputed at site by the successful bidder within two working days from the date of request from purchaser, to rectify and fix the defects/malfunctioning of machine, within next three working

days, at the location where machine(s) are supplied. The cost of deputation of expert(s) and any other associated expenditure to attend the rectification/fixing of fault, shall be borne by the bidder.

- e) In case the successful bidder is not able to rectify the fault and / or fails to rectify the fault within the period of three days, the Purchaser has right to demand for demurrages because of loss to purchaser due to "under repair" situation for the machine.

8. After Sales Services

- a) The successful bidder shall ensure to render after sales services during the comprehensive warranty period (2 years).
- b) The successful bidder will depute their engineer within two working days to attend the service call received in writing from purchaser during the comprehensive warranty period.

9. Manuals:

The successful bidder to supply three (03) sets of the following manuals in hard format and one (01) soft format along with machine:

- i. Installation Manual
- ii. Operation Manual
- iii. Maintenance Manual
- iv. Training Manual

10. Tender documents:

The tender document can be collected from the office of Sr. General Manager, NSIC-Technical Services Centre, D-82/83, Focal Point, Rajpura (Punjab)- 140401 in between the period from **Nov 11,2020 to Dec 02,2020** (Except Saturday & Sunday) between 10:30 hours to 14:00 hours against payment of Rs.1180/- (Rs.One Thousand One Hundred Eighty Only) (Non-refundable, inclusive of GST) by way of demand draft, in favour of '**The National Small Industries Corporation Ltd.**' payable at Rajpura.

Alternatively tender form can be downloaded from our website www.nsic.co.in from **Nov 11,2020 to Dec 02,2020**. In case the tender downloaded for submission of offer, the tender fee of Rs.1180/- (Rs.One Thousand One Hundred Eighty Only) in form of demand draft in favour of '**The National Small Industries Corporation Ltd.**' payable at Rajpura shall be enclosed with Technical Bid of the tender while submitting the tender.

The other option is to pay Rs. 1180/- (Rs.One Thousand One Hundred Eighty Only) by RTGS/NEFT to the bank of purchaser as detailed under:

ACCOUNT NAME	BANK NAME	BANK A/C NO.	BANK IFSC CODE
NSIC - Ltd.	Andhra Bank, Kalka Road, Rajpura (Punjab)	222311100001194	ANDB0002223

The bidder is requested to attach the UTR No. / Bank Statement / RTGS Slip in the Technical Bid, to prove the transfer of payment to the purchaser's Account.

- a) At any time prior to the deadline for submission of bids, the Purchaser may amend the Tender Documents by issuing addendum/ corrigendum which will be placed on website only. The prospective bidders are advised to visit the Website (www.nsic.co.in) for any update in respect of this tender.

11. Authorization for Submission of Tender:

- a) The original and all copies of the bid shall be signed and stamped, on every page, by a person duly authorized to sign on behalf of the Bidder. The written confirmation of authorization (in form of letter on the bidder's letter head) to sign on behalf of the bidder confirming the signature as a person duly authorized to sign should be attached with the technical bid of the tender.
- b) The person signing the tender document or any other documents on behalf of the Bidder shall be deemed to warrant that he/she has authority to bind the Bidder. If it subsequently comes to light that the person so signed had no authority to do so, the purchaser may without prejudice to any, consider civil & criminal remedies cancel the tender and hold the Bidder liable for all costs, charges and damages.

12. Earnest Money & Tender Fees:

- a) The EMD shall be submitted in the first envelope super-scribed as "Technical Bid", of prescribed amount by way of Demand Draft drawn in favour of "**The National Small Industries Corporation Ltd.**", or online banking mode, only for the Machine(s) quoted by the Bidder. No cash towards EMD shall be accepted. The bids without EMD from the Bidders shall be rejected.
- b) In case tender documents downloaded from website, Tender Fee of Rs.1180/- (Rs.One Thousand One Hundred Eighty Only) shall be submitted by way of D.D. drawn in favour of "**The National Small Industries Corporation Ltd.**" along with the Technical Bid of the tender documents. Tender fee is non-refundable. The option for payment of EMD/Tender fees by RTGS/NEFT is also available and bank details of purchaser, are as under:

ACCOUNT NAME	BANK NAME	BANK A/C NO.	BANK CODE	IFSC
NSIC Ltd.	Andhra Bank, Kalka Road, Rajpura (Punjab)	222311100001194	ANDB0002223	

The bidder is requested to attach the UTR No. /Bank Statement / RTGS Slip in the Technical Bid, to prove the transfer of payment to the purchaser's Account.

- c) The exemption for the payment of EMD as well as tender fee will be applicable under Rule 170 & 173 of General Financial Rules (GFR), 2017 for Micro & Small Enterprises (MSEs) as per the "Public Procurement Policy for Micro & Small Enterprises Order 2012". To claim the exemption, self-certified copy of valid certificate/proof of registration for the goods for which this tender floated, must be enclosed with Technical Bid.
- d) The Purchaser shall not be liable for payment of any interest on EMD/Tender fees.

- e) Any request by the bidders to consider their EMD already furnished by them to any of the other office of the purchaser, for any other contract/ tender will not be considered as EMD for this tender.
- f) The EMD will be returned to the unsuccessful bidders within 30 days after the orders are placed on the successful bidder. In case of successful bidder, the EMD will be released along with 10% payment schedule, as per payment terms mentioned at Para 29 of "Instructions to the Bidders".

13. Security Deposit:

- a) The successful bidder shall submit interest free security deposit amount to the value equalling to 10% (ten percent) of the total value of order which includes basic price + GST, within five working days from the date of issue of purchase order by the purchaser for supply by successful bidder.
- b) The security deposit will be returned to the successful bidder along with 10% payment schedule, as per payment terms mentioned at Para 29 of "Instructions to the Bidders".

14. Submission of Bid:

- a) The prospective bidders should examine all instructions, forms, terms and specifications in the tender documents and to furnish with its bid all documents or information as required by bidding/ tender document.
- b) The language for all the correspondence and documents related to this tender shall be in English/ Hindi only. Moreover, the printed literature/technical details for the machine shall also be in English/ Hindi.

The bid must be placed in a properly sealed bigger envelope addressed to 'Sr. General Manager', NSIC- Technical Services Centre, D-82/83, Focal Point, Rajpura (Punjab) – 140401 and the said bigger envelope shall contain two sealed envelopes, each containing, and Technical & Commercial bids, respectively. The bigger envelope must be super-scribed "Tender for Supply, Installation and Commissioning of Machines, Tools, Accessories & Measuring Instruments" with tender inquiry number and its due date. The two sealed envelopes inside the bigger envelope must be super-scribed as:

Envelope No-1: The said envelope is for technical bid & shall be super-scribed as "Tender for the Supply, Installation, Commissioning of "Machines, Tools, Accessories & Measuring Instruments" -Technical Bid".

Envelope No-2: The said envelope is for commercial bid & shall be super-scribed as "Tender for the Supply, Installation, Commissioning of "Machines, Tools, Accessories & Measuring Instruments" -Commercial Bid".

- c) If both or either of the envelopes are not sealed and marked as required, the Purchaser shall not be responsible for the misplacement or premature opening of the bid.

- d) All the columns of the tender document/form shall be duly, properly and exhaustively filled in. Any cutting/over writing etc. in the tender document/form must be signed by the person who is signing the tender/bid.
- e) Tenders received in open covers/ letters/ fax/ email will not be considered.

15. Commercial Bid Submission:

- a) Bidder shall take into account all costs including Packing, Freight, Transportation, Insurance Cost including unloading and placement of machine/measuring instruments at the address of the purchaser for giving delivery of machine/ equipment/ measuring instruments at site as detailed at Para 4 of "Instructions to the Bidder" before quoting the "Price of Machines before GST" in the Commercial Bid.
- b) The "Price of Machine/ measuring instruments before GST" shall remain firm & inclusive of all costs involved for the delivery to the destination(s) including the cost mentioned in Para 16(a) as above, also include the cost of Installation & Commissioning at destination, Training to the local trainers (as detailed at Para 3 (c & d) of "Scope of Supplies" of this tender), Cost of services to be provided during Comprehensive Warranty of two years. (Refer Para 3(e) of "Scope of Supplies" of this tender).
- c) No extra payment or revision of "Price of Machine/measuring instruments before GST" shall be accepted on account of any discrepancy in nomenclature of items. The prospective bidders are advised to seek clarification, if any, desired before submitting the bid.
- d) No representation for the revision of the quoted "Price of Machine/Tools/Accessories Measuring instruments before GST" shall be considered till the supplies are completed to the designated location.

16. Last date of submission of Bid:

The bid should reach the office of Sr. General Manager, NSIC- Technical Services Centre, D-82/83, Focal Point, Rajpura (Punjab)-140401 **Dec 02, 2020 before 2:00PM** The purchaser may, at its discretion, extend the deadline for the submission of bids by amending the Tender Documents, in which case all rights and obligations of the Purchaser and Bidders previously subject to the deadline shall thereafter be subject to the deadline as extended. The prospective bidders are advised to remain in touch with website for any update in respect of this tender.

- a) The purchaser shall not consider any bid that submitted/received after the deadline i.e. date and time for submission of bids. Any bid received by the Purchaser after the deadline for submission of bids shall not be considered and shall be rejected.

17. Rights of Purchaser:

- a) It may be noted that the 'Sr. General Manager', NSIC- Technical Services Centre, Rajpura (Punjab) – 140401, without assigning any reason whatsoever, reserves the right to cancel the procurement even after calling the offers from bidders but before the issue of supply order to execute the supply by the

successful bidder. The reason for cancellation of supply would not be disclosed and the bidder has no right to ask for so.

- b) The Purchaser reserves the right to accept or reject any bid, without assigning any reason, thereof, and to annul the bidding process and reject all bids at any time prior to supply order, without thereby incurring any liability to Bidders. In case of annulment, all bids submitted and specifically Bid document, EMD deposits shall be returned to the Bidders.

18. Opening of Technical Bid:

The technical bid of tenders will be opened at NSIC- Technical Services Centre, Rajpura (Punjab) – 140401 on **Dec 02, 2020 at 3.00 pm**. The Bidder or their authorized representative (One person only) may be present at the time of opening of the Bid.

19. Opening of Commercial Bid:

- a) The Commercial Bid of only technically qualified bidders will be opened on the stipulated date. The date & time for opening of Commercial Bid shall be intimated to the technically qualified bidders through email, after the evaluation of Technical Bid.

20. Validity of Tender:

- a) The tender shall be valid for a period of 90 days from the date of opening of the Technical Bid of this tender. Terms and financial details submitted in the bid shall be treated as firm during the aforesaid period of 90 days.
- b) In exceptional circumstances, prior to the expiry of the bid validity period, the Purchaser may request bidders to extend the period of validity of their bids. The request and the responses shall be made in writing.

21. Evaluation of Bids:

- a) If there is discrepancy between the amounts quoted in Commercial Bid in the column "Unit Price of Machine before GST" and the amount reflected in column "Total price of Machine(s) before GST" which the multiplication of quantity is offered for supplies with "Unit Price of Machine before GST", the "Unit Price of Machine before GST" shall prevail. Accordingly, the Total price of Machines before GST shall be corrected, unless in the opinion of the Purchaser there is an obvious misplacement of the decimal point in the unit price, in which case the line item total as quoted shall govern and the unit price shall be corrected.
- b) If there is an error in a total corresponding to the addition or subtraction of sub totals, the subtotals shall prevail and the total shall be corrected; and if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a) and (b) above.
- c) To assist in the examination, evaluation, comparison of the bids and qualification of the Bidders, the Purchaser may, at its discretion, ask any Bidder for a clarification of its Bid. Any clarification submitted by a Bidder in respect to its Bid and that is not in response to a request by the Purchaser shall not be

considered. The Purchaser's request for clarification and the response shall be in writing only.

- d) If the Bidder does not provide clarifications of its bid by the date and time set in the Purchaser's request for clarification, its bid shall be rejected.
- e) The Purchaser shall compare the "Unit Price of Machine before GST" of all the responsive bids to determine the lowest bid for a particular address.
- f) The bidder shall note that they are not supposed to put any GST amount in the Commercial Bid. However, after the supplies, they have to issue the GST invoice indicating the Price of machine as quoted in the Commercial Offer and thereafter specify the GST as applicable at the time of delivery. The Purchaser shall pay total amount which includes the unit price of machine/Measuring Instruments as well as the GST as applicable at the time of delivery.
- g) The Purchaser is authorized to ask the evidence from bidder to counter-check that the GST as claimed by the bidder at the time of issue of invoice after the supply of machines.

22. Earnest Money Forfeit:

- a) If any Bidder withdraws his bid/tender before the period of 90 days from the date opening of technical bid or makes any modifications in the terms and the conditions of the tender which are not acceptable to the purchaser, then the purchaser shall, without prejudice to any other rights or remedy, be at liberty to forfeit the EMD.
- b) The EMD will also be forfeited in following cases:
 - i. If the successful bidder fails to accept, the supply order issued, based on his/her offer (bid) within the prescribed time.
 - ii. If the successful bidder fails to supply the Machines/Measuring Instruments with specifications as mentioned in Annexure -A
 - iii. If the successful bidder delays supplies/ machines/ equipment/Measuring Instruments beyond a reasonable time resulting in disruption of project.
 - iv. Successful Bidder for any reason whatsoever withdraws the tender after it is accepted or become unable or fails to execute the supply orders within stipulated delivery period.
 - v. Submission of misleading/contradictory/false statement or information and fabricated/invalid documents is detected before or after the issue of order to execute the supplies.
 - vi. The successful bidder does not submit Indemnity Bond within the prescribed time.
 - vii. The successful bidder does not submit the security deposit within the time.

23. Security Deposit Forfeit:

The security deposit will also be forfeited in following cases:

- i. If the bidder fails to accept, the supply order issued, based on his/her offer (bid) within the prescribed time.
- ii. If the bidder fails to supply the Machines with specifications as mentioned in Annexure –A
- iii. If the bidder delays supplies/ machines/ equipment beyond a reasonable time resulting in disruption of project.
- iv. Successful Bidder for any reason whatsoever withdraws the tender after it is accepted or become unable or fails to execute the supply orders within stipulated delivery period.
- v. Submission of misleading/contradictory/false statement or information and fabricated/invalid documents is detected before or after the issue of order to execute the supplies.

24. Notification of Award:

Prior to the expiry of the period of bid validity, the purchaser shall notify the successful Bidder, in writing, that its Bid has been accepted. The notification letter shall specify the sum that the Purchaser will pay to the bidder in consideration of the supply of Machines with the details of selected location/ address.

25. Pre-dispatch Inspection:

- a) A pre-dispatch inspection by 3rd party/ technical team of purchaser may be carried out at bidder's site of manufacturing machines. This pre-dispatch inspection will not absolve bidder's responsibility to execute supply in accordance with the tender terms.
- b) In case during inspection by the inspection team of purchaser find some areas needs to be attended by bidder and/or test reports asked, the successful bidder has to complete the findings of inspection team within 10 days & confirm in writing to purchaser. If need be the re-inspection would be carried out at the cost & expenses of the successful bidder.

26. Packing:

- a) The successful bidder shall provide packing of the machine/ equipment, as is required to prevent their damages or deterioration during the transit to their final destination. The packing shall be sufficient to withstand, without limitation, rough handling during transit. In case the consignment of machines/equipment received with damaged packaging, the purchaser shall not accept the delivery of the same.
- b) The machine/Tool/Accessories/ Measuring Instruments/ equipment shall be securely boxed, crated and protected from mechanical damage, moisture etc. suitable for both storage and transit according to the nature of the material and mode of transport. The bidder shall be responsible for any loss/ damage to material during transportation to the designated address.

27. Delivery Time:

- a) The bidder shall indicate the period within which the ordered quantity will be supplied. The bidder shall note that in case bidder fails to supply within the period of delivery indicated by the bidder in technical bid of this tender, penalty @2% of value of the order per week of delay would be levied subject to maximum 4 weeks. It means, the bidder shall have the liability of delayed supply to the maximum of 4 weeks after expiry of scheduled delivery date. After that the supply order shall be cancelled and EMD and Security Deposit will be forfeited and bidder will be debarred from participation in any future tenders. Also purchaser reserves the right to ask for demurrages even after adjustment of EMD & security deposit from the bidder because of delay in supplies, as agreed.
- b) The successful Bidder shall, within a week from the date of receipt of communication of acceptance of quotes from purchaser shall intimate his acceptance of the order. The successful bidder shall complete supplies strictly as per the accepted delivery period.
- c) The post-delivery activities i.e. Installation, Commissioning, Training to Trainers etc. shall be started within 7 days from the date of receipt of machines at site by the purchaser.

28. Payment:

- a) The 90% payment of total bill will be made by the purchaser by crossed account payee cheque/RTGS/NEFT for which the bidder shall send bills in duplicate (original + copy) after Supply, Installation & Commissioning of machine, giving the reference number of the supply /purchase order along with copies of delivery note & satisfactory report on the Installation of machine(s), from designated purchaser department. The details about the designated purchaser department who is authorized to take the delivery of machine(s) shall be informed to the successful bidder through the supply order placed for the supply of machine(s).
- b) The 10% payment of total bill along with interest free EMD and Security Deposit will be released to successful bidder after one month from the date of completion of training to trainers at site and on submission of Indemnity Bond, issued by Nationalised Bank by the successful bidder of equal value of 10% with validity of five years from the date of commissioning and completion of training of trainers, whichever is later.

29. Causes of Rejection of Bid:

- a) While submitting the Bid, if any of the prescribed conditions are not fulfilled or are incomplete in any form, the Bid shall be rejected.
- b) If any Bidder stipulates any condition of his own, such conditional Bid shall be liable to be rejected.

30. Claims:

- a) If the machines/equipment/Measuring Instruments, supplied are found to be of size and shape different than those in the accepted offer and are of specifications lower than those stipulated in the accepted offer, the purchaser shall have right to totally reject the machine/ equipment and/or to claim for compensation from successful bidder. The successful bidder shall pay to purchaser, the claim demanded in writing within 15 (fifteen) days of its demand. The bidder shall also compensate for losses, if any, sustained by purchaser due to lower specification/defective packing and/or wrong marking of the machine/ equipment, etc.
- b) The successful bidder shall be responsible for arranging the rejected machine/ equipment/Measuring Instruments to be removed at his cost from purchaser premises.

31. Address for communication:

All the communication with respect to the tender shall be addressed to:

Sr. General Manager,
NSIC- Technical Services Centre,
D-82/83, Focal Point, Rajpura
(Punjab) – 140 401

Tele: - 01762-232669

Email: ntsec.rjp@nsic.co.in; Web site: www.nsic.co.in

32. Force Majeure:

In the event of any unforeseen circumstances directly interfering with the supply of machines/equipments/work/service arising during the execution of order such as war, hostilities, acts of the public enemy, civil commotion, sabotage, fires, floods, earthquakes, explosions, epidemics, quarantine restrictions, strikes, lockouts, or acts of God, the successful Bidder shall, within 7 working days, from the commencement thereof, notify the same in writing to the Purchaser with reasonable evidence thereof. Either party shall have the option to terminate the contract on expiry of 90 days of commencement of such force majeure by giving 14 days "notice to the other party in writing. In case of such termination, no damages shall be claimed by either party against the other.

33. Code of Ethics:

The Purchaser as well as the Bidder shall observe the highest standard of ethics including laws against fraud and corruption in force in India namely "Prevention of Corruption Act 1988", during the procurement or execution of such contracts. If the bidders are found in Bid pooling, cartelisation or against law on fraud and corruption then their firms may be blacklisted.



TENDER NO.:NSIC/RJP/TOOL ROOM/2020-21/02

34. Jurisdiction:

In the event of any dispute the legal matter shall be subjected to the jurisdiction of the court at Rajpura only.

We confirm with our acceptance to the instructions (S. No. 1 to 34 above) as given above.

BIDDER'S NAME & SIGNATURE WITH SEAL

The duly signed pages of "Instructions to the Bidders" as above shall be attached with technical bid of the tender as a mark of acceptance of bidder and any bid/ tender not confirming the instructions as above, is liable to be rejected.

Annexure –A

Technical Specifications Machines, Tools Accessories, Instruments etc.

#	Description	Make	QTY.																																												
1	<p>SLIP GAUGES SET - SIZE PIECES 112 Nos.</p> <p><u>GRADE 1</u></p> <p><u>WITH NABL CERTIFICATE</u></p> <p>NOMINAL VALUE IN MM STEPS MM</p> <table border="1"> <thead> <tr> <th>STEPS MM</th> <th>NO. OF PIECES</th> </tr> </thead> <tbody> <tr> <td>1.0005</td> <td>1</td> </tr> <tr> <td>1.001 to1.009 0.001</td> <td>9</td> </tr> <tr> <td>1.01 to1.49 0.01</td> <td>49</td> </tr> <tr> <td>0.5 to 24.50 0.50</td> <td>49</td> </tr> <tr> <td>25 to 100 25</td> <td>4</td> </tr> <tr> <td>Hardness 800 HV</td> <td></td> </tr> </tbody> </table>	STEPS MM	NO. OF PIECES	1.0005	1	1.001 to1.009 0.001	9	1.01 to1.49 0.01	49	0.5 to 24.50 0.50	49	25 to 100 25	4	Hardness 800 HV		MITUTOYO/ TEESA/ MAHR ETC.	ONE SET																														
STEPS MM	NO. OF PIECES																																														
1.0005	1																																														
1.001 to1.009 0.001	9																																														
1.01 to1.49 0.01	49																																														
0.5 to 24.50 0.50	49																																														
25 to 100 25	4																																														
Hardness 800 HV																																															
2	<p>VERTICAL BENCH CENTRES – CAST IRON BASE AND CAST IRON COLOUMN BOTH HAND SCRAPPED</p> <table border="1"> <thead> <tr> <th>#</th> <th>PARTICULAR</th> <th>DETAILS</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SURFACE FINISH</td> <td>CAST IRON BASE,HAND SCRAPPED LAPPED</td> </tr> <tr> <td>B</td> <td>CENTRE DISTANCE</td> <td>300 TO 500 MM</td> </tr> <tr> <td>C</td> <td>GRADE</td> <td>1 AS PER IS: 5980:1978</td> </tr> <tr> <td>D</td> <td>ORIENTATION</td> <td>VERTICAL</td> </tr> <tr> <td>E</td> <td>COLOUMN</td> <td>CASTED AND SCRAPPED</td> </tr> <tr> <td>F</td> <td>TEST CERTIFICATE</td> <td>TEST CERTIFICATE FROM A TESTING LAB ACCREDITED BY NABL -REQUIRED</td> </tr> <tr> <td>G</td> <td>SPARES</td> <td>TWO MASTER TEST MANDRELS DIA 20 MM AND DIA 40 MM ONE EACH</td> </tr> </tbody> </table>	#	PARTICULAR	DETAILS	A	SURFACE FINISH	CAST IRON BASE,HAND SCRAPPED LAPPED	B	CENTRE DISTANCE	300 TO 500 MM	C	GRADE	1 AS PER IS: 5980:1978	D	ORIENTATION	VERTICAL	E	COLOUMN	CASTED AND SCRAPPED	F	TEST CERTIFICATE	TEST CERTIFICATE FROM A TESTING LAB ACCREDITED BY NABL -REQUIRED	G	SPARES	TWO MASTER TEST MANDRELS DIA 20 MM AND DIA 40 MM ONE EACH		ONE																				
#	PARTICULAR	DETAILS																																													
A	SURFACE FINISH	CAST IRON BASE,HAND SCRAPPED LAPPED																																													
B	CENTRE DISTANCE	300 TO 500 MM																																													
C	GRADE	1 AS PER IS: 5980:1978																																													
D	ORIENTATION	VERTICAL																																													
E	COLOUMN	CASTED AND SCRAPPED																																													
F	TEST CERTIFICATE	TEST CERTIFICATE FROM A TESTING LAB ACCREDITED BY NABL -REQUIRED																																													
G	SPARES	TWO MASTER TEST MANDRELS DIA 20 MM AND DIA 40 MM ONE EACH																																													
3	<p>Hardness Testing Machines, For Rockwell, Rockwell Superficial Testing (RASNE series) – with Graphic LCD display along with software.</p> <table border="1"> <thead> <tr> <th>MODEL</th> <th>UNIT</th> <th>RASNE-3</th> <th>RASNET-3</th> </tr> </thead> <tbody> <tr> <td>Total Load</td> <td>Kgf</td> <td>60,100,150</td> <td>15,30,45,60,100,150</td> </tr> <tr> <td>Minor Load</td> <td>Kgf</td> <td>10</td> <td>3,10</td> </tr> <tr> <td>Max.Test Height</td> <td>Mm</td> <td>230</td> <td>230</td> </tr> <tr> <td>Depth to Throat</td> <td>Mm</td> <td>133</td> <td>133</td> </tr> <tr> <td>Net Weight (approx.)</td> <td>Kg</td> <td>73</td> <td>73</td> </tr> <tr> <td>M/c Dimensions</td> <td>Mm</td> <td>L-450,W-175,H-627</td> <td>L-450,W-175,H-627</td> </tr> <tr> <td>Operation Cycle</td> <td></td> <td colspan="2">Automatic Load/Dwell/ Unload</td> </tr> <tr> <td>Test Force Selection</td> <td></td> <td colspan="2">By External Dialling</td> </tr> <tr> <td>Set Position</td> <td></td> <td colspan="2">With LCD bar Indicator</td> </tr> <tr> <td>Key Board entry</td> <td></td> <td colspan="2">Though Membrane switches for scale, GO-NO GO & dwell time selection</td> </tr> </tbody> </table>	MODEL	UNIT	RASNE-3	RASNET-3	Total Load	Kgf	60,100,150	15,30,45,60,100,150	Minor Load	Kgf	10	3,10	Max.Test Height	Mm	230	230	Depth to Throat	Mm	133	133	Net Weight (approx.)	Kg	73	73	M/c Dimensions	Mm	L-450,W-175,H-627	L-450,W-175,H-627	Operation Cycle		Automatic Load/Dwell/ Unload		Test Force Selection		By External Dialling		Set Position		With LCD bar Indicator		Key Board entry		Though Membrane switches for scale, GO-NO GO & dwell time selection		FIE/ Blue star / Bambros/ etc.	ONE
MODEL	UNIT	RASNE-3	RASNET-3																																												
Total Load	Kgf	60,100,150	15,30,45,60,100,150																																												
Minor Load	Kgf	10	3,10																																												
Max.Test Height	Mm	230	230																																												
Depth to Throat	Mm	133	133																																												
Net Weight (approx.)	Kg	73	73																																												
M/c Dimensions	Mm	L-450,W-175,H-627	L-450,W-175,H-627																																												
Operation Cycle		Automatic Load/Dwell/ Unload																																													
Test Force Selection		By External Dialling																																													
Set Position		With LCD bar Indicator																																													
Key Board entry		Though Membrane switches for scale, GO-NO GO & dwell time selection																																													

	Resolution		0.1Rockwell	0.1Rockwell and 0.1Rockwell superficial		
	Output		Parallel output for Connecting Laser Printer to get results indicating Serial No. of tests, Hardness scale hardness value & high/good low indication			
	Optional		Serial PC interface & windows software			
	STANDARAD ACCESORIES:					
	Testing table 50mm dia	No.			1	
	Testing Table 38mm dia with 'V' groove for round jobs 6 to 45mm dia.	No.			1	
	Diamond indenter-Rockwell	No.			1	
	Steel Ball Indentor 1/16"with 5 spare balls	Set			1	
	Test Block Rockwell 'C'	No.			1	
	Test Block 'B'	No.			1	
	Test Block HR30N	No.			5	
	Allen Spanners	No.			5	
	Wooden Box for Accessories	No.			1	
	Telescopic Sleeves for Elevating Screw Protection	Set .			1	
	Spare 1 Amp fuse	No.			1	
	Power Cable	No.			1	
	Machine cover	No.			1	
	Instruction Manual	No.			1	
	Paint					
	<p>(A) The elevating screw machine is guided in a hardened and ground brush, not allowing movement of elevating screw more than 0.05 mm when raised to full height.</p> <p>(B) The equipment shall be tested in a lab. Accredited by NABL. IS: BS 10109-2 & ASTM E-18 for Rockwell and Rockwell superficial Test 1586</p>					
4	<p>DRILLING CUM MILLING MACHINE (COLOUMN SHALL NOT BE ROUND - AND SHALL BE CASTING ONLY)</p> <p>A. DRILLING CAPACITY IN MILD STEEL UPTO 40 MM B. NOSE OF SPINDLE MT- 4 C. MAXIMUM SPINDLE TRAVEL OR DEPTH OF DRILLING 165-170 MM D. SPEED OF SPINDLE MAXIMUM 2000 RPM E. DISTANCE BETWEEN SPINDLE AND BASE 550 - 600 MM F. DISTANCE BETWEEN SPINDLE TO COLOUMN 300 - 320 MM G. CROSS SLIDE TRAVEL 400 X 300 MM H. WEIGHT OF DRILLING CUM MILLING MACHINE 450-500 KG I. MOTOR (SEIMEN/BHARAT/CROMPTON/HAVEL ETC.) - 2 HP J. COLOUR OF PAINT RAL K. DRILL CHUCK ½ INCH CAPACITY WITH KEY ONE L. DRILL CHUCK ¾ INCH CAPACITY WITH KEY ONE</p>					TWO

	<p>M HSS DRILLS TAPPER SHANK ADDISON BRAND TWO N DIAMETER 25 MM / 1 INCH O LENGTH AND WIDTH OF THE MAIN TABLE ABOUT- 900 X 350 MM P COLLET ATTACHMENT WITH COLLETS OF THE SIZE 1,2,3,4,5,6,7,8,9,10,11,12,16, 20 MM ONE EACH -TOTAL 14 NOS.</p>																																																																								
5	<p>DIGITAL HEIGHT GAUGE 300 MM –L.C. 10 microns</p>	<p>Mitutoyo/ Teesa/ Mahr Etc.</p>	<p>ONE</p>																																																																						
6	<p>METRIC THREAD PLUG GAUGES - H7 GO AND NO GO M 5, M6, M8, M10, M12, M16, M20 - 2 EACH <u>WITH TEST CERTIFICATE FROM A LAB ACCREDITED BY NABL</u></p> <p>METRIC THREAD RING GAUGES -H6 2 EACH M5,M6,M8,M10,M12, M16, M20 - <u>WITH TEST CERTIFICATE FROM A LAB ACCREDITED BY NABL</u></p> <p>CYLINDRICAL PLUG GAUGES - H 7 GO AND NO GO DIAMETER – 5,6,8,10,12,16,20 MM 2 EACH <u>WITH TEST CERTIFICATE FROM A LAB ACCREDITED BY NABL</u></p> <p><u>HSS THREADING TAP SETS</u></p> <table border="1" data-bbox="169 1151 1182 1529"> <thead> <tr> <th>#</th> <th>PARTICULARS</th> <th>QTY.</th> <th>REMARKS</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>HSS THREADING TAP SET M3</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>B</td> <td>HSS THREADING TAP SET M4</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>C</td> <td>HSS THREADING TAP SET M5</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>D</td> <td>HSS THREADING TAP SET M6</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>E</td> <td>HSS THREADING TAP SET M8</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>F</td> <td>HSS THREADING TAP SET M10</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>G</td> <td>HSS THREADING TAP SET M12</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>H</td> <td>HSS THREADING TAP SET M16</td> <td>5 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>I</td> <td>HSS THREADING TAP SET M20</td> <td>5 SET</td> <td>STANDARD PITCH</td> </tr> </tbody> </table> <p><u>HSS SPIRAL FLUIT MACHINE REAMERS</u></p> <table border="1" data-bbox="169 1630 1126 1951"> <thead> <tr> <th>#</th> <th>PARTICULARS</th> <th>QTY</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>HSS STRAIGHT SHANK HAND REAMERS 3 H7</td> <td>10</td> </tr> <tr> <td>B</td> <td>HSS STRAIGHT SHANK HAND REAMERS 4 H7</td> <td>10</td> </tr> <tr> <td>C</td> <td>HSS STRAIGHT SHANK HAND REAMERS 5 H7</td> <td>10</td> </tr> <tr> <td>D</td> <td>HSS STRAIGHT SHANK HAND REAMERS 6 H7</td> <td>10</td> </tr> <tr> <td>E</td> <td>HSS STRAIGHT SHANK HAND REAMERS 8 H7</td> <td>10</td> </tr> <tr> <td>F</td> <td>HSS STRAIGHT SHANK HAND REAMERS 10 H7</td> <td>10</td> </tr> <tr> <td>G</td> <td>HSS TAPER SHANK MACHINE REAMERS 12 H7</td> <td>5</td> </tr> <tr> <td>H</td> <td>HSS TAPER SHANK MACHINE REAMERS 16 H7</td> <td>5</td> </tr> <tr> <td>I</td> <td>HSS TAPER SHANK MACHINE REAMERS 20 H7</td> <td>5</td> </tr> </tbody> </table>	#	PARTICULARS	QTY.	REMARKS	A	HSS THREADING TAP SET M3	6 SET	STANDARD PITCH	B	HSS THREADING TAP SET M4	6 SET	STANDARD PITCH	C	HSS THREADING TAP SET M5	6 SET	STANDARD PITCH	D	HSS THREADING TAP SET M6	6 SET	STANDARD PITCH	E	HSS THREADING TAP SET M8	6 SET	STANDARD PITCH	F	HSS THREADING TAP SET M10	6 SET	STANDARD PITCH	G	HSS THREADING TAP SET M12	6 SET	STANDARD PITCH	H	HSS THREADING TAP SET M16	5 SET	STANDARD PITCH	I	HSS THREADING TAP SET M20	5 SET	STANDARD PITCH	#	PARTICULARS	QTY	A	HSS STRAIGHT SHANK HAND REAMERS 3 H7	10	B	HSS STRAIGHT SHANK HAND REAMERS 4 H7	10	C	HSS STRAIGHT SHANK HAND REAMERS 5 H7	10	D	HSS STRAIGHT SHANK HAND REAMERS 6 H7	10	E	HSS STRAIGHT SHANK HAND REAMERS 8 H7	10	F	HSS STRAIGHT SHANK HAND REAMERS 10 H7	10	G	HSS TAPER SHANK MACHINE REAMERS 12 H7	5	H	HSS TAPER SHANK MACHINE REAMERS 16 H7	5	I	HSS TAPER SHANK MACHINE REAMERS 20 H7	5	<p>Mitutoyo/ Teesa/Mahr/ Baker etc.</p> <p>TOTAL. 14 NOS.</p> <p>TOTAL. 14 PIECES</p> <p>TOTAL. 14 PIECES</p> <p>TOTEM, ADDISON, MIRANDA ETC.</p> <p>TOTEM, ADDISON, MIRANDA ETC.</p>	<p>TOTAL. 14 NOS.</p> <p>TOTAL. 14 PIECES</p> <p>TOTAL. 14 PIECES</p>
#	PARTICULARS	QTY.	REMARKS																																																																						
A	HSS THREADING TAP SET M3	6 SET	STANDARD PITCH																																																																						
B	HSS THREADING TAP SET M4	6 SET	STANDARD PITCH																																																																						
C	HSS THREADING TAP SET M5	6 SET	STANDARD PITCH																																																																						
D	HSS THREADING TAP SET M6	6 SET	STANDARD PITCH																																																																						
E	HSS THREADING TAP SET M8	6 SET	STANDARD PITCH																																																																						
F	HSS THREADING TAP SET M10	6 SET	STANDARD PITCH																																																																						
G	HSS THREADING TAP SET M12	6 SET	STANDARD PITCH																																																																						
H	HSS THREADING TAP SET M16	5 SET	STANDARD PITCH																																																																						
I	HSS THREADING TAP SET M20	5 SET	STANDARD PITCH																																																																						
#	PARTICULARS	QTY																																																																							
A	HSS STRAIGHT SHANK HAND REAMERS 3 H7	10																																																																							
B	HSS STRAIGHT SHANK HAND REAMERS 4 H7	10																																																																							
C	HSS STRAIGHT SHANK HAND REAMERS 5 H7	10																																																																							
D	HSS STRAIGHT SHANK HAND REAMERS 6 H7	10																																																																							
E	HSS STRAIGHT SHANK HAND REAMERS 8 H7	10																																																																							
F	HSS STRAIGHT SHANK HAND REAMERS 10 H7	10																																																																							
G	HSS TAPER SHANK MACHINE REAMERS 12 H7	5																																																																							
H	HSS TAPER SHANK MACHINE REAMERS 16 H7	5																																																																							
I	HSS TAPER SHANK MACHINE REAMERS 20 H7	5																																																																							

HSS DRILLS

#	PARTICULARS	QTY
A	HSS STRAIGHT SHANK DRILL DIA 2.4 MM	20
B	HSS STRAIGHT SHANK DRILL DIA 3.3 MM	20
C	HSS STRAIGHT SHANK DRILL DIA 4.1 MM	20
D	HSS STRAIGHT SHANK DRILL DIA 5 MM	20
E	HSS STRAIGHT SHANK DRILL DIA 6.8 MM	20
F	HSS STRAIGHT SHANK DRILL DIA 8.5 MM	20
G	HSS STRAIGHT SHANK DRILL DIA 10.2 MM	10
H	HSS STRAIGHT SHANK DRILL DIA 14 MM	10
I	HSS STRAIGHT SHANK DRILL DIA 17.5 MM	10
J	HSS STRAIGHT SHANK DRILL DIA 2.7 MM	20
K	HSS STRAIGHT SHANK DRILL DIA 3.7 MM	20
L	HSS STRAIGHT SHANK DRILL DIA 4.7 MM	20
M	HSS STRAIGHT SHANK DRILL DIA 5.7 MM	20
N	HSS STRAIGHT SHANK DRILL DIA 7.7 MM	10
O	HSS STRAIGHT SHANK DRILL DIA 9.7 MM	10
P	HSS STRAIGHT SHANK DRILL DIA 11.7 MM	10
Q	HSS STRAIGHT SHANK DRILL DIA 15.7 MM	5
R	HSS STRAIGHT SHANK DRILL DIA 19.7 MM	5
S	HSS STRAIGHT SHANK DRILL DIA 6 MM	10
T	HSS STRAIGHT SHANK DRILL DIA 6.5 MM	10
U	HSS STRAIGHT SHANK DRILL DIA 7 MM	10
V	HSS STRAIGHT SHANK DRILL DIA 7.5 MM	10
W	HSS STRAIGHT SHANK DRILL DIA 8 MM	10
X	HSS STRAIGHT SHANK DRILL DIA 9 MM	10
Y	HSS STRAIGHT SHANK DRILL DIA 10 MM	10
Z	HSS STRAIGHT SHANK DRILL DIA 20 MM	5

HSS THREADING DIES

#	PARTICULARS	QTY.
A	HSS SPLIT SCREW THREADING DIE M3	5
B	HSS SPLIT SCREW THREADING DIE M4	5
C	HSS SPLIT SCREW THREADING DIE M5	5
D	HSS SPLIT SCREW THREADING DIE M6	5
E	HSS SPLIT SCREW THREADING DIE M8	5
F	HSS SPLIT SCREW THREADING DIE M10	5
G	HSS SPLIT SCREW THREADING DIE M12	5
H	HSS SPLIT SCREW THREADING DIE M16	3
I	HSS SPLIT SCREW THREADING DIE M20	3
A	HSS CUTTING TOOL BITS ½ INCH SQUARE X 6" LENGTH	10
B	HSS CUTTING TOOL BITS ¾" INCH SQUARE X 6" LENGTH	5
C	HSS CUTTING TOOL BITS 1¼" INCH SQUARE X 4" LENGTH	10
D	HSS CUTTING TOOL BITS DIA ½ INCH X 6" LENGTH	10
E	HSS CUTTING TOOL BITS DIA 1/4 INCH X 6" LENGTH	10

TOTEM,
ADDISON,
MIRANDA
ETC.

TOTEM,
ADDISON,
MIRANDA
ETC.

7	PADESTAL BENCH GRINDER (FOR TOOL GRINDING) WITH GRINDING WHEELS MOUNTED ON BOTHE ENDS		BRAND OF MOTOR (ISI) HAVEL, BHARAT BIJLI, CROMPTON ETC.	TWO	
	#	PARTICULARS			DETAILS
	A	SIZE OF GRINDING WHEELS PRE-MOUNTED AT BOTH ENDS, PREFERABLY (CARBUNDUM) SILICON CARBIDE (GREEN) GRINDING WHEEL AT ONE END AND ALUMINIUM OXIDE (GREY) GRINDING WHEEL AT THE OTHER END- WELL PROTECTED WITH WHEEL GUARDS			GRINDING WHEEL DIAMETER – 9 INCHES
	B	HEIGHT OF MACHINE (BASE TO CENTRE OF THE SPINDLE)			ABOUT 3 FEET
	C	3 PHASE MOTOR ISI BRAND			1 TO 1.5 HP
	D	RPM AT NO LOAD			1400-2000
	E	STAND			CASTING 1-1.5 FEET SQUARE, AT BASE WITH HOLES AT BOTTOM/BASE FOR FOUNDATION BOLTS
		FOUNDATION BOLTS &NUTS			SIZE ½ INCH DIAMETER X 1.5 FEET LENGTH
	F	BASE DIMENTION			NOT LESS THAN 450 MM
	G	SIZE OF GRINDING WHEELS			OD 9 INCHES X 1.5 INCH THICKNESS
	H	WEIGHT OF GRINDER			NOT LESS THAN 100 KG
	I	PAINT			RAL
	J	SPARE			TWO GRINDING WHEELS OF SILICON CARBIDE (GREEN) AND TWO WHEELS OF ALUMINIUM OXIDE (GREY) PREFERABLY CARBUNDUM ETC.
K	GRINDING WHEEL DRESSER	TWO NOS.			
L	SPARE GRINDING WHEELS DIAMETER 9 INCH MEDIUM GRIT TOTAL TWO NOS	SILICON CARBIDE –ONE ALUMINIUM OXIDE ONE OD 9 INCHES X 1.5 INCH THICKNESS			

8	OPTICAL PROFILE PROJECTOR VERTICAL-certified along with measuring software and compatible with reputed branded (LENOVO, HP,DELL etc.)computer system and the detail is given as under		01	
	#	Particular		Details
	a	Projected image		inverted
	b	Effective diameter		More than 300 mm
	C	Material of the screen		Fine ground glass
	d	Angle reading		Digital counter (LED)ABS/INC mode switching zero set
	E	Resolution		1'&0.001 mm
	f	ABS/INC		Available
	G	Projection Lens		10(standard)
	h	Magnification accuracy		+/-0.1% in contour illumination +/-0.15% in surface illumination
	I	x-y & Angle counter		Inbuilt
	J	Mechanism		Fine feed & clamp
	K	Mass		140 kg
	I	Surface illumination		Available through LED bulbs
M	Maximum Work piece Dia	180 mm with 10XLens		
N	Maximum Work piece Height	92.5 with 10X Lens		

O	X-Y Measuring range	100 X100 MM
P	Quick Release Mechanism	Should be in X-Y Axis
Q	Swivel adjustment Range	+/- 10°
R	Top Surface Size of Table	380x250 mm
S	Optical System	Tele Centric Lens
T	Cross Hairs	90 degree Solis Lens
U	Maximum Loading	10 kg.
v	Resolution	0.1 micron /degree – minute-Second – selectable
w	Programme function	Part programme creation,execution,editing
x	Statistical processing	No of Data, Max Value, Min. Value, Mean Value, Mean Value, Standard Deviation, Range, Histogram, Statics on a measuring Function basis by command
Y	Projection Lens 20 X Projection Lens 50 X Projection Lens 100 X	One One One
	DISPLAY SYSTEM – P C MINIMUM CONFIGURATION (LENOVO, HP, DELL etc.)	
A	TFT Screen Size	18.5 “
B	Hardware	P4 1.7G

C	Hard Disk	360 G		
D	CD And DVD Driver	Required		
E	USB Interface and RS232	Required		
F	Display Resolution	1024 X 768 (Best)		
G	Screen Colour Quality	32 Bit		
H	Operation System	Windows XP		
I	Output	T X T, Auto CAD, Excel		
J	Measurement Result Output	Rs 232C		



TENDER NO.:NSIC/RJP/TOOL ROOM/2020-21/02

Annexure-B
(Undertaking from Bidder on their official stationery)

To,
Sr. General Manager
NSIC- Technical Services Centre,
D-82/83, Focal Point, Rajpura
(Punjab) - 140401.

Sir,
Subject: Undertaking for the participation in the tender No. NSIC/RJP/TOOL ROOM/2020-21/02 due for opening of technical bid on **Dec 02, 2020**.

Dear Sir,

HAVING EXAMINED AND PERUSED THE FOLLOWING DOCUMENTS

1. Notice Inviting Tender
2. Instructions to the Bidders
3. Technical Specifications of machine (Annexure-A)
4. Annexure - C (Technical Bid)
5. Annexure - D (Commercial Bid)

I/Wedo hereby submit the above Bid in prescribed formats duly completed in all respects in accordance with the conditions applicable. If this tender is accepted, I/We undertake to abide by and fulfil all the terms and conditions in the tender documents

I/We hereby distinctly and expressly declare and acknowledge and undertake that before the submission of this Bid, I/We have carefully read and followed the instructions and I/We have understood the existing system of supply at the address(es) of purchaser including the scope and nature of duties expected from the Bidder.

I/We distinctly undertake that I/We would hereafter make no claim or demand upon the purchaser based upon or arising out of any alleged misunderstanding or misconceptions or mistake on my/our part of the said stipulations, restrictions and conditions.

I/ We undertake & declare that our unit has never made any default in supplying the machine/ equipment to Government / Semi Government/ Central or State Public sector enterprise(s) for any reasons in the last five years.

Any notice required to be served on me/us shall be sufficiently served on me/us through email or post (registered or ordinary) or courier or left at my/our address furnished herein.

.....

I/We fully understand the terms and conditions in the tender documents.

I/We understood that the purchaser is not bound to accept any proposal that it may receive without assigning any reason.

Dated this.....day of.....2020.

Authorized Signatory
Seal:



ANNEXURE- C

FORMAT & REQUIREMENTS FOR SUBMITTING TECHNICAL BID

1. **Tender Ref. No:** NSIC/RJP/TOOL ROOM/2020-21/02
2. **Name of Bidder:**
3. **Complete office address/contact numbers/Email ID/Mobile Number of Bidder:**
4. **Tender fee payment details**(if tender document downloaded from website)
 Details of DD/RTGS/NEFT by which tender fee paid.....

1. Confirmation of acceptance of Technical Specifications for the supply of Machines/Tools/Accessories/Measuring Instruments:

#	Description	Make	QTY.	Accepted YES / NO)	If marked "NO" specify the deviation														
1	<p>SLIP GAUGES SET - SIZE PIECES 112 Nos.</p> <p><u>GRADE 1</u></p> <p><u>WITH NABL CERTIFICATE</u></p> <p>NOMINAL VALUE IN MM</p> <p>STEPS MM</p> <table border="1" style="width: 100%;"> <thead> <tr> <th>STEPS MM</th> <th>NO. OF PIECES</th> </tr> </thead> <tbody> <tr> <td>1.0005</td> <td>1</td> </tr> <tr> <td>1.001 to1.009 0.001</td> <td>9</td> </tr> <tr> <td>1.01 to1.49 0.01</td> <td>49</td> </tr> <tr> <td>0.5 to 24.50 0.50</td> <td>49</td> </tr> <tr> <td>25 to 100 25</td> <td>4</td> </tr> <tr> <td>Hardness 800 HV</td> <td></td> </tr> </tbody> </table>	STEPS MM	NO. OF PIECES	1.0005	1	1.001 to1.009 0.001	9	1.01 to1.49 0.01	49	0.5 to 24.50 0.50	49	25 to 100 25	4	Hardness 800 HV		MIT UT OY O/ TEE SA/ MA HR ETC .	ONE SET		
STEPS MM	NO. OF PIECES																		
1.0005	1																		
1.001 to1.009 0.001	9																		
1.01 to1.49 0.01	49																		
0.5 to 24.50 0.50	49																		
25 to 100 25	4																		
Hardness 800 HV																			

2	<p>VERTICAL BENCH CENTRES – CAST IRON BASE AND CAST IRON COLOUMN BOTH HAND SCRAPPED</p> <table border="1" data-bbox="167 481 1093 907"> <thead> <tr> <th>#</th> <th>PARTICULAR</th> <th>DETAILS</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SURFACE FINISH</td> <td>CAST IRON BASE,HAND SCRAPPED LAPPED</td> </tr> <tr> <td>B</td> <td>CENTRE DISTANCE</td> <td>300 TO 500 MM</td> </tr> <tr> <td>C</td> <td>GRADE</td> <td>1 AS PER IS: 5980:1978</td> </tr> <tr> <td>D</td> <td>ORIENTATION</td> <td>VERTICAL</td> </tr> <tr> <td>E</td> <td>COLOUMN</td> <td>CASTED AND SCRAPPED</td> </tr> <tr> <td>F</td> <td>TEST CERTIFICATE</td> <td>TEST CERTIFICATE FROM A TESTING LAB ACCREDITED BY NABL -REQUIRED</td> </tr> <tr> <td>G</td> <td>SPARES</td> <td>TWO MASTER TEST MANDRELS DIA 20 MM AND DIA 40 MM ONE EACH</td> </tr> </tbody> </table>	#	PARTICULAR	DETAILS	A	SURFACE FINISH	CAST IRON BASE,HAND SCRAPPED LAPPED	B	CENTRE DISTANCE	300 TO 500 MM	C	GRADE	1 AS PER IS: 5980:1978	D	ORIENTATION	VERTICAL	E	COLOUMN	CASTED AND SCRAPPED	F	TEST CERTIFICATE	TEST CERTIFICATE FROM A TESTING LAB ACCREDITED BY NABL -REQUIRED	G	SPARES	TWO MASTER TEST MANDRELS DIA 20 MM AND DIA 40 MM ONE EACH	ONE NO.																														
#	PARTICULAR	DETAILS																																																						
A	SURFACE FINISH	CAST IRON BASE,HAND SCRAPPED LAPPED																																																						
B	CENTRE DISTANCE	300 TO 500 MM																																																						
C	GRADE	1 AS PER IS: 5980:1978																																																						
D	ORIENTATION	VERTICAL																																																						
E	COLOUMN	CASTED AND SCRAPPED																																																						
F	TEST CERTIFICATE	TEST CERTIFICATE FROM A TESTING LAB ACCREDITED BY NABL -REQUIRED																																																						
G	SPARES	TWO MASTER TEST MANDRELS DIA 20 MM AND DIA 40 MM ONE EACH																																																						
3	<p>Hardness Testing Machines, For Rockwell, Rockwell Superficial Testing (RASNE series) – with Graphic LCD display along with software.</p> <table border="1" data-bbox="167 1041 1077 2016"> <thead> <tr> <th>MODEL</th> <th>UNIT</th> <th>RASNE-3</th> <th>RASNET-3</th> </tr> </thead> <tbody> <tr> <td>Total Load</td> <td>Kgf</td> <td>60,100,150</td> <td>15,30,45,60,100,150</td> </tr> <tr> <td>Minor Load</td> <td>Kgf</td> <td>10</td> <td>3,10</td> </tr> <tr> <td>Max.Test Height</td> <td>Mm</td> <td>230</td> <td>230</td> </tr> <tr> <td>Depth to Throat</td> <td>Mm</td> <td>133</td> <td>133</td> </tr> <tr> <td>Net Weight (approx.)</td> <td>Kg</td> <td>73</td> <td>73</td> </tr> <tr> <td>M/c Dimensions</td> <td>Mm</td> <td>L-450,W-175,H-627</td> <td>L-450,W-175,H-627</td> </tr> <tr> <td>Operation Cycle</td> <td></td> <td colspan="2">Automatic Load/Dwell/ Unload</td> </tr> <tr> <td>Test Force Selection</td> <td></td> <td colspan="2">By External Dialling</td> </tr> <tr> <td>Set Position</td> <td></td> <td colspan="2">With LCD bar Indicator</td> </tr> <tr> <td>Key Board entry</td> <td></td> <td colspan="2">Though Membrane switches for scale, GO-NO GO & dwell time selection</td> </tr> <tr> <td>Resolution</td> <td></td> <td>0.1Rockwell</td> <td>0.1Rockwell and 0.1Rockwell superficial</td> </tr> <tr> <td>Output</td> <td></td> <td colspan="2">Parallel output for Connecting Laser Printer to get results indicating Serial No. of tests, Hardness scale hardness value & high/good low indication</td> </tr> </tbody> </table>	MODEL	UNIT	RASNE-3	RASNET-3	Total Load	Kgf	60,100,150	15,30,45,60,100,150	Minor Load	Kgf	10	3,10	Max.Test Height	Mm	230	230	Depth to Throat	Mm	133	133	Net Weight (approx.)	Kg	73	73	M/c Dimensions	Mm	L-450,W-175,H-627	L-450,W-175,H-627	Operation Cycle		Automatic Load/Dwell/ Unload		Test Force Selection		By External Dialling		Set Position		With LCD bar Indicator		Key Board entry		Though Membrane switches for scale, GO-NO GO & dwell time selection		Resolution		0.1Rockwell	0.1Rockwell and 0.1Rockwell superficial	Output		Parallel output for Connecting Laser Printer to get results indicating Serial No. of tests, Hardness scale hardness value & high/good low indication		FIE/ Bluestar / Bambros/ etc.		
MODEL	UNIT	RASNE-3	RASNET-3																																																					
Total Load	Kgf	60,100,150	15,30,45,60,100,150																																																					
Minor Load	Kgf	10	3,10																																																					
Max.Test Height	Mm	230	230																																																					
Depth to Throat	Mm	133	133																																																					
Net Weight (approx.)	Kg	73	73																																																					
M/c Dimensions	Mm	L-450,W-175,H-627	L-450,W-175,H-627																																																					
Operation Cycle		Automatic Load/Dwell/ Unload																																																						
Test Force Selection		By External Dialling																																																						
Set Position		With LCD bar Indicator																																																						
Key Board entry		Though Membrane switches for scale, GO-NO GO & dwell time selection																																																						
Resolution		0.1Rockwell	0.1Rockwell and 0.1Rockwell superficial																																																					
Output		Parallel output for Connecting Laser Printer to get results indicating Serial No. of tests, Hardness scale hardness value & high/good low indication																																																						

Optional	Serial PC interface & windows software				
STANDARAD ACCESORIES:					
Testing table 50mm dia	No.	1			
Testing Table 38mm dia with 'V' groove for round jobs 6 to 45mm dia.	No.	1			
Diamond indenter- Rockwell	No.	1			
Steel Ball Indentor 1/16"with 5 spare balls	Set	1			
Test Block Rockwell 'C'	No.	1			
Test Block 'B'	No.	1			
Test Block HR30N	No.	5	5		
Allen Spanners	No.	5			
Wooden Box for Accessories	No.	1	1		
Telescopic Sleeves for Elevating Screw Protection	Set .	1			
Spare 1 Amp fuse	No.	1			
Power Cable	No.	1			
Machine cover	No.	1			
Instruction Manual	No.	1			
Paint					
<p>(A) The elevating screw machine is guided in a hardened and ground brush, not allowing movement of elevating screw more than 0.05 mm when raised to full height.</p> <p>(B) The equipment shall be tested in a lab. Accredited by NABL. IS: BS 10109-2 & ASTM E-18 for Rockwell and Rockwell superficial Test 1586</p>					
4	DRILLING CUM MILLING MACHINE (COLOUMN SHALL NOT BE ROUND - AND SHALL BE CASTING ONLY)				
A. DRILLING CAPACITY IN MILD STEEL UPTO 40 MM B. NOSE OF SPINDLE MT- 4 C. MAXIMUM SPINDLE TRAVEL OR DEPTH OF DRILLING 165-170 MM D. SPEED OF SPINDLE MAXIMUM 2000 RPM E. DISTANCE BETWEEN SPINDLE AND BASE 550 - 600 MM F. DISTANCE BETWEEN SPINDLE TO COLOUMN 300 - 320 MM G. CROSS SLIDE TRAVEL 400 X 300 MM H. WEIGHT OF DRILLING CUM MILLING MACHINE 450-500 KG I. MOTOR (SEIMEN/BHARAT/CROMPTON/HAVEL ETC.) - 2 HP J. COLOUR OF PAINT RAL K. DRILL CHUCK 1/2 INCH CAPACITY WITH KEY ONE L. DRILL CHUCK 3/4 INCH CAPACITY WITH KEY ONE M HSS DRILLS TAPPER SHANK ADDISON BRAND TWO N DIAMETER 25 MM / 1 INCH					TWO NOS.

	<p>O LENGTH AND WIDTH OF THE MAIN TABLE ABOUT- 900 X 350 MM</p> <p>P COLLET ATTACHMENT WITH COLLETS OF THE SIZE 1,2,3,4,5,6,7,8,9,10,11,12,16, 20 MM ONE EACH -TOTAL 14 NOS.</p>																																																																									
5	<p>DIGITAL HEIGHT GAUGE 300 MM -L.C.10 microns (Mitutoyo, Teesa Mahar Etc)</p>		ONE																																																																							
6	<p>METRIC THREAD PLUG GAUGES - H7 GO AND NO GO M 5, M6, M8, M10, M12, M16, M20 - 2 EACH WITH TEST CERTIFICATE FROM A LAB ACCREDITED BY NABL</p> <p>METRIC THREAD RING GAUGES -H6 2 EACH M5,M6,M8,M10,M12, M16, M20 - WITH TEST CERTIFICATE FROM A LAB ACCREDITED BY NABL</p> <p>CYLINDRICAL PLUG GAUGES - H 7 GO AND NO GO DIAMETER - 5,6,8,10,12,16,20 MM 2 EACH WITH TEST CERTIFICATE FROM A LAB ACCREDITED BY NABL</p> <p>HSS THREADING TAP SETS</p> <table border="1"> <thead> <tr> <th>#</th> <th>PARTICULARS</th> <th>QTY.</th> <th>REMARKS</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>HSS THREADING TAP SET M3</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>B</td> <td>HSS THREADING TAP SET M4</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>C</td> <td>HSS THREADING TAP SET M5</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>D</td> <td>HSS THREADING TAP SET M6</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>E</td> <td>HSS THREADING TAP SET M8</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>F</td> <td>HSS THREADING TAP SET M10</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>G</td> <td>HSS THREADING TAP SET M12</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>H</td> <td>HSS THREADING TAP SET M16</td> <td>5 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>I</td> <td>HSS THREADING TAP SET M20</td> <td>5 SET</td> <td>STANDARD PITCH</td> </tr> </tbody> </table> <p>HSS SPIRAL FLUIT REAMERS</p> <table border="1"> <thead> <tr> <th>#</th> <th>PARTICULARS</th> <th>QTY</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>HSS STRAIGHT SHANK HAND REAMERS 3 H7</td> <td>10</td> </tr> <tr> <td>B</td> <td>HSS STRAIGHT SHANK HAND REAMERS 4 H7</td> <td>10</td> </tr> <tr> <td>C</td> <td>HSS STRAIGHT SHANK HAND REAMERS 5 H7</td> <td>10</td> </tr> <tr> <td>D</td> <td>HSS STRAIGHT SHANK HAND REAMERS 6 H7</td> <td>10</td> </tr> <tr> <td>E</td> <td>HSS STRAIGHT SHANK HAND REAMERS 8 H7</td> <td>10</td> </tr> <tr> <td>F</td> <td>HSS STRAIGHT SHANK HAND REAMERS 10 H7</td> <td>10</td> </tr> <tr> <td>G</td> <td>HSS TAPER SHANK MACHINE REAMERS 12 H7</td> <td>5</td> </tr> <tr> <td>H</td> <td>HSS TAPER SHANK MACHINE REAMERS 16 H7</td> <td>5</td> </tr> <tr> <td>I</td> <td>HSS TAPER SHANK MACHINE REAMERS 20 H7</td> <td>5</td> </tr> </tbody> </table>	#	PARTICULARS	QTY.	REMARKS	A	HSS THREADING TAP SET M3	6 SET	STANDARD PITCH	B	HSS THREADING TAP SET M4	6 SET	STANDARD PITCH	C	HSS THREADING TAP SET M5	6 SET	STANDARD PITCH	D	HSS THREADING TAP SET M6	6 SET	STANDARD PITCH	E	HSS THREADING TAP SET M8	6 SET	STANDARD PITCH	F	HSS THREADING TAP SET M10	6 SET	STANDARD PITCH	G	HSS THREADING TAP SET M12	6 SET	STANDARD PITCH	H	HSS THREADING TAP SET M16	5 SET	STANDARD PITCH	I	HSS THREADING TAP SET M20	5 SET	STANDARD PITCH	#	PARTICULARS	QTY	A	HSS STRAIGHT SHANK HAND REAMERS 3 H7	10	B	HSS STRAIGHT SHANK HAND REAMERS 4 H7	10	C	HSS STRAIGHT SHANK HAND REAMERS 5 H7	10	D	HSS STRAIGHT SHANK HAND REAMERS 6 H7	10	E	HSS STRAIGHT SHANK HAND REAMERS 8 H7	10	F	HSS STRAIGHT SHANK HAND REAMERS 10 H7	10	G	HSS TAPER SHANK MACHINE REAMERS 12 H7	5	H	HSS TAPER SHANK MACHINE REAMERS 16 H7	5	I	HSS TAPER SHANK MACHINE REAMERS 20 H7	5	<p>Mit uto yo/ Tee sa/ Mah r/Ba ker etc.</p> <p>TOTA L. 14</p> <p>TOTA L. 14</p> <p>TOTA L. 14</p> <p>TOT EM, AD DIS ON, MIR AN DA ETC .</p>		
#	PARTICULARS	QTY.	REMARKS																																																																							
A	HSS THREADING TAP SET M3	6 SET	STANDARD PITCH																																																																							
B	HSS THREADING TAP SET M4	6 SET	STANDARD PITCH																																																																							
C	HSS THREADING TAP SET M5	6 SET	STANDARD PITCH																																																																							
D	HSS THREADING TAP SET M6	6 SET	STANDARD PITCH																																																																							
E	HSS THREADING TAP SET M8	6 SET	STANDARD PITCH																																																																							
F	HSS THREADING TAP SET M10	6 SET	STANDARD PITCH																																																																							
G	HSS THREADING TAP SET M12	6 SET	STANDARD PITCH																																																																							
H	HSS THREADING TAP SET M16	5 SET	STANDARD PITCH																																																																							
I	HSS THREADING TAP SET M20	5 SET	STANDARD PITCH																																																																							
#	PARTICULARS	QTY																																																																								
A	HSS STRAIGHT SHANK HAND REAMERS 3 H7	10																																																																								
B	HSS STRAIGHT SHANK HAND REAMERS 4 H7	10																																																																								
C	HSS STRAIGHT SHANK HAND REAMERS 5 H7	10																																																																								
D	HSS STRAIGHT SHANK HAND REAMERS 6 H7	10																																																																								
E	HSS STRAIGHT SHANK HAND REAMERS 8 H7	10																																																																								
F	HSS STRAIGHT SHANK HAND REAMERS 10 H7	10																																																																								
G	HSS TAPER SHANK MACHINE REAMERS 12 H7	5																																																																								
H	HSS TAPER SHANK MACHINE REAMERS 16 H7	5																																																																								
I	HSS TAPER SHANK MACHINE REAMERS 20 H7	5																																																																								

7	PADESTAL BENCH GRINDER (FOR TOOL GRINDING) WITH GRINDING WHEELS MOUNTED ON BOTH SIDES		BR AN D OF MO TO R (ISI) HA VEL , BH AR AT BIJ LI, CRO MPT ON ETC.	TWO			
	#	PARTICULARS					DETAILS
	A	SIZE OF GRINDING WHEELS PRE-MOUNTED AT BOTH ENDS, PREFERABLY (CARBUNDUM) SILICON CARBIDE (GREEN) GRINDING WHEEL AT ONE END AND ALUMINIUM OXIDE (GREY) GRINDING WHEEL AT THE OTHER END- WELL PROTECTED WITH WHEEL GUARDS					GRINDING WHEEL DIAMETER - 9 INCHES
	B	HEIGHT OF MACHINE (BASE TO CENTRE OF THE SPINDLE)					ABOUT 3 FEET
	C	3 PHASE MOTOR ISI BRAND					1 TO 1.5 HP
	D	RPM AT NO LOAD					1400-2000 RPM
	E	STAND					CASTING 1-1.5 FEET SQUARE, AT BASE WITH HOLES AT BOTTOM/BASE FOR FOUNDATION BOLTS
		FOUNDATION BOLTS &NUTS					SIZE ½ INCH DIAMETER X 1.5 FEET LENGTH
	F	BASE DIMENTION					NOT LESS THAN 450 MM
	G	SIZE OF GRINDING WHEELS					OD 9 INCHES X 1.5 INCH THICKNESS
	H	WEIGHT OF GRINDER					NOT LESS THAN 100 KG
	I	PAINT					RAL
	J	SPARE					TWO GRINDING WHEELS OF SILICON CARBIDE (GREEN) AND TWO WHEELS OF ALUMINIUM OXIDE (GREY) PREFERABLY CARBUNDUM ETC.
	K	GRINDING WHEEL DRESSER					TWO NOS.
L	SPARE GRINDING WHEELS DIAMETER 9 INCH MEDIUM GRIT TOTAL TWO NOS	SILICON CARBIDE -ONE ALUMINIUM OXIDE ONE OD 9 INCHES X 1.5 INCH THICKNESS					
8	OPTICAL PROFILE PROJECTOR VERTICAL- Certified along with measuring software and compatible with reputed branded (LENOVO, HP,DELL etc.)computer system and the detail is given as under			01			

#	Particular	Details			
a	Projected image	inverted			
b	Effective diameter	More than 300 mm			
c	Material of the screen	Fine ground glass			
d	Angle reading	Digital counter (LED)ABS/INC mode switching zero set			
E	Resolution	1'&0.001 mm			
f	ABS/INC	Available			
G	Projection Lens	10(standard)			
h	Magnification accuracy	+/-0.1% in contour illumination +/-0.15% in surface illumination			
I	x-y & Angle counter	Inbuilt			
J	Mechanism	Fine feed & clamp			
K	Mass	140 kg			
I	Surface illumination	Available through LED bulbs			
M	Maximum Work piece Dia	180 mm with 10XLens			
N	Maximum Work piece Height	92.5 with 10X Lens			
O	X-Y Measuring range	100 X100 MM			
P	Quick Release Mechanism	Should be in X-Y Axis			
Q	Swivel adjustment Range	+/- 100 .			
R	Top Surface Size of Table	380x250 mm			
S	Optical System	Tele Centric Lens			

T	Cross Hairs	90 degree Solis Lens				
U	Maximum Loading	10 kg.				
v	Resolution	0.1 micron /degree – minute-Second – selectable				
w	Programme function	Part programme creation, execution, editing				
x	Statistical processing	No of Data, Max Value, Min. Value, Mean Value, Mean Value, Standard Deviation, Range, Histogram, Statics on a measuring Function basis by command				
Y	Projection Lens 20 X Projection Lens 50 X Projection Lens 100 X	One One One				
	DISPLAY SYSTEM – P C MINIMUM CONFIGURATION (LENOVO, HP, DELL etc.)					
A	TFT Screen Size	18.5 “				
B	Hardware	P4 1.7G				
C	Hard Disk	360 G				
D	CD And DVD Driver	Required				
E	USB Interface and RS232	Required				
F	Display Resolution	1024 X 768 (Best)				



G	Screen Colour Quality	32 Bit				
H	Operation System	Windows XP				
I	Output	T X T, Auto CAD, Excel				
J	Measurement Result Output	Rs 232C				

Kindly Note:

1. For Items at Sl. No. 1,2,3,4,5,7 & 8 --- The bid price will be compared on individually basis and the order may be placed even for single item.
2. For items at S.no 6 will be treated as one in toto.
3. The individual bidder can bid for one or all the items
4. All the bidders shall mention the brand of the items
5. The payment will be released 100 percent in case of items at Sl no 1, 5 and 6 after one month of receipt/inspection of items in good condition.
6. Inspection will be carried out at our premises for the items stated at Sl No 1 and 06 and 100 percent payment will be released in one go after one month
7. The bidders bidding for item no 1, 5 and 6, may or may not be ISO Certified, however the bidders bidding for rest of the items having ISO certificate will be preferred.

2. **EMD payment details** (Not applicable if the bidder is holding valid registration/ exemption certificate, as per Para 13 (c) of Instruction to Bidders): Details of DD/RTGS/NEFT by which EMD paid

.....

The EMD of Rs. 25000/- (Rs. Twenty Five Thousands only) in favour of NSIC-Technical Services Centre, D-82/83, Focal Point, Rajpura (Punjab) - 140401 shall be submitted.

3. **PAN of bidder** (self-attested copy to be enclosed).....

4. **GSTIN registration number of bidder** (self-attested copy to be enclosed).....

5. **Delivery period after receipt of supply order from purchaser:**(The purchaser is expected to complete delivery of machine by the bidder within sixty (60) calendar days from the date of issue of supply order. However, the bidder has an option to submit the best delivery time, but in any case, the delivery should be before 90 days from the date of issue of supply order by purchaser. Delivery to be completed in number of days (Calendar Days In

figure)..... (Calendar Days in words) for delivery from the date of issue of supply order by purchaser.

6. Details of address with contact details from where the bidder planned to offer After Sales Services during the Warranty & after warranty Maintenance period :

#	Address
Details of address of bidder for rendering 'After Sales Services'	NSIC - Technical Services Centre,D-82/83, Focal Point, Rajpura (Punjab) - 140401.

7. Details of address with contact details for at least three (03) purchaser to whom the bidder supplied similar machine in the last five (05) years and machine shall be in operations to the satisfaction of buyer for the last three (03) years: *The format for submission of details for at least three purchaser are as under: (the bidder can furnish details of even more than three purchaser)*

- Address of Purchaser with contact details (email and phone no.):.....
- Details of order for supply placed to bidder:.....
- Description and quantity of ordered equipment:.....
- Value of order in rupees:.....
- Date of completion of delivery:.....

(The purchaser shall have liberty to contact any or all of purchaser to assess the performance of machine supplied by bidder)

8. Documents - Details to be enclosed with the Technical bid by bidder are as under:

- In case the bidder is Original Equipment Manufacturer, the bidder to submit a self-declaration on their letter-head, confirming that they are regular in manufacturing & supplying the similar machines, as asked in this tender, for the last Five (05) years.
- In case the bidder is Authorized Distributor of OEM / Authorized Dealer of OEM, the bidder to attach self-certified valid authorized Distributorship / Dealership license from Original Equipment Manufacturer and shall be engaged in regular manufacturing and supply of similar machine for the last five (05) years & engaged with the present OEM for the last three years for which this tender is participating.
- In case the bidder is Authorized Distributor of OEM / Authorized Dealer of OEM, the bidder to attach the self-certified copy of valid ISO 9001 or ISO/1EC 17025:2005 Certificate of their OEM.
- To avail benefit of Public Procurement Policy by SC/ST Micro & Small Enterprises, the requirement of documents to substantiate their claim (As per Para 5 of this tender) shall be submitted with Technical Bid.

- e) Undertaking as per annexure-B on **official stationery** (letter head).
- f) Duly signed all pages of "Instructions to Bidders" of the tender document as a mark of acceptance.
- g) The letters substantiating performance from at least three (03) other purchasers, to whom, the similar machine supplied by the bidder in last five (05) years, wherein, the machine shall be in operation to the satisfaction of buyer for the last three (03) years, to access performance of the machine supplied by your organization.
- h) Technical Literature of machine(s) with particular reference to the model of machine proposed to supply against this tender along with reference of website to assess the further features.
- i) Authorization letter in favour of their representative to sign the tender on behalf of bidder.
- j) Self-certified copy of valid certificate for claiming EMD exemption.
- k) Self-certified copy of valid certificate for claiming Tender Fee exemption.
- l) Self-attested copy of valid GSTIN registration.
- m) Self-attested copy of valid PAN.
- n) In case EMD paid through online banking system, the details of UTR Number and date shall be submitted.
- o) In case the tender downloaded from website, then either the Demand Draft towards tender's fees or UTR number and date for the transfer of tender fees shall be enclosed with the technical bid.
- p) The Bidders shall furnish complete Technical details of machine/Measuring Instruments/equipment/material for the machine offered to supply through the participation of this tender (use separate sheet to elaborate the details of technical specifications such as Measuring Range/Size, Least Count/Resolution, Accuracy, Materials used, Accessories, Tools, Spares, software, etc.).
- q) To submit all supporting information with respect to the technical data, drawings or booklets of product. Any product brief, test certificates available may be enclosed.

I/We as bidder agree and certify that:

- a. The Bid submitted through this tender shall remain valid for acceptance for 90 days from the date of opening the Technical Bid of the tender.
- b. Agree to offer services for onsite comprehensive warranty on the machine(s) for two years supplied through this tender.
- c. Agree to impart onsite training to the designated personnel of purchaser for 10 working days except Sl No 1 & 6.
- d. No price of any Machine/ Equipment/Measuring Instrument/ Spares/ Accessories shall be given in Technical Bid.
- e. All above machines etc should be provided with safety features/ curtains/enclosure/ stands etc. wherever applicable.



TENDER NO.:NSIC/RJP/TOOL ROOM/2020-21/02

- f. The Bidder certified that all consumables, electrical and electronic parts of the product conform to national/ international standard(s).

Name & Signature of the authorized bidder with stamp
Contact details of authorized person of bidder who have signed the tender.

Name.....

Designation.....

Phone (office).....

Phone (Mobile).....

E mail.....

FORMAT FOR SUBMISSION OF COMMERCIAL BID

1. Tender Ref. No: NSIC/RJP/TOOL ROOM/2020-21/02

2. Name of the Bidder:

3. The commercial offer to execute the supply as per the tender:

Supply of Machines/Tools/Accessories/Measuring Instruments to NSIC – Technical Services Centre, D-82/83, Focal Point, Rajpura (Punjab):

Offer financials for the Supply, Installation, and Commissioning at site & Training to trainers with commitment to offer on site after sales Services in the period of Warranty and maintenance contract for the machine offered to supply, as agreed in technical bid of the tender No. **NSIC/RJP/TOOL ROOM/2020-21/02**

#	Description	QTY.	Unit Price	GST @..... With Amount In INR B	Total Price INR A+B													
			A															
1	<p>SLIP GAUGES SET - SIZE PIECES 112 Nos.</p> <p><u>GRADE 1</u></p> <p><u>WITH NABL CERTIFICATE</u></p> <p>NOMINAL VALUE IN MM STEPS MM</p> <table border="1"> <thead> <tr> <th>STEPS MM</th> <th>NO. OF PIECES</th> </tr> </thead> <tbody> <tr> <td>1.0005</td> <td>1</td> </tr> <tr> <td>1.001 to1.009 0.001</td> <td>9</td> </tr> <tr> <td>1.01 to1.49 0.01</td> <td>49</td> </tr> <tr> <td>0.5 to 24.50 0.50</td> <td>49</td> </tr> <tr> <td>25 to 100 25</td> <td>4</td> </tr> <tr> <td>Hardness 800 HV</td> <td></td> </tr> </tbody> </table>	STEPS MM	NO. OF PIECES	1.0005	1	1.001 to1.009 0.001	9	1.01 to1.49 0.01	49	0.5 to 24.50 0.50	49	25 to 100 25	4	Hardness 800 HV		ONE SET		
STEPS MM	NO. OF PIECES																	
1.0005	1																	
1.001 to1.009 0.001	9																	
1.01 to1.49 0.01	49																	
0.5 to 24.50 0.50	49																	
25 to 100 25	4																	
Hardness 800 HV																		

2	VERTICAL BENCH CENTRES – CAST IRON BASE AND CAST IRON COLOUMN BOTH HAND SCRAPPED			ONE NO.				
	#	PARTICULAR	DETAILS					
	A	SURFACE FINISH	CAST IRON BASE,HAND SCRAPPED LAPPED					
	B	CENTRE DISTANCE	300 TO 500 MM					
	C	GRADE	1 AS PER IS: 5980:1978					
	D	ORIENTATION	VERTICAL					
	E	COLOUMN	CASTED AND SCRAPPED					
	F	TEST CERTIFICATE	TEST CERTIFICATE FROM A TESTING LAB ACCREDITED BY NABL -REQUIRED					
	G	SPARES	TWO MASTER TEST MANDRELS DIA 20 MM AND DIA 40 MM ONE EACH					
3	Hardness Testing Machines, For Rockwell, Rockwell Superficial Testing (RASNE series) – with Graphic LCD display along with software.			ONE NO.				
	MODEL	UNIT	RASNE-3					RASNET-3
	Total Load	Kgf	60,100,150					15,30,45,60,100,150
	Minor Load	Kgf	10					3,10
	Max.Test Height	Mm	230					230
	Depth to Throat	Mm	133					133
	Net Weight (approx.)	Kg	73					73
	M/c Dimensions	Mm	L-450,W-175,H- 627					L-450,W-175,H-627
	Operation Cycle		Automatic Load/Dwell/ Unload					
	Test Force Selection		By External Dialling					
	Set Position		With LCD bar Indicator					
	Key Board entry		Though Membrane switches for scale, GO-NO GO & dwell time selection					
	Resolution		0.1Rockw ell					0.1Rockwell and 0.1Rockwell superficial
	Output		Parallel output for Connecting Laser Printer to get results indicating Serial No. of tests, Hardness scale hardness value & high/good low indication					
	Optional		Serial PC interface & windows software					
	STANDARAD ACCESORIES:							

	<table border="1"> <tbody> <tr> <td>Testing table 50mm dia</td> <td>No.</td> <td>1</td> </tr> <tr> <td>Testing Table 38mm dia with 'V' groove for round jobs 6 to 45mm dia.</td> <td>No.</td> <td>1</td> </tr> <tr> <td>Diamond indenter- Rockwell</td> <td>No.</td> <td>1</td> </tr> <tr> <td>Steel Ball Indentor 1/16" with 5 spare balls</td> <td>Set</td> <td>1</td> </tr> <tr> <td>Test Block Rockwell 'C'</td> <td>No.</td> <td>1</td> </tr> <tr> <td>Test Block 'B'</td> <td>No.</td> <td>1</td> </tr> <tr> <td>Test Block HR30N</td> <td>No.</td> <td>5</td> </tr> <tr> <td>Allen Spanners</td> <td>No.</td> <td>5</td> </tr> <tr> <td>Wooden Box for Accessories</td> <td>No.</td> <td>1</td> </tr> <tr> <td>Telescopic Sleeves for Elevating Screw Protection</td> <td>Set.</td> <td>1</td> </tr> <tr> <td>Spare 1 Amp fuse</td> <td>No.</td> <td>1</td> </tr> <tr> <td>Power Cable</td> <td>No.</td> <td>1</td> </tr> <tr> <td>Machine cover</td> <td>No.</td> <td>1</td> </tr> <tr> <td>Instruction Manual</td> <td>No.</td> <td>1</td> </tr> <tr> <td>Paint</td> <td></td> <td></td> </tr> </tbody> </table> <p>(A) The elevating screw machine is guided in a hardened and ground brush, not allowing movement of elevating screw more than 0.05 mm when raised to full height. (B) The equipment shall be tested in a lab. Accredited by NABL. IS: BS 10109-2 & ASTM E-18 for Rockwell and Rockwell superficial Test 1586</p>	Testing table 50mm dia	No.	1	Testing Table 38mm dia with 'V' groove for round jobs 6 to 45mm dia.	No.	1	Diamond indenter- Rockwell	No.	1	Steel Ball Indentor 1/16" with 5 spare balls	Set	1	Test Block Rockwell 'C'	No.	1	Test Block 'B'	No.	1	Test Block HR30N	No.	5	Allen Spanners	No.	5	Wooden Box for Accessories	No.	1	Telescopic Sleeves for Elevating Screw Protection	Set.	1	Spare 1 Amp fuse	No.	1	Power Cable	No.	1	Machine cover	No.	1	Instruction Manual	No.	1	Paint						
Testing table 50mm dia	No.	1																																																
Testing Table 38mm dia with 'V' groove for round jobs 6 to 45mm dia.	No.	1																																																
Diamond indenter- Rockwell	No.	1																																																
Steel Ball Indentor 1/16" with 5 spare balls	Set	1																																																
Test Block Rockwell 'C'	No.	1																																																
Test Block 'B'	No.	1																																																
Test Block HR30N	No.	5																																																
Allen Spanners	No.	5																																																
Wooden Box for Accessories	No.	1																																																
Telescopic Sleeves for Elevating Screw Protection	Set.	1																																																
Spare 1 Amp fuse	No.	1																																																
Power Cable	No.	1																																																
Machine cover	No.	1																																																
Instruction Manual	No.	1																																																
Paint																																																		
4	<p>DRILLING CUM MILLING MACHINE (COLOUMN SHALL NOT BE ROUND - AND SHALL BE CASTING ONLY)</p> <p>A. DRILLING CAPACITY IN MILD STEEL UPTO 40 MM B. NOSE OF SPINDLE MT- 4 C. MAXIMUM SPINDLE TRAVEL OR DEPTH OF DRILLING 165-170 MM D. SPEED OF SPINDLE MAXIMUM 2000 RPM E. DISTANCE BETWEEN SPINDLE AND BASE 550 - 600 MM F. DISTANCE BETWEEN SPINDLE TO COLOUMN 300 - 320 MM G. CROSS SLIDE TRAVEL 400 X 300 MM H. WEIGHT OF DRILLING CUM MILLING MACHINE 450-500 KG I. MOTOR (SEIMEN/BHARAT/CROMPTON/HAVEL ETC.) - 2 HP J. COLOUR OF PAINT RAL K. DRILL CHUCK 1/2 INCH CAPACITY WITH KEY ONE L. DRILL CHUCK 3/4 INCH CAPACITY WITH KEY ONE M HSS DRILLS TAPPER SHANK ADDISON BRAND TWO N DIAMETER 25 MM / 1 INCH O LENGTH AND WIDTH OF THE MAIN TABLE ABOUT- 900 X 350 MM P COLLET ATTACHMENT WITH COLLETS OF THE SIZE 1,2,3,4,5,6,7,8,9,10,11,12,16, 20 MM ONE EACH -TOTAL 14</p>	TWO NOS .																																																

NOS.																																																																										
5	DIGITAL HEIGHT GAUGE 300 MM – L.C. 10 microns (Mitutoyo, Teesa Mahar Etc)	ONE																																																																								
6	<p>METRIC THREAD PLUG GAUGES - H7 GO AND NO GO M 5, M6, M8, M10, M12, M16, M20 - 2 EACH <u>WITH TEST CERTIFICATE FROM A LAB ACCREDITED BY NABL</u></p> <p>METRIC THREAD RING GAUGES -H6 2 EACH M5,M6,M8,M10,M12, M16, M20 - <u>WITH TEST CERTIFICATE FROM A LAB ACCREDITED BY NABL</u></p> <p>CYLINDRICAL PLUG GAUGES - H 7 GO AND NO GO DIAMETER – 5,6,8,10,12,16,20 MM 2 EACH <u>WITH TEST CERTIFICATE FROM A LAB ACCREDITED BY NABL</u></p> <p><u>HSS THREADING TAP SETS</u></p> <table border="1"> <thead> <tr> <th>#</th> <th>PARTICULARS</th> <th>QTY.</th> <th>REMARKS</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>HSS THREADING TAP SET M3</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>B</td> <td>HSS THREADING TAP SET M4</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>C</td> <td>HSS THREADING TAP SET M5</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>D</td> <td>HSS THREADING TAP SET M6</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>E</td> <td>HSS THREADING TAP SET M8</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>F</td> <td>HSS THREADING TAP SET M10</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>G</td> <td>HSS THREADING TAP SET M12</td> <td>6 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>H</td> <td>HSS THREADING TAP SET M16</td> <td>5 SET</td> <td>STANDARD PITCH</td> </tr> <tr> <td>I</td> <td>HSS THREADING TAP SET M20</td> <td>5 SET</td> <td>STANDARD PITCH</td> </tr> </tbody> </table> <p><u>HSS SPIRAL FLUIT REAMERS</u></p> <table border="1"> <thead> <tr> <th>#</th> <th>PARTICULARS</th> <th>QTY</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>HSS STRAIGHT SHANK HAND REAMERS 3 H7</td> <td>10</td> </tr> <tr> <td>B</td> <td>HSS STRAIGHT SHANK HAND REAMERS 4 H7</td> <td>10</td> </tr> <tr> <td>C</td> <td>HSS STRAIGHT SHANK HAND REAMERS 5 H7</td> <td>10</td> </tr> <tr> <td>D</td> <td>HSS STRAIGHT SHANK HAND REAMERS 6 H7</td> <td>10</td> </tr> <tr> <td>E</td> <td>HSS STRAIGHT SHANK HAND REAMERS 8 H7</td> <td>10</td> </tr> <tr> <td>F</td> <td>HSS STRAIGHT SHANK HAND REAMERS 10 H7</td> <td>10</td> </tr> <tr> <td>G</td> <td>HSS TAPER SHANK MACHINE REAMERS 12 H7</td> <td>5</td> </tr> <tr> <td>H</td> <td>HSS TAPER SHANK MACHINE REAMERS 16 H7</td> <td>5</td> </tr> <tr> <td>I</td> <td>HSS TAPER SHANK MACHINE REAMERS 20 H7</td> <td>5</td> </tr> </tbody> </table>	#	PARTICULARS	QTY.	REMARKS	A	HSS THREADING TAP SET M3	6 SET	STANDARD PITCH	B	HSS THREADING TAP SET M4	6 SET	STANDARD PITCH	C	HSS THREADING TAP SET M5	6 SET	STANDARD PITCH	D	HSS THREADING TAP SET M6	6 SET	STANDARD PITCH	E	HSS THREADING TAP SET M8	6 SET	STANDARD PITCH	F	HSS THREADING TAP SET M10	6 SET	STANDARD PITCH	G	HSS THREADING TAP SET M12	6 SET	STANDARD PITCH	H	HSS THREADING TAP SET M16	5 SET	STANDARD PITCH	I	HSS THREADING TAP SET M20	5 SET	STANDARD PITCH	#	PARTICULARS	QTY	A	HSS STRAIGHT SHANK HAND REAMERS 3 H7	10	B	HSS STRAIGHT SHANK HAND REAMERS 4 H7	10	C	HSS STRAIGHT SHANK HAND REAMERS 5 H7	10	D	HSS STRAIGHT SHANK HAND REAMERS 6 H7	10	E	HSS STRAIGHT SHANK HAND REAMERS 8 H7	10	F	HSS STRAIGHT SHANK HAND REAMERS 10 H7	10	G	HSS TAPER SHANK MACHINE REAMERS 12 H7	5	H	HSS TAPER SHANK MACHINE REAMERS 16 H7	5	I	HSS TAPER SHANK MACHINE REAMERS 20 H7	5	<p>TOT AL. 14</p> <p>TOT AL. 14</p> <p>TOT AL. 14</p>		
#	PARTICULARS	QTY.	REMARKS																																																																							
A	HSS THREADING TAP SET M3	6 SET	STANDARD PITCH																																																																							
B	HSS THREADING TAP SET M4	6 SET	STANDARD PITCH																																																																							
C	HSS THREADING TAP SET M5	6 SET	STANDARD PITCH																																																																							
D	HSS THREADING TAP SET M6	6 SET	STANDARD PITCH																																																																							
E	HSS THREADING TAP SET M8	6 SET	STANDARD PITCH																																																																							
F	HSS THREADING TAP SET M10	6 SET	STANDARD PITCH																																																																							
G	HSS THREADING TAP SET M12	6 SET	STANDARD PITCH																																																																							
H	HSS THREADING TAP SET M16	5 SET	STANDARD PITCH																																																																							
I	HSS THREADING TAP SET M20	5 SET	STANDARD PITCH																																																																							
#	PARTICULARS	QTY																																																																								
A	HSS STRAIGHT SHANK HAND REAMERS 3 H7	10																																																																								
B	HSS STRAIGHT SHANK HAND REAMERS 4 H7	10																																																																								
C	HSS STRAIGHT SHANK HAND REAMERS 5 H7	10																																																																								
D	HSS STRAIGHT SHANK HAND REAMERS 6 H7	10																																																																								
E	HSS STRAIGHT SHANK HAND REAMERS 8 H7	10																																																																								
F	HSS STRAIGHT SHANK HAND REAMERS 10 H7	10																																																																								
G	HSS TAPER SHANK MACHINE REAMERS 12 H7	5																																																																								
H	HSS TAPER SHANK MACHINE REAMERS 16 H7	5																																																																								
I	HSS TAPER SHANK MACHINE REAMERS 20 H7	5																																																																								

HSS DRILLS

#	PARTICULARS	QTY
A	HSS STRAIGHT SHANK DRILL DIA 2.4 MM	20
B	HSS STRAIGHT SHANK DRILL DIA 3.3 MM	20
C	HSS STRAIGHT SHANK DRILL DIA 4.1 MM	20
D	HSS STRAIGHT SHANK DRILL DIA 5 MM	20
E	HSS STRAIGHT SHANK DRILL DIA 6.8 MM	20
F	HSS STRAIGHT SHANK DRILL DIA 8.5 MM	20
G	HSS STRAIGHT SHANK DRILL DIA 10.2 MM	10
H	HSS STRAIGHT SHANK DRILL DIA 14 MM	10
I	HSS STRAIGHT SHANK DRILL DIA 17.5 MM	10
J	HSS STRAIGHT SHANK DRILL DIA 2.7 MM	20
K	HSS STRAIGHT SHANK DRILL DIA 3.7 MM	20
L	HSS STRAIGHT SHANK DRILL DIA 4.7 MM	20
M	HSS STRAIGHT SHANK DRILL DIA 5.7 MM	20
N	HSS STRAIGHT SHANK DRILL DIA 7.7 MM	10
O	HSS STRAIGHT SHANK DRILL DIA 9.7 MM	10
P	HSS STRAIGHT SHANK DRILL DIA 11.7 MM	10
Q	HSS STRAIGHT SHANK DRILL DIA 15.7 MM	5
R	HSS STRAIGHT SHANK DRILL DIA 19.7 MM	5
S	HSS STRAIGHT SHANK DRILL DIA 6 MM	10
T	HSS STRAIGHT SHANK DRILL DIA 6.5 MM	10
U	HSS STRAIGHT SHANK DRILL DIA 7 MM	10
V	HSS STRAIGHT SHANK DRILL DIA 7.5 MM	10
W	HSS STRAIGHT SHANK DRILL DIA 8 MM	10
X	HSS STRAIGHT SHANK DRILL DIA 9 MM	10
Y	HSS STRAIGHT SHANK DRILL DIA 10 MM	10
Z	HSS STRAIGHT SHANK DRILL DIA 20 MM	5

HSS THREADING DIES

#	PARTICULARS	QTY.
A	HSS SPLIT SCREW THREADING DIE M3	5
B	HSS SPLIT SCREW THREADING DIE M4	5
C	HSS SPLIT SCREW THREADING DIE M5	5
D	HSS SPLIT SCREW THREADING DIE M6	5
E	HSS SPLIT SCREW THREADING DIE M8	5
F	HSS SPLIT SCREW THREADING DIE M10	5
G	HSS SPLIT SCREW THREADING DIE M12	5
H	HSS SPLIT SCREW THREADING DIE M16	3
I	HSS SPLIT SCREW THREADING DIE M20	3
A	HSS CUTTING TOOL BITS 1/2 INCH SQUARE X 6" LENGTH	10
B	HSS CUTTING TOOL BITS 3/4" INCH SQUARE X 6" LENGTH	5
C	HSS CUTTING TOOL BITS 1/4" INCH SQUARE X 4" LENGTH	10
D	HSS CUTTING TOOL BITS DIA 1/2 INCH X 6" LENGTH	10
E	HSS CUTTING TOOL BITS DIA 1/4 INCH X 6" LENGTH	10

7	PADESTAL BENCH GRINDER (FOR TOOL GRINDING) WITH GRINDING WHEELS MOUNTED ON BOTH SIDES		TWO				
	#	PARTICULARS					DETAILS
	A	SIZE OF GRINDING WHEELS PRE-MOUNTED AT BOTH ENDS, PREFERABLY (CARBUNDUM) SILICON CARBIDE (GREEN) GRINDING WHEEL AT ONE END AND ALUMINIUM OXIDE (GREY) GRINDING WHEEL AT THE OTHER END- WELL PROTECTED WITH WHEEL GUARDS					GRINDING WHEEL DIAMETER - 9 INCHES
	B	HEIGHT OF MACHINE (BASE TO CENTRE OF THE SPINDLE)					ABOUT 3 FEET
	C	3 PHASE MOTOR ISI BRAND					1 TO 1.5 HP
	D	RPM AT NO LOAD					1400-2000 RPM
	E	STAND					CASTING 1-1.5 FEET SQUARE, AT BASE WITH HOLES AT BOTTOM/BASE FOR FOUNDATION BOLTS
		FOUNDATION BOLTS &NUTS					SIZE ½ INCH DIAMETER X 1.5 FEET LENGTH
	F	BASE DIMENTION					NOT LESS THAN 450 MM
	G	SIZE OF GRINDING WHEELS					OD 9 INCHES X 1.5 INCH THICKNESS
	H	WEIGHT OF GRINDER					NOT LESS THAN 100 KG
	I	PAINT					RAL
	J	SPARE					TWO GRINDING WHEELS OF SILICON CARBIDE (GREEN) AND TWO WHEELS OF ALUMINIUM OXIDE (GREY) PREFERABLY CARBUNDUM ETC.
	K	GRINDING WHEEL DRESSER					TWO NOS.
L	SPARE GRINDING WHEELS DIAMETER 9 INCH MEDIUM GRIT TOTAL TWO NOS	SILICON CARBIDE -ONE ALUMINIUM OXIDE ONE OD 9 INCHES X 1.5 INCH THICKNESS					
8	OPTICAL PROFILE PROJECTOR VERTICAL- Certified along with measuring software and compatible with reputed branded (LENOVO, HP,DELL etc.)computer system and the detail is given as under		01				

#	Particular	Details			
a	Projected image	inverted			
b	Effective diameter	More than 300 mm			
c	Material of the screen	Fine ground glass			
d	Angle reading	Digital counter (LED)ABS/INC mode switching zero set			
E	Resolution	1'&0.001 mm			
f	ABS/INC	Available			
G	Projection Lens	10(standard)			
h	Magnification accuracy	+/-0.1% in contour illumination +/-0.15% in surface illumination			
I	x-y & Angle counter	Inbuilt			
J	Mechanism	Fine feed & clamp			
K	Mass	140 kg			
I	Surface illumination	Available through LED bulbs			
M	Maximum Work piece Dia	180 mm with 10XLens			
N	Maximum Work piece Height	92.5 with 10X Lens			
O	X-Y Measuring range	100 X100 MM			
P	Quick Release Mechanism	Should be in X-Y Axis			
Q	Swivel adjustment Range	+/- 100 .			
R	Top Surface Size of Table	380x250 mm			
S	Optical System	Tele Centric Lens			

T	Cross Hairs	90 degree Solis Lens				
U	Maximum Loading	10 kg.				
v	Resolution	0.1 micron /degree – minute-Second – selectable				
w	Programme function	Part programme creation, execution, editing				
x	Statistical processing	No of Data, Max Value, Min. Value, Mean Value, Mean Value, Standard Deviation, Range, Histogram, Statics on a measuring Function basis by command				
Y	Projection Lens 20 X Projection Lens 50 X Projection Lens 100 X	One One One				
	DISPLAY SYSTEM – P C MINIMUM CONFIGURATION (LENOVO, HP, DELL etc.)					
A	TFT Screen Size	18.5 “				
B	Hardware	P4 1.7G				
C	Hard Disk	360 G				
D	CD And DVD Driver	Required				
E	USB Interface and RS232	Required				
F	Display Resolution	1024 X 768 (Best)				

G	Screen Colour Quality	32 Bit				
H	Operation System	Windows XP				
I	Output	T X T, Auto CAD, Excel				
J	Measurement Result Output	Rs 232C				

The following to be noted while submitting financial details for the supply of machine to the individual address:

- The competitiveness of bid shall be made on address of supply basis on the evaluation of "Unit Price of Machine before GST".
- The Purchaser shall compare the "Unit Price of Machine before GST" of all the responsive bids to determine the lowest bid for a particular address.
- The bidder shall clearly mention GST rate & amount in the Commercial Bid. As after the supplies, they have to issue the GST invoice indicating the Price of machine as quoted in the Commercial Offer and thereafter specify the GST as mentioned above at the time of delivery. The Purchaser shall pay total amount which includes the unit price of machine as well as the GST as applicable at the time of delivery.
- The Total Cost quoted above should be inclusive of Basic Price, Transportation, Incidental Services (including Insurance, Loading/ Unloading, Packing & Forwarding charges etc.), Installation & Commissioning, Demonstration & Training, on-site comprehensive warranty for two years.
- The Purchaser reserves the right to ask the evidence from bidder to counter-check that the GST as claimed by the bidder at the time of issue of invoice after the supply of machines.
- The bidder will not be entitled to any increase in Unit Price of the machine/ equipment before GST occurring during the period of delivery for any reason.
- The "Unit Price of the machine before GST" should be inclusive of all costs involved for the delivery to the destination(s) including the cost of Installation & Commissioning at destination, Training to the trainer (as detailed at Para 3(c&d) of "Scope of Supplies" of this tender), Cost of services to be provided during Comprehensive Warranty of two years. (Refer Para 3(e) of "Scope of Supplies" of this tender).
- No extra payment or revision of "Price of Machine before GST" shall be accepted on account of any discrepancy in nomenclature of items. The Bidder is advised to seek clarification, if any, desired before submitting the tender/ bid.
- The competing bids of "Unit Price of the machine before GST" shall be given due consideration as the Commercial Bid would be evaluated on the basis of lowest price.



TENDER NO.:NSIC/RJP/TOOL ROOM/2020-21/02

I/We as bidder agree and certify that:

- i. The tender shall remain valid for acceptance for 90 days from the date of opening the Technical Bid of the tender.
- ii. Agree to offer services for onsite comprehensive warranty for two years on the machine(s)/ equipment supplied through this tender.
- iii. Agree to impart onsite training to the designated personnel of purchase for **05 working day, except items mentioned at S.No.1,5 & 6. However supplier of the item mentioned at Sl. No. 8 shall provide the training for Ten days.**
- iv. Agree to three (03) sets of the Installation, Operation, Maintenance, and Training Manuals with machine.
- v. Agree that the offer price is valid for a period of 90 days from the date of opening of technical bid of this tender.

Further confirm that we agree with the terms and conditions specified in "Instructions to Bidders" and if we succeed, the execution of supplies would be made in compliance.

Name & Signature of the authorized bidder with stamp
Contact details of authorized person of bidder who have signed the tender.

Name.....
Designation.....
Phone (office).....
Phone (Mobile).....
E mail.....