

CORRIGENDUM

This is in reference to **Tender Ref. No. NSIC/LBI/NAINI/2020-21/FD&T** dated **02.12.2020** for Supply, Installation & Commissioning of **Machine**, **Tools and Equipment for Ncvt Fashion Design & Technology Trade**.

It is hereby informed that there is an **amendment** in Annexure-A and Annexure-C of the Tender documents as listed below. Bidders may accordingly take note and bid for the same.

Details of requirements and technical specifications of Machine, Tools & Equipment

ANNEXURE-A

	LIST OF TOOLS AND EQUIPMENT			
	NCVT FASHION DESIGN & TEC	HNOLOGY TRADE		
S.N o	Name OF Tool & Equipments	Specification	Quantit iy	
	A. SKETCHING LABO	RATORY	<u>l</u>	
1	Drawing Table	with adjustable top of size 2.5 x 3.5 feet (wooden). Wooden Desk having facility of keeping tools base 2" MS pipe	21	
2	Revolving Chair with adjustable height & back support	Officers Chair , full back , with side arm The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment iron based with metal wheel color : black	21	



3	Faculty Table & chair set	Wooden Table: The size of main table shall be 5' X 2.5' 3 drawers in right side color: black Chair: Officers Chair , full back , with side arm The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment iron based with metal wheel color: black	2
4	Storage almirah	915 (W) x 485 (D) x 1980 (H) mm Entire almirah should be 20 gauge CRCA Sheet should contain 5 shelves	1
5	Adjustable Set square	150 mm	21
6	White Magnetic Board with Felt Board & accessories	with Aluminium Beading , size 6 X 4 feet	1
8	Display Board	notice board with velvet top with Aluminium Beading. Covered with transperent sheet and able to open and close with lock (size 6' X 6')	4
9	Dress forms (dummies): 1. children 2. ladies 3. gents	Two dummies Each	6
10	Tracing table	(2.5 X 4 Feet) wooden table 750 mm height	2



11	Mannenquins: Childrens, Ladies,Gents	black color standerd size	6
	B. THEORY ROC	DM .	
12	Single desks for trainees with arrangements of keeping Books etc.	1.5 X 2 feet , wooden desk with sunmica, iron base square pipe 32 mm pipe	20
13	Revolving Chairs without arms	Officers Chair , full back , without side arm The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment iron based with metal wheel color : black	40
14	Faculty Table & Chair set	Wooden Table: The size of main table shall be 5' X 2.5' 3 drawers in right side color: black Chair: Officers Chair , full back , with side arm The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment iron based with metal wheel color: black	1



15	Computer set with UPS & multimedia Projector	CPU: 64 Bit i7 or latest processor, Speed: 3 GHz or Higher. RAM:- 8 GB DDR-III or Higher, Wi-Fi Enabled. Network Card: Integrated Gigabit Ethernet, with USB Mouse, USB Keyboard and LED Monitor (Min. 17 Inch. Licensed Operating System and Antivirus compatible with trade related software. Branded UPS of capacity 500 VA and reputed make.	1
16	White Magnetic Board with Felt Board & accessories	with Aluminium Beading , size 6 X 4 feet	1
17	Display Board	notice board with velvet top with Aluminium Beading. Covered with transperent sheet and able to open and close with lock (size 6' X 6')	2
18	Storage Almirah	915 (W) x 485 (D) x 1980 (H) mm body should be 20 gauge CRCA Sheet should contain 5 selves	2



N 5 I			
19	Book Shelf	Font glass with iron body 6x3 Feet 914 (W) x 320 (D) x 1742 (H) mm. Rigid Knock down construction with Prime Quality CRCA Steel - Top, Back and side are made from 0.7 mm thick CRCA. Rest in 0.8 mm CRCA. 4 Doors having equalizing scissor mechanism for easy opening and closing. The 4 shelves should have stiffener for high load carrying capacity. Each Door has 6 Lever Cam lock with common key. Each Door has 3 mm thick transparent glass for clear inside vision secured in a Metal Frame through rubber gasket. Each compartment has storage shelf	1
	C. DRAFTING /CUTTING SEWING ROC	OM TOOLS & EQUIPMENT	
21	Scissors 25 cm	21 item of 6 inch steel 21 item of 8 inch steel	42
22	Pinking Shears	standard size, steel	5
23	Tailors Square	standard size, fiber	21
24	Leg Shaper	standard size, fiber	60
25	Garment Hangers	standard size, steel	60
26	Screw Driver Set	(TAPARIA/AMBITEC/ AMBICA/PYE/VENUS/Equiv alent)	4



27	Cart Chop	standard size	4
28	Table Sharpener	standard size, fiber	4
29	Pressing Table	2 X 4 feet wooden top, base metal	5
30	Blanket For padding of Pressing Table	standard size, cloth	5
31	Rubber mat	size 6 X 8 feet	5
32	Sprayer	standard size, plastic	10
33	Waste Bin	Big / Small/Top cover, fiber	10
34	Pattern Punch	standard size	5
35	Pattern Notcher	standard size	5
36	Pattern Hanging Stand	standard size , steel	4
37	Water Tub	60 cm Dia , fiber	1
38	Stand for hanging dresses	standard size , steel	5
40	Electric Automatic steam press	(BAJAJ / USHA / CELLO / HAVELLS / Equivalent)	12
41	Sewing Machine - Single Needle Lock stitch Industrial model	(USHA /JUCKY / Equivalent)	20
42	Over Lock Machine 4Thread With Thread	(USHA / JUCKY/ Equivalent) stiching for knitted fabric	1
43	Over Lock Machine 3 Thread With Thread	(USHA / JUCKY/ Equivalent) With Thread	2
44	Pick Glass	Reputed make	5
45	Zig Zag Multi Purpose Machine (USHA, SINGER, JUCKY)	(USHA / JUCKY/ Equivalent)	2
46	Machine Attachments	(USHA / JUCKY/ Equivalent)	4
47	Stools for the sewing machines	single seat stool made of plastic sheet (preferebly bollowal) with legs made out of MS pipe	40



48	Drafting Table	Wooden Table. Top size 24 inches x 36 inches	5
49	Display Board	Notice board with velvet top with Aluminium Beading and able to open and close with lock (size 4' X 6') covered with glass or acrylic	2
50	Instructor Table	wooden finish The size of main table shall be 5' X 2.5' 3 drawers in right side color: black	1
51	Instructor Chair	Officers Chair , full back , with side arm The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment iron based with metal wheel color : black	2
52	steel almirah	915 (W) x 485 (D) x 1980 (H) mm Entire almirah should be 20 gauge CRCA Sheet should contain 5 shelves	2
53	Pigeon hole almirah	10 lockers & separate locking Arrangements for trainees. The body should be 20 gauge thick CRCA Sheet	3
54	Wall clock	Ajanta	3
55	Calculator	Casio Non scientific Desk Type	2
56	White board with accessories	with Aluminium Beading ,	2



		size 6 X 4 feet	
57	Dummy	standard size	2
58	Mannequins	(lady) standard size	2
59	Mannequins	(Kids) standard size	2
60	Mannequins	(Gents) standard size	2
62	Computer with multimedia System (Latest Configuration)with software & UPS (0.5 V A with 15 minute back up)	CPU: 32/64 Bit i3/i5/i7 or latest processor, Speed: 3 GHz or Higher. RAM:-4 GB DDR-III or Higher, Wi-Fi Enabled. Network Card: Integrated Gigabit Ethernet, with USB Mouse, USB Keyboard and Monitor (Min. 17 Inch. Licensed Operating System and Antivirus compatible with trade related software.	15
63	Designing Software	Coral Draw Latest Version	2
65	Laser Printer Color	A4 (Reputed make) Print Speed (A4): Up to 18ppm (Mono / Colour),WiFi,LAN Connecitivity ,Print Resolution: Up to 9,600 (equivalent) x 600dpi	1
66	Computer Table For server	wooden finish The size of table shall be 5' X 2.5' 3 drawers in right side color: black	1
67	Printer Table	wooden finish The size of table shall be 1.5' X 3' drawer should be availble color: black	2



68	Table for Scanner	wooden finish The size of table shall be 1.5' X 3' drawer should be availble color: black	2
69	White Magnetic Board with Felt Board & accessories	with Aluminium Beading , size 6 X 4 feet	1
70	Display Board	notice board with velvet top with Aluminium Beading. Covered with transperent sheet and able to open and close with lock (size 6' X 6')	2
71	Storage almirah	915 (W) x 485 (D) x 1980 (H) mm Entire almirah should be 20 gauge CRCA Sheet should contain 5 shelves	2
72	Wall clock	(AJANTA)	1
73	LCD Projector	Reputed make HD 1280x800 3600 Lumen Brightness Upto 15,000 Lamp Life HDMI VGA in-Built Speaker 20,000:1 contrast ratio	1
74	Trainer's Table & Chair	Table: wooden finish The size of main table shall be 5' X 2.5' 3 drawers in right side color: black Chair: Officers Chair , full back , with side arm The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment	1



iron ba	sed wi	th metal
	whee	I
СО	lor : b	lack

Tools & Equipments for Employability Skills

S.N	Name OF Tool & Equipments	Specification	Quantit
0	Name of Tool & Equipments	Specification	У
1	UPS-500VA	500VA	10
2	Scanner Cum Printer	Hp lesar Printer All-in-One (Print, Scan, Copy);Page size supported - A4, A5, B5, C5, C6, DL, postcard; Print resolution - Up to 600 x 600 DPI	1
3	Computer Tables	Table: 1200 (L) x 600 (W) x 750	15



		appropriate size.The size of the open area for CPU should be approx. 350 (W) x 600 (D) x 500 (H) mm.	
4	Computer Chairs	half back , with net back The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment iron based with metal wheel color: black.	25
5	LCD Projector	Reputed make HD 1280x800 3600 Lumen Brightness Upto 15,000 Lamp Life HDMI VGA in-Built Speaker 20,000:1 contrast ratio	1
6	White Board	with Aluminium Beading , size 6 X 4 feet	1

The above list of standard accessories are tentative and the bidder shall have authority to supply additional accessories as they deemed fit for the successful operation of the machines, Tools and Equipments after the supply at site as per NCVT "Fashion Design & Technology" Trade Tool List Guidelines.



ANNEXURE-C FORMAT & REQUIREMENTS FOR SUBMITTING TECHNICAL BID

1.	Tender Ref. No:
2.	Name of Bidder:
	Complete office address/contact numbers/Email ID/Mobile Number of Bidder:
	Tender fee payment details (if tender document downloaded from website) Details of DD/RTGS/NEFT by which tender fee paid
5	Confirmation of accontance of Tochnical Specifications for the cumply of

3. Communation of acceptance of	recinical Specifications for	tile supply of
machine:		

		LIST OF TOOLS AND EQUI	PMEN	Т	
	NO	CVT FASHION DESIGN & TECHN	IOLOG	Y TRADE	
#	Technical Specifications	Specification	Qty	Acceptance to the Specificatio n as placed at Annexure-A and agreed to supply with required Quantity (write YES/ NO only)	If marked "NO" in the column before, specify the deviation in specificatio n of the machine offered for the supply.
A. SKETCHING LABORATORY					
1	Drawing Table	with adjustable top of size 2.5 x 3.5 feet (wooden). Wooden Desk having facility of keeping tools base 2" MS pipe	21		



2	Revolving Chair with adjustable height & back support	Officers Chair , full back , with side arm The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment iron based with metal wheel color : black	21	
3	Faculty Table & chair set	Wooden Table: The size of main table shall be 5' X 2.5' 3 drawers in right side color: black Chair: Officers Chair , full back , with side arm The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment iron based with metal wheel color: black	2	
4	Storage almirah	915 (W) x 485 (D) x 1980 (H) mm Entire almirah should be 20 gauge CRCA Sheet should contain 5 shelves	1	
5	Adjustable Set square	150 mm	21	
6	White Magnetic Board with Felt Board & accessories	with Aluminium Beading , size 6 X 4 feet	1	
8	Display Board	notice board with velvet top with Aluminium Beading. Covered with transperent sheet and able to open and close with lock (size 6' X 6')	4	



9	Dress forms (dummies): 1. children 2. ladies 3. gents	Two dummies Each	6		
1 0	Tracing table	(2.5 X 4 Feet) wooden table 750 mm height	2		
1 1	Mannenquins: Childrens, Ladies,Gents	black color standerd size	6		
		B. THEORY ROOM		I	
1 2	Single desks for trainees with arrangements of keeping Books etc.	1.5 X 2 feet , wooden desk with sunmica, iron base square pipe 32 mm pipe	20		
1 3	Revolving Chairs without arms	Officers Chair , full back , without side arm The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment iron based with metal wheel color: black	40		
1 4	Faculty Table & Chair set	Wooden Table: The size of main table shall be 5' X 2.5' 3 drawers in right side color: black Chair: Officers Chair , full back , with side arm The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment iron based with metal wheel	1		



		color : black		
1 5	Computer set with UPS & multimedia Projector	CPU: 64 Bit i7 or latest processor, Speed: 3 GHz or Higher. RAM:- 8 GB DDR-III or Higher, Wi-Fi Enabled. Network Card: Integrated Gigabit Ethernet, with USB Mouse, USB Keyboard and LED Monitor (Min. 17 Inch. Licensed Operating System and Antivirus compatible with trade related software. Branded UPS of capacity 500 VA and reputed make.	1	
1 6	White Magnetic Board with Felt Board & accessories	with Aluminium Beading , size 6 X 4 feet	1	
1 7	Display Board	notice board with velvet top with Aluminium Beading. Covered with transperent sheet and able to open and close with lock (size 6' X 6')	2	
1 8	Storage Almirah	915 (W) x 485 (D) x 1980 (H) mm body should be 20 gauge CRCA Sheet should contain 5 selves	2	



1					
1 9	Book Shelf	Font glass with iron body 6x3 Feet 914 (W) x 320 (D) x 1742 (H) mm. Rigid Knock down construction with Prime Quality CRCA Steel - Top, Back and side are made from 0.7 mm thick CRCA. Rest in 0.8 mm CRCA. 4 Doors having equalizing scissor mechanism for easy opening and closing. The 4 shelves should have stiffener for high load carrying capacity. Each Door has 6 Lever Cam lock with common key. Each Door has 3 mm thick transparent glass for clear inside vision secured in a Metal Frame through rubber gasket. Each compartment has storage shelf	1		
	C DDAET	 ING /CUTTING SEWING ROOM	TOOL	C & FOLITOMEN	<i>T</i>
	C. DRAFI	ING / COTTING SEWING ROOM	TOOL	S & EQUIPMEN	•
2	Scissors 25 cm	21 item of 6 inch steel 21 item of 8 inch steel	42		
2 2	Pinking Shears	standard size, steel	5		
		,	5		
2	Tailors Square	standard size, fiber	21		
	Tailors Square Leg Shaper				
3		standard size, fiber	21		
3 2 4 2	Leg Shaper	standard size, fiber standard size, fiber	21		



2 8	Table Sharpener	standard size, fiber	4	
2 9	Pressing Table	2 X 4 feet wooden top, base metal	5	
3	Blanket For padding of Pressing Table	standard size, cloth	5	
3	Rubber mat	size 6 X 8 feet	5	
3 2	Sprayer	standard size, plastic	10	
3	Waste Bin	Big / Small/Top cover, fiber	10	
3 4	Pattern Punch	standard size	5	
3 5	Pattern Notcher	standard size	5	
3 6	Pattern Hanging Stand	standard size , steel	4	
3 7	Water Tub	60 cm Dia , fiber	1	
3 8	Stand for hanging dresses	standard size , steel	5	
4 0	Electric Automatic steam press	(BAJAJ / USHA / CELLO / HAVELLS / Equivalent)	12	
4	Sewing Machine - Single Needle Lock stitch Industrial model	(USHA /JUCKY / Equivalent)	20	
4 2	Over Lock Machine 4Thread With Thread	(USHA / JUCKY/ Equivalent) stiching for knitted fabric	1	
4 3	Over Lock Machine 3 Thread With Thread	(USHA / JUCKY/ Equivalent) With Thread	2	



4 4	Pick Glass	Reputed make	5	
4 5	Zig Zag Multi Purpose Machine (USHA, SINGER, JUCKY)	(USHA / JUCKY/ Equivalent)	2	
4 6	Machine Attachments	(USHA / JUCKY/ Equivalent)	4	
4 7	Stools for the sewing machines	single seat stool made of plastic sheet (preferebly bollowal) with legs made out of MS pipe	40	
4 8	Drafting Table	Wooden Table. Top size 24 inches x 36 inches	5	
4 9	Display Board	Notice board with velvet top with Aluminium Beading and able to open and close with lock (size 4' X 6') covered with glass or acrylic	2	
5	Instructor Table	wooden finish The size of main table shall be 5' X 2.5' 3 drawers in right side color: black	1	
5 1	Instructor Chair	Officers Chair , full back , with side arm The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment iron based with metal wheel color : black	2	
5 2	steel almirah	915 (W) x 485 (D) x 1980 (H) mm Entire almirah should be 20 gauge CRCA Sheet should contain 5 shelves	2	



i C				
Pigeon hole almirah	10 lockers & separate locking Arrangements for trainees. The body should be 20 gauge thick CRCA Sheet	3		
Wall clock	Ajanta	3		
Calculator	Casio Non scientific Desk Type	2		
White board with accessories	with Aluminium Beading , size 6 X 4 feet	2		
Dummy	standard size	2		
Mannequins	(lady) standard size	2		
Mannequins	(Kids) standard size	2		
Mannequins	(Gents) standard size	2		
Computer with multimedia System (Latest Configuration) with software & UPS (0.5 V A with 15 minute back up)	CPU: 32/64 Bit i3/i5/i7 or latest processor, Speed: 3 GHz or Higher. RAM:-4 GB DDR-III or Higher, Wi-Fi Enabled. Network Card: Integrated Gigabit Ethernet, with USB Mouse, USB Keyboard and Monitor (Min. 17 Inch. Licensed Operating System and Antivirus compatible with trade related software.	15		
Designing Software	Coral Draw Latest Version	2		
Laser Printer Color	A4 (Reputed make) Print Speed (A4): Up to 18ppm (Mono / Colour), WiFi, LAN Connecitivity , Print Resolution: Up to 9,600 (equivalent) x 600dpi	1		
	Pigeon hole almirah Wall clock Calculator White board with accessories Dummy Mannequins Mannequins Mannequins Computer with multimedia System (Latest Configuration) with software & UPS (0.5 V A with 15 minute back up) Designing Software Laser Printer	Pigeon hole almirah Pigeon hole almirah I 0 lockers & separate locking Arrangements for trainees. The body should be 20 gauge thick CRCA Sheet Wall clock Ajanta Calculator Casio Non scientific Desk Type White board with accessories Wall clock Ajanta Calculator Casio Non scientific Desk Type With Aluminium Beading , size 6 X 4 feet Dummy standard size Mannequins (Iady) standard size Mannequins (Kids) standard size CPU: 32/64 Bit i3/i5/i7 or latest processor, Speed: 3 GHz or Higher. RAM:-4 GB DDR-III or Higher, Wi-Fi Enabled. Network Card: Integrated Gigabit Ethernet, with USB Mouse, USB Keyboard and Monitor (Min. 17 Inch. Licensed Operating System and Antivirus compatible with trade related software. Designing Software Coral Draw Latest Version A4 (Reputed make) Print Speed (A4): Up to 18ppm (Mono / Colour), WiFi, LAN Connecitivity, Print Resolution: Up to 9,600 (equivalent) x	Pigeon hole almirah Pigeon hole almirah Arrangements for trainees. The body should be 20 gauge thick CRCA Sheet Wall clock Ajanta Calculator Casio Non scientific Desk Type White board with accessories Wall clock Walt Aluminium Beading, size 6 X 4 feet Dummy Standard size 2 Mannequins (Iady) standard size 2 Mannequins (Kids) standard size 2 Mannequins (Gents) standard size 2 CPU: 32/64 Bit i3/i5/i7 or latest processor, Speed: 3 GHz or Higher. RAM:-4 GB DDR-III or Higher. RAM:-4 GB DDR-III or Higher. Wi-Fi Enabled. Network Card: Integrated Gigabit Ethernet, with USB Mouse, USB Keyboard and Monitor (Min. 17 Inch. Licensed Operating System and Antivirus compatible with trade related software. Designing Software Coral Draw Latest Version A4 (Reputed make) Print Speed (A4): Up to 18ppm (Mono / Colour), WiFi, LAN Connecitivity, Print Resolution: Up to 9,600 (equivalent) x	Pigeon hole almirah Pigeon hole body should be 20 gauge thick CRCA Sheet Pigeon hole body should held say a gauge thick CRCA Sheet Pigeon hole body should held say a gauge thick CRCA Sheet Pigeon hole body should held say a gauge thick CRCA Sheet Pigeon hole body should held say a gauge thick CRCA Sheet Pigeon hole body say a gauge thick CRCA Sheet Pigeon hole body say a gauge thick CRCA Sheet Pigeon hole body standard size Pigeon hole body standard size Pigeon hole 2 gauge the pigeon hole 2 gau



6	Computer Table For server	wooden finish The size of table shall be 5' X 2.5' 3 drawers in right side color: black	1	
6 7	Printer Table	wooden finish The size of table shall be 1.5' X 3' drawer should be availble color: black	2	
6 8	Table for Scanner	wooden finish The size of table shall be 1.5' X 3' drawer should be availble color: black	2	
6 9	White Magnetic Board with Felt Board & accessories	with Aluminium Beading , size 6 X 4 feet	1	
7 0	Display Board	notice board with velvet top with Aluminium Beading. Covered with transperent sheet and able to open and close with lock (size 6' X 6')	2	
7 1	Storage almirah	915 (W) x 485 (D) x 1980 (H) mm Entire almirah should be 20 gauge CRCA Sheet should contain 5 shelves	2	
7 2	Wall clock	(AJANTA)	1	
7 3	LCD Projector	Reputed make HD 1280x800 3600 Lumen Brightness Upto 15,000 Lamp Life HDMI VGA in-Built Speaker 20,000:1 contrast ratio	1	



14 3				
7 4	Trainer's Table & Chair	Table: wooden finish The size of main table shall be 5' X 2.5' 3 drawers in right side color: black Chair: Officers Chair, full back, with side arm The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment iron based with metal wheel color: black	1	
	I	Tools & Equipments for Employ	ability	/ Skills
#	Technical Specifications	Specification	Qty.	
1	UPS-500VA	500VA	10	
2	Scanner Cum Printer	Hp lesar Printer All-in-One (Print, Scan, Copy);Page size supported - A4, A5, B5, C5, C6, DL, postcard ; Print resolution - Up to 600 x 600 DPI	1	
3	Computer Tables	Table: 1200 (L) x 600 (W) x 750 (H) mm approx. It shall be made of 18 mm thick high quality Pre-laminated Particle boards with PVC strip edge banding of all exposed edge One lockable drawer, one keyboard tray with space for CPU/UPS With telescopic ball slides to be	15	



		Book self of appropriate size.The size of the open area for CPU should be approx. 350 (W) x 600 (D) x 500 (H) mm.		
4	Computer Chairs	half back , with net back The chair should have a permanent contact mechanism with 360 degree of revolution. The pedestal should have pneumatic height adjustment iron based with metal wheel color: black.	25	
5	LCD Projector	Reputed make HD 1280x800 3600 Lumen Brightness Upto 15,000 Lamp Life HDMI VGA in-Built Speaker 20,000:1 contrast ratio	1	
6	White Board	with Aluminium Beading , size 6 X 4 feet	1	

The above list of standard accessories are tentative and the bidder shall have authority to supply additional accessories as they deemed fit for the successful operation of the machines, Tools and Equipments after the supply at site as per NCVT "Fashion Design & Technology" Trade Tool List Guidelines.



NOTE:

All other details, specifications, Terms & Conditions shall remain the same as in the Original Tender.

अपूर्ण किया लघु उद्योग निगम लिमिटड (भारत सरकार का उद्यम) The National Small Industries Corpn. Ltd.

NSIC Livelihood Business Incubation Centre, Udyog Nagar, Industrial Estate, Naini-Prayagraj — 211008