Tender Notice

National Small Industries Corporation Limited NSIC Bhawan Okhla Industrial Estate New Delhi-110020

Tel: +91-11-26826941/26826847 Email: tech@nsic.co.in

Tender no.: SIC/HO/TID/AU/12-33 Date: 28th September, 2012

Subject: Supply and installation of one set of Gem Stone Cutting & Polishing Equipments.

NSIC is setting up India-Africa Incubation Centre for Small Enterprise Establishment at Addis Ababa (Ethiopia).

We are please to invite your offer in two parts viz. (a) Technical and (b) Financial, strictly as per enclosed terms and conditions and instructions to bidders, in sealed covers for the under mentioned plant and machinery / equipment required for supply and installation at Addis Ababa (Ethiopia):

SI. No.	Description	Quantity
1.	Assortment Working Station Size: 4'X2' Mounted on wooden top with Lighting arrangement with Tools for making selection of Rough Gemstone from Mines minerals as well as assortment of rough gems. It should also have facilities to mark gemstone for further sawing operation and trimming of gemstone for making direct selection.	One Set
2.	Trim saw machine Suitable for slicing of raw gemstone into small /desired pieces and to perform trimming operation with tools to remove surface impurity of the Gem. The machine to be operated by 0.25HP, 220V, 1440 rpm motor & suitable for slicing of all kind of gemstones from 5mm to 20mm piece sizes. The machine to be mounted on wooden top table and supplied with Tools & consumables.	One No.

3.	Pre-shaping machine	One No.
	For pre-shaping of faceted as well as cabochon gemstones. Should be capable to perform pre shaping of for all kind of gemstones in various forms & shapes of gems. Suitable for 4 persons to work simultaneously.	
	The machine to be run by 0.25HP, 220V, 1440 rpm motor with cooling & lighting arrangement, mounted on wooden top table. To be supplied with tools, consumables & all accessories.	
4.	Universal calibration machine	One No.
	Semi automatic universal calibration machine suitable for calibration of faceted as well as cabochon gemstones in precision +_ 0.05 mm as per ICA specification.	
	The machine should perform girdle and pavilion cutting in one setting so as to ensure better accuracy and high productivity. The machine should produce calibrated Gems of Round, Oval, Pear, marquise, Octagon, Square, Heart, Trillion and other fancy shapes in various sizes. It should be run by 0.25 HP, 220V, 1440 rpm & DC motor and supplied with coolant & lighting arrangement. The machine to be mounted on wooden top table and supplied with all tools, accessories & consumables.	
5.	Faceting & polishing machine unit	Four
	Dual Arbour Precision & Versatile Machine Unit to Process all Kind of Gems into Round, Oval, Pear, Marquise, Square, Octagon, Heart and other shapes in different sizes from 2 mm to 20 mm. Suitable for 2 persons. This machine Unit should be able to cut Gems in Brilliant, Step, Rose and other latest Facet patterns. The machine should be supplied with 4 Nos. Precision Universal Facetors synchronized with each other. It should have accurate spring Loaded Table Polisher & Transferring Block.	Nos.

	The Machine should be run by 0.25 Hp, single phase, 1440 rpm motor. The Machine to be mounted on wooden top table and supplied with Cooling arrangement along with tools, consumables & complete accessories.	
6.	Cabochon polishing machine	One No.
	For making cabochon of all sizes in Round, Oval, Pear, Heart, Square, Octagon & other Fancy shapes of different gemstones. It should finish as well as polish gems.	
	The machine to be suitable for 4 operators to process complete operations of cabochon independently. It should be run by 0.25HP, 220V, 1440 rpm motor. To be supplied with coolant pumping device having filtering partitions. The machine to have lighting arrangement and supplied with tools, consumable & complete accessories. Machine to be mounted on MS table and to have facilities for dopping of gems.	
7.	Vibrator polisher	Two Nos.
	4 Kg capacity vibrators to finish as well as polish gemstones separately. The main container should have teflon coating for wear resistance and scratch free performance against hard gemstones. It should be able to polish all kind of gemstone in Tumble, Uncut, Cabochoun and other forms.	
	Fitted with 0.5HP, 2800 r.p.m, 220 V motor, mounted on MS table. The machine to be supplied with abrasive powder, polish powder and complete accessories.	
8.	Ultra sonic drilling machine	One No.
	With amplitude 40-80 microns with frequencies of 25 kHz, 150 W, sufficient to perform effective drilling from 0.5 mm to 2 mm in gemstone ranging from Rh 5 to 9 on hardness scale.	
	Table mounted machine and supplied with lighting arrangement, tools & complete accessories.	

9.	Grading station	One No.
	Size: 4'x2', to carry out grading of faceted & cabochoun gems based on their stone and manufacturing quality with special lamps and other inspection facilities to make marketable lots of finished gems for marketing as per international quality checks. To be supplied with complete tools, accessories, packaging material, consumable to take enhance beauty and care of finished gems for a longer time.	
10.	 a) UV gemstone tester for differentiating natural gems with synthetic / fake gemstone. b) Refractor meter to judge RI of stone to recognize a particular gemstone c) Spectroscope for judging spectrum of gemstone. d) Gemstone microscope stereo type 30 X zoom with all accessories & tool kit. e) Hardness testing machine complete with all accessories & tool kit. To ensure all testing machines are supplied alongwith testing tools. To be supplied with table and lighting arrangement 	One No. each
11.	Electronic weighing machine (digital display): Precision weighing capacity upto 10 gm Precision weighing capacity upto 100 gm Precision weighing capacity upto 1 kg Complete with accessories and electrical.	One No each
12.	Working table 5' x 2.5' With 4 sitting tools for dopping of: i) Pre-shaped stone for calibration ii) Calibrated stones for faceting & Polishing.	One No.
13.	Inspection tools kit: including Eye glass-8 Vernier gauge -1, Dial gauge -1, Brass gauge- 4 Nos	One set

14.	Work	ing Tools	One			
		Indexing dops holder – 24 pcs	Lot			
		Brass dopsticks 2mm To 7 mm - 900 Pcs				
		Diamond impregnated Lap 600 Mesh, 1200				
		Fine Mesh – 12 Pc (6 pcs each)				
	iv.	Diamond impregnated Lap 100, 180, 260 &				
		360 Mesh - 8 Pc 2 pc Each				
	V.	Diamond Polishing Powder- 40-50000 mesh - 500 Cts.				
	vi.	Burner set for dopping- 2 Pc				
		Special dopping wax- 16 Kg				
		Stone bowl big size- 12 Pc				
	ix.	Spectacle for eyes guard -8 Pc				
		4" Diamond sawing blade -100 Pc				
		Emery powder size-100,150,260no -4 Kg				
		Gas burnar set with pipe & clamp for tools				
		Gas lighter -4 Nos Emery powder size-360 & 600 po - 2 kg				
		Emery powder size-360 & 600 no – 2 kg each				
		Sandal wood polishing wheel -1 Pc				
		Polishing powder - chromium oxide - 5 kg				
		Polishing powder- tin oxide)- 2 kg				
		Polishing powder pink – 1 kg 22/24 gauge steel Almirah 6' height to keep				
	\\\.	working tools – 4 shelves - 1 No.				
	XX.	Grading tools, polishing tools, accessories,				
		measuring instruments and jigs fixtures etc.				
	xxi.	Manual for Gemology, Installation &				
		Commissioning manual, maintenance				
		manual, Gemstone processing manual, etc.				
	xxii.	Complete consumable for 3 months training.				
15.	Spar	es for all the machines for two years of	One Lot			
		al operation.				
		nsure that the spare list include all the items /				
	_	parts required to be replaced during the course of normal operation and due to wear & tear including				
16.	•	entive & breakdown maintenance. material for trial run/operation for 60 days.	30 Kg.			
10.		es of different assorted sizes & varieties	ou ky.			
	(inclu					
	quart					
	-	rement of each machine.				

Note:

The aspects mentioned below must be noted while submitting bids for the above mentioned plant and machinery / equipments:

- a) All machines / equipment should be compatible with 220 V Single Phase, 380-440 V Three Phase 50 cycle per second supply. Electrical wiring for interconnection of the machines upto main supply wherever necessary should be supplied along with machines.
- b) In case foundation of the machine is required for installation, necessary foundation bolts, pads, washers etc. should be supplied along with foundation drawing.
- c) All machines should be supplied with electricals, raw material handling and finished material packing arrangement alongwith working tools.
- d) List out the technical specification, additional equipment required, if any, for smooth running of the project.
- e) All machines should be complete and ready for production of stated capacity and should be supplied with operation and maintenance manual.

The detailed tender document can be obtained free of cost from Manager (TID) at the above address. The tender document can also be downloaded from NSIC website www.nsic.co.in. Any clarification on technical specifications can be obtained in writing from NSIC before tender opening. Manufacturers are welcome to have pre-bid meeting with NSIC for better understanding our requirements.

Please submit your lowest quotation / offer for the above requirement subject to our terms and conditions. Your offer should be submitted to General Manager (TID), National Small Industries Corporation Limited, NSIC Bhawan, Okhla Industrial Estate, New Delhi-110020 latest by 15th October, 2012 till 5:00 P.M. Offers received after the last date and scheduled time shall not be considered.

The format for technical bid and financial bid shall be as per Annexure-I and Annexure-II respectively. The offer should be submitted with a covering letter as per format at Annexure-III in a sealed envelope clearly mentioning the above tender number on top of the envelope.

The technical bid shall be opened on 16th October, 2012 at 2:30 P.M. in the presence of authorized representatives of the bidders who may like to be present. The authorized representative should bring authority letter from their principals for attending the bid opening.

Note: The vendor should submit their best price while submitting their bids itself and they will not be allowed to revise the price any time thereafter.

NSIC reserves the right to reject one or all of the bids without assigning any reasons.

KINDLY READ ALL TERMS AND CONDITIONS OF "TENDER DOCUMENT" THOROUGHLY. QUOTATION NOT IN ACCORDANCE WITH THE TERMS AND CONDITIONS IS LIABLE TO BE DISQUALIFIED AND IGNORED.

General Manager (TID)

Important Instructions to bidders for submission of tender

1) Preparation of Bids:

The bids should be prepared in the following manner:-

- a. The Bid shall be neatly arranged, plain and intelligible.
- b. Each page of the bid should be signed by the authorised person. Letter regarding the authorisation of such person should be obtained from the Principal / Manufacturer and enclosed with the bid.
- c. Insertions, postscripts, additions and alterations shall not be recognized, unless confirmed by bidder's signature.
- d. Bids should not contain any terms and conditions, printed or otherwise, which are not applicable to the Bid.
- e. Any conditional bid not adhering to the terms & conditions of the tender or part bid shall be rejected.
- f. The bidder should be the Principal / Original manufacturers of plant & machinery/ equipment, failing which the quotation shall not be considered.
- g. The bidders should have executed at least three purchase orders / contracts of equivalent value in the last five years. The bidder is required to submit catalogue of the plant & machinery/ equipment, complete reference of the past supply of equipment for the same or similar specification giving details of customer with name of the contact person, Fax no, phone no, E-mail.
- h. The bidders (originals manufacturers) will have to submit ink-signed offer / bid in original to NSIC. **Bids not complying with this condition shall not be considered**.
- i. In the Financial Bid, prices are to be indicated in both figures and words. In case of any discrepancy of value the prices quoted in words shall be considered for evaluation and establishing L1 status.
- j. No price variation clause will be entertained.

- k. Specifications are the basic essence of the "Product". Mere copying of the tender specifications by the Bidder into their bids shall not make them eligible for consideration. Appropriate and sufficient evidence of conformity by way of data (catalogues etc.) shall be furnished. There should be an item-by-item commentary on the Specifications demonstrating responsiveness of the offered equipment to the specifications.
- I. Bid with any pre-conditions (like conditional discounts) for price are liable to be "Not considered" / "Rejected".

2) Submission of Bids:

- a. Bids must be received by NSIC on or before the due date and time at the address specified in the tender document. In the event of the specified date for the submission of bids being declared a holiday for NSIC, the bid-closing deadline will stand extended to the next working day up to the same time.
- b. Any bid received by NSIC after the deadline for submission of bids, will not be accepted and returned unopened to the bidder.
- c. NSIC at its discretion may extend the deadline for the submission of bids if the bid document undergoes changes during the bidding period, in order to give prospective bidders time to take into consideration the amendments while preparing their bids.
- d. In case of receipt of inadequate numbers of bids, NSIC may extend the deadline for submission of bids giving opportunity to other bidders to participate in the bidding process to make it competitive.
- e. If the Supplier submits only one envelop / cover containing all the bids or combined bids e.g. techno-commercial bid & price bid together, the bid is liable for rejection.

NOTE: The manufacturers should submit their best price at this stage itself and they will not be allowed to revise the price. Any revision / discount given by manufacturers subsequently will be ignored.

3) Amendment of Bidding Documents:

- a. At any time prior to the deadline for submission of bids, NSIC may, for any reason, whether on its own initiative or in response to the clarification request by a prospective bidder, modify the bid document.
- b. All prospective bidders who have requested for the bidding document will be notified of the amendment in writing, and such amendments/ modifications will be binding on them.

4) <u>Bid opening and evaluation of Bids:</u>

- a. The technical bids shall be opened on 16th October, 2012 at 2:30 P.M.
- b. Bidder whose technical bid is qualified based on the eligibility criteria as specified in this tender document will be considered for financial bid evaluation. The date and time of opening of the financial bid will be informed to such bidders.
- c. NSIC will open financial bids of only the technically qualified, in the presence of the bidders or their authorised representative who choose to attend the bid opening.
- d. The bidder's authorised representative who attends the bid opening shall sign an attendance register as a proof of having attended the bid opening.
- e. The bidder's name, bid prices, discounts and such other details will be announced at the time of opening of the financial bids.

5) Award of Contract

- a. The financial bids of the technically qualified bidders shall be opened by the constituted committee. Thereafter the committee shall prepare the comparative statement (CST) based on the FOR, ICD, Tuglakabad (New Delhi) price quoted by the bidders. This will facilitate to shortlist the L-1 bidder quoting the lowest price.
- b. L-1 will be decided on the basis of total value of the bid.
- c. NSIC shall award the contract to the eligible bidder whose financial bid has been accepted and determined as the lowest evaluated financial bid.

- d. If more than one bidder happens to quote the same lowest price, NSIC reserves the right to award the contract to any one bidder.
- e. Supply order shall be placed for supply and installation of machinery and equipment required for Addis Ababa. The bidder shall deposit 'Security Deposit' for Rs. 1,15,000/-(Rs. One lakh fifteen thousand only).
- f. The successful bidder, on award of contract/order, must send the contract/order acceptance in writing, within 7 days of award of contract/order, failing which the EMD will be forfeited.

6) <u>Interpretation of the clauses in the Tender Document /</u> Contract Document

In case of any ambiguity / dispute in the interpretation of any of the clauses in this Tender Document, NSIC's interpretation of the clauses shall be final and binding on all parties.

7) <u>Earnest Money Deposit:</u>

- a. The units registered with Central Purchase Organization (DGS&D), National Small Industries Corporation (NSIC) or the concerned Ministry or Department shall be exempted from the payment of Earnest Money as defined under Rule 157 of General Financial Rules (GFR), 2005.
 - In such case, copy of the certificate showing registration with the above mentioned institutions to be enclosed alongwith the Technical Bid.
- b. In case, the unit is not covered under a. above, it should submit the offer along with Earnest Money Deposit (EMD) for Rs. 1,15,000/- (Rs. One lakh fifteen thousand only) by way of Demand Draft (DD) drawn in favour of "National Small Industries Corporation Limited" payable at New Delhi. No cash / cheque towards EMD shall be accepted. The DD for EMD should be placed inside the envelope containing technical bid. The offers without EMD shall be rejected.
- c. The EMD of unsuccessful bidder shall be refunded within 30 days from the award of contract.

- d. No interest will be allowed for earnest money deposited with the Company.
- e. The EMD shall be forfeited:
 - (i) If the bidder withdraws the bid during the period of bid validity specified in the tender.
 - (ii) If the successful bidder fails to furnish the acceptance in writing, within 7 days of award of contract/order.

8) Security Deposit

- a. The EMD of successful bidder shall be kept as 'Security Deposit' for supply of goods against each supply order and shall be released at the time of final payment after successful completion of work.
- b. In case of bidder exempted from payment of EMD (as mentioned in Para 7 a. above), 'Security Deposit' for Rs. 1,15,000/- by way of demand draft in favour of "National Small Industries Corporation Limited" payable at New Delhi should be submitted alongwith order acceptance against supply order. However, the successful bidder can furnish a Bank Guarantee of Nationalized Bank of equivalent amount in lieu of 'Security Deposit' valid for one year from the date of supply order.

9) Prices:

All items are to be quoted in INR only in the format as per Annexure-II. The price quoted should be inclusive of sea worthy packing, insurance and freight on FOR, ICD, Tuglakabad (New Delhi) basis. The prices should also be inclusive of all taxes and duties as applicable. The price quoted shall be considered firm and no price escalation shall be permitted.

10) Validity of the Quote:

The validity of quote should be at least six months (180 days) from the closing date of tender. A bid valid for a shorter period shall stand rejected.

NSIC may ask for the bidder's consent to extend the period of validity. Such request and the response shall be made in

writing only. A bidder agreeing to the request for extension will not be permitted to modify his bid.

11) <u>Delivery period:</u>

The goods shall be delivered to NSIC's C&F agent at New Delhi (or any other place as specified by NSIC) within 60 days from the date of award of contract. Part delivery shall not be permitted. Separate dispatch instruction shall be issued after inspection of goods and acceptance thereof by NSIC. No other delivery terms shall be acceptable.

12) Taxes / Duties:

- a. The bidders should be registered with sales tax / income tax department of Govt. of India and should hold a valid VAT registration certificate, as applicable.
- b. Sales tax, excise duty, VAT, octroi or any other tax shall be paid on actual as per rule applicable and on production of documentary proof. No tax concession form or proof of shipment of goods shall be issued.

13) Payment terms:

- a. 80% of order value to be released on submission of following documents:
- i. Signed commercial Invoice-two copies certifying that the goods are exactly as per the purchase order and the specification quoted.
- ii. One copy of NSIC supply order.
- iii. Proof of delivery of the consignment to our C&F agent.
- iv. Clean report of findings issued by NSIC.
- v. Packing list two copies duly signed.
- b. Balance 20% order value shall be released after successful installation and commissioning of equipment at site and upon furnishing performance guarantee as stated at para 15 of this tender document.

14) Packing & Marking:

Consignment must be packed in Sea Worthy in strong packing cases, taking all precaution against damage during handling and sea weather corrosion.

Proper marking on the packing cases should be made for smooth handling of consignment. The supplier will be held responsible for the plant and machinery / equipments not being sufficiently and properly packed and in such eventuality the supplier shall have to transport them by rail, road at their destination, at his expense free from loss or damage.

Every package delivered under our order shall at the expense of the supplier be distinctly marked with description and quantity or contents with the consignee name and address (which shall be notified subsequently) with gross weight and net weight, with the distinctive number and mark which is also to be shown for the purpose of identification on the suppliers packing account.

Each packet shall contain a packing note quoting a number and date of our order and showing its contents in detail.

15) Performance Guarantee:

Performance Guarantee in the form of Bank Guarantee (BG) on the prescribed format @10% of order value in favour of NSIC Ltd. towards performance of the contract (Purchase Order) shall be required to be submitted by the party after successful installation of the project at site. This bank guarantee shall be valid for 18 months from date of shipment or 12 months from the date of successful completion of installation and commissioning at site whichever is later.

16) Pre-Shipment Inspection:

The plant and machinery / equipment to be supplied and packing thereof shall be subject to inspection by NSIC or third party (name shall be conveyed to the successful bidder) at manufacturer's premises prior to dispatch thereof. Approval and clean report of findings shall be submitted at the time of claiming 80% payment. Machinery & equipment including packing boxes shall be offered by the awarded unit for inspection at least 10 days before the stipulated date of delivery. Deviations, if any pointed out by the visiting inspection team, as mentioned above, shall be corrected and the machinery and equipment as per specification shall be dispatched on or before the contract delivery date.

17) Liquidated damages:

In the event of delay in supply of the goods within the stipulated period, Liquidated Damages (LD) shall be charged by NSIC @ ½% (one-half of one percent) of the total order value per week of delay or part thereof subject to a maximum of 5 (five percent) of the order value. Supplier shall deduct the applicable LD from the first payment while raising the claim for the same.

18) <u>Insurance:</u>

All goods are to be insured for 110% of the FOR value of the goods by successful bidder from the works to warehouse of our C&F agent at New Delhi.

19) Installation & Commissioning:

- a. The awarded bidders shall have to depute expert(s) for installation & commissioning at site as and when instructed by NSIC.
- b. No additional charges shall be payable for installation & commissioning of equipment at site except for the following:
- i. Return economy class Air Ticket shall be provided by NSIC.
- ii. Lodging shall be taken care of by NSIC.
- iii. Local conveyance shall be taken care of by NSIC.
- iv. Out of pocket allowance as per MEA rate shall be paid by NSIC.
- v. Skilled and unskilled workers shall be provided by Host country at site.
- vi. The supplier has to inform in advance about the material handling facilities to be arranged by host country for successful installation, commissioning, training and pilot production from the machines and equipments supplied.
- c. Time and manpower required (skilled / unskilled) for Erection & commissioning should be clearly given in terms of working days and number respectively.
- d. The supplier will be required to train for at least 7 days the operators as decided by NSIC / host country.

20) After Sales Service / Warranties by Suppliers:

The equipment shall be warranted for any manufacturing defect for a period of 18 months from the date of shipment or 12 months from the date of successful completion of installation and commissioning at site, whichever is later. Should any part or parts fail or proved defective within the period specified above, owing to defect in design, material or workmanship, the supplier will have to replace them at the place of installation free of all charges.

During the warranty period, expert(s) shall be deputed at site by the awarded unit whenever found essential and which cannot be undertaken locally or by the NSIC's experts including rectifying any defect / malfunctioning of plant & machinery. The cost of deputation of expert(s) and any other associated expenditure shall be borned by the awarded unit.

21) <u>Technical Documents:</u>

The awarded unit shall provide technical documents like operation and maintenance manual etc. in English language in three copies for each items of equipment. Two copies to go with the consignment, one copy to be forwarded to NSIC office.

22) Risk Purchase:

In case of delays in supplies / defective supplies or nonfulfillment of any other terms and conditions given in the Supply Order, NSIC may cancel the supply order in full or part thereof, and may also make the purchase of such material from elsewhere / alternative source at the risk and cost of the supplier.

In case vendor does not agree to above risk purchase clause, their offer is liable to be rejected. In case any vendor accepts risk purchase clause initially and subsequently declines to honour the term in the eventuality of RISK PURCHASE, they may be banned for business with NSIC.

23) Cancellation of Bids

a. NSIC reserves the rights to cancel any bid without assigning any reasons.

b. NSIC reserves the rights to cancel bids and refloat a fresh tender, at any time after opening of the bids, in case it finds the response to its bid are not meeting its requirement. This shall be at the sole discretion of NSIC.

24) Blacklisting / Debarring of Firm

- a. Units blacklisted by any Government Departments / PSUs are not eligible to participate in the tender.
- b. If the unit(s) commits breach of contract, it shall be black listed / debarred for further business with NSIC for a declared period.

25) Post Tender Negotiations

- a. NSIC reserves the right to conduct negotiations on the `Price' and 'other commercial terms' with the lowest ranked offerer, and
- b. If so required by NSIC, supplier may have to share their cost data / costing sheet with NSIC.

26) Force Majeure

If at any time during the currency of this contract, the performance in whole or in part, by either party of any obligations under this contract shall be prevented or delayed by reason, of any war, hostilities, acts of the public enemy, civil commotion, sabotage, fires, explosions, epidemics, quarantine, restrictions or acts of GOD (hereinafter referred to as events), then provided notice of happening of any such events is given by either party to other within ten days from the date of occurrence thereof, neither party shall reason of such events be entitled to terminate this contract nor shall either party have any such non performance and delay is resumed as soon as practicable after such events has come to an end or ceased to exist. If the performance in whole or part of any obligation under this contract is prevented or delayed by reason or any such event claims for extension of time shall be granted for period considered reasonable by the purchaser subject to prompt notification by the seller to the purchaser of the particulars of the events and supply to the purchaser if required of any supporting evidence. Any waiver of time in respect of partial installment shall not be deemed to be a waiver of time in respect of remaining deliveries.

Annexure-I

Format for technical bid

SI. No.	Tender requirements	Quantity	Compliance (Yes/No)
One	set of Gem Stone Cutting &	Polishing	
Equi	pments for Supply, Installation & Comm		
Addi	s Ababa (Ethiopia) consisting of the follov	ving:	
1.	Assortment Working Station	One Set	
	Size: 4'X2'		
	Mounted on wooden top with Lighting		
	arrangement with Tools for making		
	selection of Rough Gemstone from Mines minerals as well as assortment		
	of rough gems. It should also have		
	facilities to mark gemstone for further		
	sawing operation and trimming of gemstone for making direct selection.		
	genistone for making under selection.		
2.	Trim saw machine	One No.	
	Suitable for slicing of raw gemstone		
	into small /desired pieces and to		
	perform trimming operation with tools		
	to remove surface impurity of the Gem.		
	The machine to be operated by 0.25HP, 220V, 1440 rpm motor &		
	suitable for slicing of all kind of		
	gemstones from 5mm to 20mm piece		
	sizes. The machine to be mounted on		
	wooden top table and supplied with Tools & consumables.		
3.	Pre-shaping machine	One No.	
	For pre-shaping of faceted as well as		
	cabochon gemstones. Should be		
	capable to perform pre shaping of for		
	all kind of gemstones in various forms & shapes of gems. Suitable for 4		
	persons to work simultaneously.		
	The machine to be run by 0.25HP,		

	220V, 1440 rpm motor with cooling & lighting arrangement, mounted on wooden top table. To be supplied with tools, consumables & all accessories.		
4.	Universal calibration machine	One No.	
	Semi automatic universal calibration machine suitable for calibration of faceted as well as cabochon gemstones in precision +_ 0.05 mm as per ICA specification.		
	The machine should perform girdle and pavilion cutting in one setting so as to ensure better accuracy and high productivity. The machine should produce calibrated Gems of Round, Oval, Pear, marquise, Octagon, Square, Heart, Trillion and other fancy shapes in various sizes. It should be run by 0.25 HP, 220V, 1440 rpm & DC motor and supplied with coolant & lighting arrangement. The machine to be mounted on wooden top table and supplied with all tools, accessories & consumables.		
5.	Faceting & polishing machine unit	Four Nos.	
	Dual Arbour Precision & Versatile Machine Unit to Process all Kind of Gems into Round, Oval, Pear, Marquise, Square, Octagon, Heart and other shapes in different sizes from 2 mm to 20 mm. Suitable for 2 persons.		
	This machine Unit should be able to cut Gems in Brilliant, Step, Rose and other latest Facet patterns. The machine should be supplied with 4 Nos. Precision Universal Facetors synchronized with each other. It should have accurate spring Loaded Table Polisher & Transferring Block.		
	The Machine should be run by 0.25		

	Hp, single phase, 1440 rpm motor. The Machine to be mounted on wooden top table and supplied with Cooling arrangement along with tools, consumables & complete accessories.	
6.	Cabochon polishing machine For making cabochon of all sizes in Round, Oval, Pear, Heart, Square, Octagon & other Fancy shapes of different gemstones. It should finish as well as polish gems. The machine to be suitable for 4 operators to process complete operations of cabochon independently. It should be run by 0.25HP, 220V, 1440 rpm motor. To be supplied with coolant pumping device having filtering partitions. The machine to have lighting arrangement and supplied with tools, consumable & complete accessories. Machine to be mounted on MS table and to have facilities for dopping of gems.	One No.
7.	Vibrator polisher	Two Nos.
	4 Kg capacity vibrators to finish as well as polish gemstones separately. The main container should have teflon coating for wear resistance and scratch free performance against hard gemstones. It should be able to polish all kind of gemstone in Tumble, Uncut, Cabochoun and other forms.	
	Fitted with 0.5HP, 2800 r.p.m, 220 V motor, mounted on MS table. The machine to be supplied with abrasive powder, polish powder and complete accessories.	
8.	Ultra sonic drilling machine	One No.
	With amplitude 40-80 microns with	

	frequencies of 25 kHz, 150 W, sufficient to perform effective drilling from 0.5 mm to 2 mm in gemstone ranging from Rh 5 to 9 on hardness scale. Table mounted machine and supplied with lighting arrangement, tools & samplete accessories.		
9.	complete accessories. Grading station	One No.	
	Size: 4'x2', to carry out grading of faceted & cabochoun gems based on their stone and manufacturing quality with special lamps and other inspection facilities to make marketable lots of finished gems for marketing as per international quality checks.		
	To be supplied with complete tools, accessories, packaging material, consumable to take enhance beauty and care of finished gems for a longer time.		
10.	 a) UV gemstone tester for differentiating natural gems with synthetic / fake gemstone. b) Refractor meter to judge RI of stone to recognize a particular gemstone c) Spectroscope for judging spectrum of gemstone. d) Gemstone microscope stereo type 30 X zoom with all accessories & tool kit. e) Hardness testing machine complete with all accessories & tool kit. 	One No. each	
	To ensure all testing machines are supplied alongwith testing tools. To be supplied with table and lighting arrangement		

11.	Electronic weighing machine (digital display) :	One No each
	Precision weighing capacity upto 10 gm Precision weighing capacity upto 100 gm	
	Precision weighing capacity upto 1 kg Complete with accessories and	
	electrical.	
12.	Working table	One No.
	5' x 2.5' With 4 sitting tools for dopping of:	
	i) Pre-shaped stone for calibration ii) Calibrated stones for faceting & Polishing.	
13.	Inspection tools kit: including Eye glass-8 Vernier gauge - 1, Dial gauge -1, Brass gauge- 4 Nos	One Set
14.	Working Tools	One Lot
	 i. Indexing dops holder – 24 pcs ii. Brass dopsticks 2mm To 7 mm - 900 Pcs iii. Diamond impregnated Lap 600 Mesh, 1200 Fine Mesh – 12 Pc (6 	
	pcs each) iv. Diamond impregnated Lap 100, 180, 260 & 360 Mesh - 8 Pc 2 pc Each	
	v. Diamond Polishing Powder- 40- 50000 mesh - 500 Cts.	
	vi. Burner set for dopping- 2 Pc vii. Special dopping wax- 16 Kg	
	viii. Stone bowl big size- 12 Pc	
	ix. Spectacle for eyes guard -8 Pc x. 4" Diamond sawing blade -100 Pc	
	xi. Emery powder size- 100,150,260no -4 Kg	
	xii. Gas burnar set with pipe & clamp for tools	
	xiii. Gas lighter -4 Nos	

xiv.	Emery powder size-360 & 600 no - 2 kg each		
XV.			
xvi.	Polishing powder - chromium oxide - 5 kg		
kvii.	Polishing powder- tin oxide)- 2 kg		
xix.	Polishing powder pink – 1 kg 22/24 gauge steel Almirah 6' height to keep vorking tools – 4 shelves - 1 No. Grading tools, polishing tools, accessories, measuring		
xxi.	instruments and jigs fixtures etc. Manual for Gemology, Installation & Commissioning manual, maintenance manual, Gemstone processing manual, etc.		
	months training.		
yea To o the rep ope incl mai	res for all the machines for two rs of normal operation. ensure that the spare list include all items / parts required to be aced during the course of normal ration and due to wear & tear uding preventive & breakdown ntenance (please specify each with detailed specifications / antity - use separate sheet).	One Lot	
for asso opa qua to mad wit	w material for trial run/operation 60 days. Stones of different orted sizes & varieties (including I, amethyst, ruby, garnet, peridot, rtz, etc.) for machining operation meet the requirement of each chine. (please specify each item h detailed specifications / antity - use separate sheet).	30 Kg.	

Enclosures:

- 1. Company profile with catalogues.
- 2. Detailed specification of all items mentioned above.

- 3. Copy of purchase orders/ contracts of similar nature and size in the last five years (at least three).
- 4. Copy of Pan Card / Sales tax / VAT registration certificate.
- 5. Copy of SSI / MSME Memorandum part II / NSIC registration certificate, if applicable.
- 6. Demand draft for Rs. 1,15,000/- as EMD.
- 7. Authorization letter in favour of authorized signatory from the bidder.

Annexure-II

Financial price schedule

SI. No.	Description and Technical specificati	on	Price (INR)	Tax & Duties (As applicable) (INR)	Total price (FOR, Delhi) (INR)
	set of Gem Stone Cutting & Polwing:	ishing	Equipn	nents consis	ting of the
1.	Assortment Working Station Size: 4'X2' Mounted on wooden top with Lighting arrangement with Tools for making selection of Rough Gemstone from Mines minerals as well as assortment of rough gems. It should also have facilities to mark gemstone for further sawing operation and trimming of gemstone for making direct	One Set			
	gemstone for making direct selection.				
2.	Trim saw machine Suitable for slicing of raw gemstone into small /desired pieces and to perform trimming operation with tools to remove surface impurity of the Gem. The machine to be operated by 0.25HP, 220V, 1440 rpm motor & suitable for slicing of all kind of gemstones from 5mm to 20mm piece sizes. The machine to be mounted on wooden top table and supplied with Tools & consumables.	One No.			
3.	Pre-shaping machine For pre-shaping of faceted as well as cabochon gemstones. Should be capable to perform pre shaping of for all kind of gemstones in various forms & shapes of gems.	One No.			

Suitable for 4 persons to work simultaneously.	
The machine to be run by 0.25HP, 220V, 1440 rpm motor with cooling & lighting arrangement, mounted on wooden top table. To be supplied with tools, consumables & all accessories.	
Universal calibration machine Semi automatic universal	One No.
calibration machine suitable for calibration of faceted as well as cabochon gemstones in precision +_ 0.05 mm as per ICA specification.	
The machine should perform girdle and pavilion cutting in one setting so as to ensure better accuracy and high productivity. The machine should produce calibrated Gems of Round, Oval, Pear, marquise, Octagon, Square, Heart, Trillion and other fancy shapes in various sizes. It should be run by 0.25 HP, 220V, 1440 rpm & DC motor and supplied with coolant & lighting arrangement. The machine to be mounted on wooden top table and supplied with all tools, accessories & consumables.	
Faceting & polishing machine unit Dual Arbour Precision & Versatile Machine Unit to Process all Kind of Gems into Round, Oval, Pear, Marquise, Square, Octagon, Heart and other shapes in different sizes from 2 mm to 20 mm. Suitable for	Four Nos.
2 persons. This machine Unit should be able to cut Gems in Brilliant, Step, Rose	

	and albert to the control of		
	and other latest Facet patterns. The machine should be supplied with 4 Nos. Precision Universal Facetors synchronized with each other. It should have accurate spring Loaded Table Polisher & Transferring Block.		
	The Machine should be run by 0.25 Hp, single phase, 1440 rpm motor. The Machine to be mounted on wooden top table and supplied with Cooling arrangement along with tools, consumables & complete accessories.		
6.	Cabochon polishing machine For making cabochon of all sizes in Round, Oval, Pear, Heart, Square, Octagon & other Fancy shapes of different gemstones. It should finish as well as polish gems.	One No.	
	The machine to be suitable for 4 operators to process complete operations of cabochon independently. It should be run by 0.25HP, 220V, 1440 rpm motor. To be supplied with coolant pumping device having filtering partitions. The machine to have lighting arrangement and supplied with tools, consumable & complete accessories. Machine to be mounted on MS table and to have facilities for dopping of gems.		
7.	Vibrator polisher 4 Kg capacity vibrators to finish as well as polish gemstones separately. The main container should have teflon coating for wear resistance and scratch free performance against hard gemstones. It should be able to	Two Nos.	

		ı
	polish all kind of gemstone in Tumble, Uncut, Cabochoun and other forms.	
	Fitted with 0.5HP, 2800 r.p.m, 220 V motor, mounted on MS table. The machine to be supplied with abrasive powder, polish powder and complete accessories.	
8.	Ultra sonic drilling machine	One No.
	With amplitude 40-80 microns with frequencies of 25 kHz, 150 W, sufficient to perform effective drilling from 0.5 mm to 2 mm in gemstone ranging from Rh 5 to 9 on hardness scale.	NO.
	Table mounted machine and supplied with lighting arrangement, tools & complete accessories.	
9.	Grading station	One
	Size: 4'x2', to carry out grading of faceted & cabochoun gems based on their stone and manufacturing quality with special lamps and other inspection facilities to make marketable lots of finished gems for marketing as per international quality checks.	No.
	To be supplied with complete tools, accessories, packaging material, consumable to take enhance beauty and care of finished gems for a longer time.	
10.	Gemstone Testing machines	One
	a) UV gemstone tester for differentiating natural gems with synthetic / fake gemstone.	No. each
	b) Refractor meter to judge RI of stone to recognize a particular	

	gemstone c) Spectroscope for judging spectrum of gemstone. d) Gemstone microscope stereo type 30 X zoom with all accessories & tool kit. e) Hardness testing machine complete with all accessories & tool kit. To ensure all testing machines are supplied alongwith testing tools. To	
	be supplied with table and lighting arrangement	
11.	Electronic weighing machine (digital display): Precision weighing capacity	One No each
	upto 10 gm Precision weighing capacity upto 100 gm Precision weighing capacity upto 100 gm Precision weighing capacity upto 1 kg Complete with accessories and	
	electrical.	
12.	Working table 5' x 2.5' With 4 sitting tools for dopping of:	One No.
	i) Pre-shaped stone for calibrationii) Calibrated stones for faceting & Polishing.	
13.	Inspection tools kit: including Eye glass-8 Vernier gauge -1, Dial gauge -1, Brass gauge- 4 Nos	One Set
14.	Working Tools i. Indexing dops holder - 24	One Lot
	pcs ii. Brass dopsticks 2mm To 7 mm - 900 Pcs	
	iii. Diamond impregnated Lap	

	600 Mesh, 1200 Fine Mesh -		
	12 Pc (6 pcs each)		
iv.	Diamond impregnated Lap		
	100, 180, 260 & 360 Mesh -		
	8 Pc 2 pc Each		
	•		
٧.	Diamond Polishing Powder-		
	40-50000 mesh - 500 Cts.		
	Burner set for dopping- 2 Pc		
	Special dopping wax- 16 Kg		
	Stone bowl big size- 12 Pc		
ix.	Spectacle for eyes guard -8		
	Pc		
х.	4" Diamond sawing blade -		
	100 Pc		
xi.	Emery powder size-		
	100,150,260no -4 Kg		
xii.	Gas burnar set with pipe &		
	clamp for tools		
yiii	Gas lighter -4 Nos		
	Emery powder size-360 &		
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	600 no – 2 kg each		
VV	Sandal wood polishing wheel		
۸۷.			
, a d	-1 Pc		
XVI.	Polishing powder - chromium		
	oxide - 5 kg		
XVII.	Polishing powder- tin oxide)-		
	2 kg		
	Polishing powder pink – 1 kg		
xix.	22/24 gauge steel Almirah 6'		
	height to keep		
	working tools – 4 shelves - 1		
	No.		
XX.	Grading tools, polishing		
	tools, accessories, measuring		
	instruments and jigs fixtures		
	etc.		
xxi	Manual for Gemology,		
	Installation & Commissioning		
	manual, maintenance		
	manual, Gemstone		
	•		
,::	processing manual, etc.		
XXII.	Complete consumable for 3		
	months training.		
_	e FOR, ICD, Tuglakabad,		
New Delh	ni (Sl. No. 1 to 14)		

Lump sum price for one set of	of machinery & equipment (FOR, ICD,
Tuglakabad, New Delhi: Rs.	
(in words Rupees:	

Spares & Raw Materials

SI. No.	Description and Technical specification	Qty.	Price (INR)	Tax & Duties (INR)	Total price (FOR, Delhi) (INR)
15.	Spares for all the machines for two years of normal operation. To ensure that the spare list include all the items / parts required to be replaced during the course of normal operation and due to wear & tear including preventive & breakdown maintenance (please specify price of each item with detailed specifications / quantity - use separate sheet).	One Lot			
16.	Raw material for trial run/operation for 60 days. Stones of different assorted sizes & varieties (including opal, amethyst, ruby, garnet, peridot, quartz, etc.) for machining operation to meet the requirement of each machine (please specify price of each item with detailed specifications / quantity - use separate sheet).	30 Kg.			

Note: The above price should be inclusive of sea-worthy packing, transportation and insurance and Taxes & Duties etc.

Annexure-III

Format of covering letter

Ref. No.: Date:
General Manager (TID) National Small Industries Corporation Limited NSIC Bhawan, Okhla Industrial Estate, New Delhi-110020.
Ref.: Tender No SIC/HO/TID/AU/12-33 dated 28 th September, 2012 for supply and installation of One set of Gem Stone Cutting & Polishing Equipments for supply and installation at Addis Ababa (Ethiopia).
Dear Sir,
With reference to above tender notice, we are submitting herewith our offer for above as per following documents:
1. Technical bid in prescribed format as Annexure-I in sealed envelope no.1 alongwith enclosures (No financial figures should be mentioned directly or indirectly in technical bid).
2. EMD for Rs. 1,15,000/- in the form of Demand Draft in favour of "National Small Industries Corporation Limited" payable at New Delhi along with technical bid in an envelope marked "EMD" placed inside sealed envelope no.1.
3. Financial bid in prescribed format in sealed envelope no.2.
We hereby agree to fully abide by all the terms & condition of this tender.
Thanking you,
Yours faithfully,
Name Designation

Signature of Bidder

Seal of Bidder

Annexure-IV

Proforma for Bank Guarantee

In consideration of the National Small Industries Corporation Ltd. (NSIC), Okhla Industrial Estate, New Delhi (hereinafter called the 'Company') having agreed to exempt
'Contractor' which term includes Suppliers for the purpose of this Bond) from the demand under the terms and conditions of an Agreement date Made between
called the said 'Agreement') of Security Deposit for the due fulfillment by the said Contractor of the terms and conditions contained in the said Agreement, on production of a Bank Guarantee for Rs (Rupeesonly).
a. We,
b. We,
c. We undertake to pay to the Company any money so demanded notwithstanding any dispute or disputes raised by the Contractor(s) in any suit or proceeding pending before any court or Tribunal relating thereto our liability under this present being

Signature of Bidder
Seal of Bidder

absolute and unequivocal.

discharge of our liability for payment there under and the Contractor(s) shall have no claim against us for making such payment.
d. We,
e. We,
f. This guarantee will not be discharged due to the change in the constitution of the Bank or the contractor(s).
g. We,(indicate the name of the bank) lastly undertake not to revoke this guarantee during its currency except with the previous consent of the Company in writing.
Dated the day of For (indicate the name of the bank)

The payment so made by us under this bond shall be a valid