Tender Notice

National Small Industries Corporation Limited NSIC Bhawan Okhla Industrial Estate New Delhi-110020

Tel: +91-11-26926275/26910979 Email: tech@nsic.co.in

Tender no.: SIC/HO/TISDC/AU-03 Date: 5th May, 2012

Subject: Supply and installation of three sets of processing plant for Tomato & fruit, Capacity: 50 kg. per hour of Tomato Ketchup and 50 ltr. of Fruit Juice per hour.

NSIC is setting up India-Africa Incubation Centre for Small Enterprise Establishment at Addis Ababa (Ethiopia), Bujumbura (Burundi) and Maputo (Mozambique).

We are please to invite your offer in two parts viz. (a) Technical and (b) Financial, strictly as per enclosed terms and conditions and instructions to bidders, in sealed covers for the under mentioned plant and machinery / equipment required for supply and installation at Addis Ababa (Ethiopia), Bujumbura (Burundi) and Maputo (Mozambique) (one set for each location). One set of equipments consisting of the following:

SI. No.	Description	Quantity
1.	Vegetable / Fruit Washer Capacity: 500 kg per hour Rotary type, drum length 8 ft. with motorized water spray arrangement. All contact parts of SS, supported on MS structure.	1 No.
2.	Fruit Mill / Crusher Capacity: 500 kg per hour All contact part SS304, motorized, supported on MS stand complete with electricals.	1 No.
3.	Pulper with transfer pump and collection tank (500 ltr.) Capacity: 500 kg per hour All contact part SS304, motorized, supported on MS stand.	1 No.
4.	Helicoidal Juice Extractor with transfer pump and collection tank (500 ltr.) Capacity: 500 kg per hour	1 No.

	All contact part SS304, motorized, supported on MS stand.	
	Staria.	
5.	Juice Holding tank	1 No.
	Capacity: 500 kg per hour, all contact part SS304	
6.	Steam Jacketed Boiling Kettle	1 No.
	Capacity: 50 ltr.	
	Fixed type with scraper attachment, fabricated from	
	SS304, minimum sheet thickness of 2.5 mm. Provided pressure gauge, safety valve, steam	
	release cock.	
7.	Steam Jacketed Boiling Kettle	1 No.
' '	Capacity: 50 ltr.	
	Tilting type with scraper attachment, fabricated from	
	SS304, minimum sheet thickness of 2.5 mm.	
	Provided main valve, pressure gauge, safety valve,	
	steam release valve.	d N1
8.	Steam Boiler (Automatic)	1 No.
	Capacity: 200 kg per hour Electric operated, complete with mounting & pipe	
	fittings up to the Steam Jacketed Kettle, working	
	pressure 10.7 kg/cm ²	
9.	Sugar Syrup making Tank fitted with stir	1 No.
	Capacity: 200 liter	
	Made up of 2 mm thick SS304.	
10.	Storage Tank with inlet & outlet arrangement	4 No.
	Capacity: 200 liter	
11.	Made up of 2 mm thick SS304. Storage Tank with inlet & outlet arrangement	4 Nos.
11.	Capacity: 50 liter	4 1105.
	Made up of 2 mm thick SS304.	
12.	Mixing Tank with inlet & outlet arrangement	1 No.
	Capacity: 200 liter	
	Made up of 2.5 mm thick SS304 with stirrer.	
13.	Homogenizer	1 No.
	Capacity: 200 liter per hour	
14.	Contact part SS304. Blending Tank with heating system	1 No.
14.	Capacity: 500 liter	I NO.
	Made up of SS304.	
15.	Stroke type volumetric Filling Machine (two	1 No.
	head) to fill in plastic bottles of 500 ml.	
	Capacity: 10-14 bottles / minutes	
	SS304, Complete with electricals	
16.	Working table (SS top) wit bin	1 No.
17.	2 mtr. x 1 mtr. 1 mtr. (ht.)	1 No
1/.	ROPP Cap Sealer (motorized)	1 No.

	N. I I G I (DI I: I II I	
18.	Weigh Scale (Digital display)	1 No.
	Capacity: 200 kg, readability 20 gm.	
19.	Weigh Scale (Digital display)	1 No.
	Capacity: 1 kg, readability 0.1 gm.	
22		- N.
20.	Refractometer	1 No.
	Type:A range 0 to 32% Brix	
	Type:B range 28 to 62% Brix	
2.1	Type:C range 58 to 92% Brix	4 1 1
21.	Interconnecting pipeline	1 Lot
22.	Material handling equipments (wheel trolley,	2 Nos.
	capacity 50 kg.)	
23.	Working equipments consisting of the following:	1 Lot
	(i) Punches from SS material	
	Pineapple punches, punches for tits-bits,	
	corner, cutting blades- 2 sets each	
	(ii) Knife from SS material	
	Pitting, coring, peeling and fruit cutting (size True 1	
	7", 5.5", 3.5") – 2 sets each	
	(iii) Slicer Mango for general purpose – 2 sets each.	
24.	Autoclave, vertical	1 No.
۷4.	Maximum working pressure: 25 lbs/psi	I INO.
	Double walled construction, fabricated by SS304,	
	inner dimension:14" dia x 22" deep	
	miler difficultion in a did x 22 deep	
25.	B.O.D. Incubator	1 No.
	Capacity: 6 cft.	
	Digital temperature indicator/controller, motorized	
	blower, with double door	
	, and the second	
26.	Bacteriological Incubator	1 No.
	Triple walled construction, inner chamber made of	
	SS304, centre with GI sheet and outer cabinet from	
	mild steel, double door, digital temperature	
	indicator/controller, inner dimension: 15"x15"x18"	
27.	Hot Air Oven – Gravity Convection	1 No.
	Double walled construction, inner chamber made	
	from SS304, outer cabinet fabricated from mild	
	sheet, temperature indicator/controller, inner	
	dimension: 15"x15"x18"	
28.	pH Meter	1 No.
	Digital LCD display for pH and millivolt (range 0-14	
	pH, 0-199 mv), resolution: 0.01 pH	

29.	Microscope	1 No.
	Standard set complete with in-built 6V 20 W	
	Halogen light illuminator, with anti-fungus	
	Achromatic objectives iNE4x, 10x, 40x (spring) &	
	100 x (oil, spring) paired eyepieces wide Field	
20	ICWHK 10	1 No.
30.		1 No.
	For measuring refractive index from 1.3 to 1.7 nd	
	with an accuracy 0.0001 nd by estimation. Sugar scale upto 0-95% with 1% by estimation and	
	provision for measuring dispersion.	
31.	Laminar Flow Clean Air Bench	1 No.
	Working dimension: 3'x2'x2'	1101
	Complete with fluorescent tube light with operation	
	switch on control panel and accessories.	
32.	Spares for two years of normal operation	1 Lot
33.	Raw material for 30 days for trial production	1 Lot
	(excluding edibles / perishables) consisting of the	
	following:	
	1. Plastic bottle of 500 ml. with cap – 500 nos.	
	2. Plastic levels (self glued) – 25 Kg.	
	3. Lab consumables & chemicals for 30 days production	

Note:

The aspects mentioned below must be noted while submitting bids for the above mentioned plant and machinery / equipments:

- a) All machines / equipment should be compatible with 220 V Single Phase, 380-440 V Three Phase 50 cycle per second supply. Electrical wiring for interconnection of the machines upto main supply wherever necessary should be supplied along with machines.
- b) In case foundation of the machine is required for installation, necessary foundation bolts, pads, washers etc. should be supplied along with foundation drawing.
- c) Finished products should have quality similar to FPO/AGMARK norms. All contact part should be made of food grade SS304.
- d) All machines should be supplied with electricals, raw material handling and finished material packing arrangement alongwith working tools.

- e) List out the technical specification, additional equipment required, if any, for smooth running of the project.
- f) All machines should be complete and ready for production of stated capacity and should be supplied with operation and maintenance manual.

The detailed tender document can be obtained free of cost from Manager (TISDC) at the above address. The tender document can also be downloaded from NSIC website www.nsic.co.in. Any clarification on technical specifications can be obtained in writing from NSIC before tender opening. Manufacturers are welcome to have pre-bid meeting with NSIC for better understanding our requirements.

Please submit your lowest quotation / offer for the above requirement subject to our terms and conditions. Your offer should be submitted to General Manager (TISDC), National Small Industries Corporation Limited, NSIC Bhawan, Okhla Industrial Estate, New Delhi-110020 latest by 5th June, 2012 till 2:30 P.M. Offers received after the last date and scheduled time shall not be considered.

The format for technical bid and financial bid shall be as per Annexure-I and Annexure-II respectively. The offer should be submitted with a covering letter as per format at Annexure-III in a sealed envelope clearly mentioning the above tender number on top of the envelope.

The technical bid shall be opened on 5th June, 2012 at 4:00 P.M. in the presence of authorized representatives of the bidders who may like to be present. The authorized representative should bring authority letter from their principals for attending the bid opening.

Note: The vendor should submit their best price while submitting their bids itself and they will not be allowed to revise the price any time thereafter.

NSIC reserves the right to reject one or all of the bids without assigning any reasons.

KINDLY READ ALL TERMS AND CONDITIONS OF "TENDER DOCUMENT" THOROUGHLY. QUOTATION NOT IN ACCORDANCE WITH THE TERMS AND CONDITIONS IS LIABLE TO BE DISQUALIFIED AND IGNORED.

General Manager (TISDC)

Important Instructions to bidders for submission of tender

1) <u>Preparation of Bids</u>:

The bids should be prepared in the following manner:-

- a. The Bid shall be neatly arranged, plain and intelligible.
- b. Each page of the bid should be signed by the authorised person. Letter regarding the authorisation of such person should be obtained from the Principal / Manufacturer and enclosed with the bid.
- c. Insertions, postscripts, additions and alterations shall not be recognized, unless confirmed by bidder's signature.
- d. Bids should not contain any terms and conditions, printed or otherwise, which are not applicable to the Bid.
- e. Any conditional bid not adhering to the terms & conditions of the tender shall be rejected.
- f. The bidder should be the Principal / Original manufacturers of plant & machinery/ equipment, failing which the quotation shall not be considered.
- g. The bidders should have executed at least three purchase orders / contracts of equivalent value in the last five years. The bidder is required to submit catalogue of the plant & machinery/ equipment, complete reference of the past supply of equipment for the same or similar specification giving details of customer with name of the contact person, Fax no, phone no, E-mail.
- h. The bidders (originals manufacturers) will have to submit ink-signed offer / bid in original to NSIC. **Bids not complying with this condition shall not be considered**.
- In the Financial Bid, prices are to be indicated in both figures and words. In case of any discrepancy of value the prices quoted in words shall be considered for evaluation and establishing L1 status.
- j. No price variation clause will be entertained.

- k. Specifications are the basic essence of the "Product". Mere copying of the tender specifications by the Bidder into their bids shall not make them eligible for consideration. Appropriate and sufficient evidence of conformity by way of data (catalogues etc.) shall be furnished. There should be an item-by-item commentary on the Specifications demonstrating responsiveness of the offered equipment to the specifications.
- I. Bid with any pre-conditions (like conditional discounts) for price are liable to be "Not considered" / "Rejected".

2) Submission of Bids:

- a. Bids must be received by NSIC on or before the due date and time at the address specified in the tender document. In the event of the specified date for the submission of bids being declared a holiday for NSIC, the bid-closing deadline will stand extended to the next working day up to the same time.
- b. Any bid received by NSIC after the deadline for submission of bids, will not be accepted and returned unopened to the bidder.
- c. NSIC at its discretion may extend the deadline for the submission of bids if the bid document undergoes changes during the bidding period, in order to give prospective bidders time to take into consideration the amendments while preparing their bids.
- d. In case of receipt of inadequate numbers of bids, NSIC may extend the deadline for submission of bids giving opportunity to other bidders to participate in the bidding process to make it competitive.
- e. If the Supplier submits only one envelop / cover containing all the bids or combined bids e.g. techno-commercial bid & price bid together, the bid is liable for rejection.

NOTE: The manufacturers should submit their best price at this stage itself and they will not be allowed to revise the price. Any revision / discount given by manufacturers subsequently will be ignored.

3) Amendment of Bidding Documents:

- a. At any time prior to the deadline for submission of bids, NSIC may, for any reason, whether on its own initiative or in response to the clarification request by a prospective bidder, modify the bid document.
- b. All prospective bidders who have requested for the bidding document will be notified of the amendment in writing, and such amendments/ modifications will be binding on them.

4) Bid opening and evaluation of Bids:

- a. The technical bids shall be opened on 5^{th} June, 2012 at $4:00\ P.M.$
- b. Bidder whose technical bid is qualified based on the eligibility criteria as specified in this tender document will be considered for financial bid evaluation. The date and time of opening of the financial bid will be informed to such bidders.
- c. NSIC will open financial bids of only the technically qualified, in the presence of the bidders or their authorised representative who choose to attend the bid opening.
- d. The bidder's authorised representative who attends the bid opening shall sign an attendance register as a proof of having attended the bid opening.
- e. The bidder's name, bid prices, discounts and such other details will be announced at the time of opening of the financial bids.

5) Award of Contract

- a. The financial bids of the technically qualified bidders shall be opened by the constituted committee. Thereafter the committee shall prepare the comparative statement (CST) based on the FOB Mumbai price quoted by the bidders. This will facilitate to shortlist the L-1 bidder quoting the lowest price.
- b. L-1 will be decided on the basis of total value of the bid.

- c. NSIC shall award the contract to the eligible bidder whose financial bid has been accepted and determined as the lowest evaluated financial bid.
- d. If more than one bidder happens to quote the same lowest price, NSIC reserves the right to award the contract to any one bidder.
- e. Separate supply order shall be placed for supply and installation of machinery and equipment required for each location at Addis Ababa, Bujumbura and Maputo. The bidder shall deposit 'Security Deposit' for Rs. 1,20,000/- (Rupees One lakh twenty thousand only) for each supply orders placed for different locations.
- f. The successful bidder, on award of contract/order, must send the contract/order acceptance in writing, within 7 days of award of contract/order, failing which the EMD will be forfeited.

6) <u>Interpretation of the clauses in the Tender Document / Contract Document</u>

In case of any ambiguity / dispute in the interpretation of any of the clauses in this Tender Document, NSIC's interpretation of the clauses shall be final and binding on all parties.

7) <u>Earnest Money Deposit:</u>

- a. The units registered with Central Purchase Organization (DGS&D), National Small Industries Corporation (NSIC) or the concerned Ministry or Department shall be exempted from the payment of Earnest Money as defined under Rule 157 of General Financial Rules (GFR), 2005.
 - In such case, copy of the certificate showing registration with the above mentioned institutions to be enclosed alongwith the Technical Bid.
- b. In case, the unit is not covered under a. above, it should submit the offer along with Earnest Money Deposit (EMD) for Rs. Rs. 1,20,000/- (in words Rupees One lakh twenty thousand only) by way of Demand Draft (DD) drawn in favour of "National Small Industries Corporation Limited"

payable at New Delhi for one set of goods only (even in case the bidder is quoting for more than one set). No cash / cheque towards EMD shall be accepted. The DD for EMD should be placed inside the envelope containing technical bid. The offers without EMD shall be rejected.

- c. The EMD of unsuccessful bidder shall be refunded within 30 days from the award of contract.
- d. No interest will be allowed for earnest money deposited with the Company.
- e. The EMD shall be forfeited:
 - (i) If the bidder withdraws the bid during the period of bid validity specified in the tender.
 - (ii) If the successful bidder fails to furnish the acceptance in writing, within 7 days of award of contract/order.

8) <u>Security Deposit</u>

- a. The EMD of successful bidder shall be kept as 'Security Deposit' for supply of goods against each supply order and shall be released at the time of final payment after successful completion of work.
- b. In case of bidder exempted from payment of EMD (as mentioned in Para 7 a. above), 'Security Deposit' for Rs. 1,20,000/- by way of demand draft in favour of "National Small Industries Corporation Limited" payable at New Delhi should be submitted alongwith order acceptance against each supply order. However, the successful bidder can furnish a Bank Guarantee of Nationalized Bank of equivalent amount in lieu of 'Security Deposit' valid for one year from the date of supply order.

9) Prices:

All items are to be quoted in INR only in the format as per Annexure-II. The price quoted should be inclusive of sea worthy packing, insurance and freight on FOB Mumbai basis. The prices should also be inclusive of all taxes and duties as applicable. The price quoted shall be considered firm and no price escalation shall be permitted.

10) Validity of the Quote:

The validity of quote should be at least six months (180 days) from the closing date of tender. A bid valid for a shorter period shall stand rejected.

NSIC may ask for the bidder's consent to extend the period of validity. Such request and the response shall be made in writing only. A bidder agreeing to the request for extension will not be permitted to modify his bid.

11) Delivery period:

The goods shall be delivered to NSIC's C&F agent at Mumbai (or any other place as specified by NSIC) within 60 days from the date of award of contract. Part delivery shall not be permitted. Separate dispatch instruction shall be issued after inspection of goods and acceptance thereof by NSIC. No other delivery terms shall be acceptable.

12) Taxes / Duties:

- a. The bidders should be registered with sales tax / income tax department of Govt. of India and should hold a valid VAT registration certificate, as applicable.
- b. Sales tax, excise duty, VAT, octroi or any other tax shall be paid on actual as per rule applicable and on production of documentary proof. No tax concession form or proof of shipment of goods shall be issued.

13) Payment terms:

- a. 80% of order value to be released on submission of following documents:
 - i. Signed commercial Invoice-two copies certifying that the goods are exactly as per the purchase order and the specification quoted.
- ii. One copy of NSIC supply order.
- iii. Proof of delivery of the consignment to our C&F agent.
- iv. Clean report of findings issued by NSIC.

- v. Packing list two copies duly signed.
- b. Balance 20% order value shall be released after successful installation and commissioning of equipment at site and upon furnishing performance guarantee as stated at para 15 of this tender document.

14) Packing & Marking:

Consignment must be packed in Sea Worthy in strong packing cases, taking all precaution against damage during handling and sea weather corrosion.

Proper marking on the packing cases should be made for smooth handling of consignment. The supplier will be held responsible for the plant and machinery / equipments not being sufficiently and properly packed and in such eventuality the supplier shall have to transport them by rail, road at their destination, at his expense free from loss or damage.

Every package delivered under our order shall at the expense of the supplier be distinctly marked with description and quantity or contents with the consignee name and address (which shall be notified subsequently) with gross weight and net weight, with the distinctive number and mark which is also to be shown for the purpose of identification on the suppliers packing account.

Each packet shall contain a packing note quoting a number and date of our order and showing its contents in detail.

15) Performance Guarantee:

Performance Guarantee in the form of Bank Guarantee (BG) on the prescribed format @10% of order value in favour of NSIC Ltd. towards performance of the contract (Purchase Order) shall be required to be submitted by the party after successful installation of the project at site. This bank guarantee shall be valid for 18 months from date of shipment or 12 months from the date of successful completion of installation and commissioning at site whichever is later.

16) Pre-Shipment Inspection:

The plant and machinery / equipment to be supplied and packing thereof shall be subject to inspection by NSIC or third party (name shall be conveyed to the successful bidder) at manufacturer's premises prior to dispatch thereof. Approval and clean report of findings shall be submitted at the time of claiming 80% payment. Machinery & equipment including packing boxes shall be offered by the awarded unit for inspection at least 10 days before the stipulated date of delivery. Deviations, if any pointed out by the visiting inspection team, as mentioned above, shall be corrected and the machinery and equipment as per specification shall be dispatched on or before the contract delivery date.

17) Liquidated damages:

In the event of delay in supply of the goods within the stipulated period, Liquidated Damages (LD) shall be charged by NSIC @ ½% (one-half of one percent) of the total order value per week of delay or part thereof subject to a maximum of 5 (five percent) of the order value. Supplier shall deduct the applicable LD from the first payment while raising the claim for the same.

18) <u>Insurance:</u>

All goods are to be insured for 110% of the FOB value of the goods by successful bidder from the works to warehouse of our C&F agent at Mumbai.

19) Installation & Commissioning:

- a. The awarded bidders shall have to depute expert(s) for installation & commissioning at site as and when instructed by NSIC.
- b. No additional charges shall be payable for installation & commissioning of equipment at site except for the following:
- i. Return economy class Air Ticket shall be provided by NSIC.
- ii. Lodging shall be taken care of by NSIC.
- iii. Local conveyance shall be taken care of by NSIC.

- iv. Out of pocket allowance as per MEA rate shall be paid by NSIC.
- v. Skilled and unskilled workers shall be provided by Host country at site.
- vi. The supplier has to inform in advance about the material handling facilities to be arranged by host country for successful installation, commissioning, training and pilot production from the machines and equipments supplied.
- c. Time and manpower required (skilled / unskilled) for Erection & commissioning should be clearly given in terms of working days and number respectively.
- d. The supplier will be required to train for at least 7 days the operators as decided by NSIC / host country.

20) After Sales Service / Warranties by Suppliers:

The equipment shall be warranted for any manufacturing defect for a period of 18 months from the date of shipment or 12 months from the date of successful completion of installation and commissioning at site, whichever is later. Should any part or parts fail or proved defective within the period specified above, owing to defect in design, material or workmanship, the supplier will have to replace them at the place of installation free of all charges.

During the warranty period, expert(s) shall be deputed at site by the awarded unit whenever found essential and which cannot be undertaken locally or by the NSIC's experts including rectifying any defect / malfunctioning of plant & machinery. The cost of deputation of expert(s) and any other associated expenditure shall be borned by the awarded unit.

21) Technical Documents:

The awarded unit shall provide technical documents like operation and maintenance manual etc. in English language in three copies for each items of equipment. Two copies to go with the consignment, one copy to be forwarded to NSIC office.

22) Risk Purchase:

In case of delays in supplies / defective supplies or nonfulfillment of any other terms and conditions given in the Supply Order, NSIC may cancel the supply order in full or part thereof, and may also make the purchase of such material from elsewhere / alternative source at the risk and cost of the supplier.

In case vendor does not agree to above risk purchase clause, their offer is liable to be rejected. In case any vendor accepts risk purchase clause initially and subsequently declines to honour the term in the eventuality of RISK PURCHASE, they may be banned for business with NSIC.

23) Cancellation of Bids

- a. NSIC reserves the rights to cancel any bid without assigning any reasons.
- b. NSIC reserves the rights to cancel bids and refloat a fresh tender, at any time after opening of the bids, in case it finds the response to its bid are not meeting its requirement. This shall be at the sole discretion of NSIC.

24) Blacklisting / Debarring of Firm

- a. Units blacklisted by any Government Departments / PSUs are not eligible to participate in the tender.
- b. If the unit(s) commits breach of contract, it shall be black listed / debarred for further business with NSIC for a declared period.

25) <u>Post Tender Negotiations</u>

- a. NSIC reserves the right to conduct negotiations on the `Price' and 'other commercial terms' with the lowest ranked offerer, and
- b. If so required by NSIC, supplier may have to share their cost data / costing sheet with NSIC.

26) Force Majeure

If at any time during the currency of this contract, the performance in whole or in part, by either party of any obligations under this contract shall be prevented or delayed by reason, of any war, hostilities, acts of the public enemy, civil commotion, sabotage, fires, explosions, epidemics,

quarantine, restrictions or acts of GOD (hereinafter referred to as events), then provided notice of happening of any such events is given by either party to other within ten days from the date of occurrence thereof, neither party shall reason of such events be entitled to terminate this contract nor shall either party have any such non performance and delay is resumed as soon as practicable after such events has come to an end or ceased to exist. If the performance in whole or part of any obligation under this contract is prevented or delayed by reason or any such event claims for extension of time shall be granted for period considered reasonable by the purchaser subject to prompt notification by the seller to the purchaser of the particulars of the events and supply to the purchaser if required of any supporting evidence. Any waiver of time in respect of partial installment shall not be deemed to be a waiver of time in respect of remaining deliveries.

Annexure-I

Format for technical bid

SI. No.	Tender requirements	Quantity	Compliance (Yes/No)
Three 50 kg			
	nour. One set each for Supply, Ins		
	nissioning at Addis Ababa (Ethiopia),	Bujumbura	
(Buru	ndi) and Maputo (Mozambique).		
One s	et of equipment consisting of the following	:	
1.	Vegetable / Fruit Washer Capacity: 500 kg per hour Rotary type, drum length 8 ft. with motorized water spray arrangement. All contact parts of SS, supported on MS structure.	1 No.	
2.	Fruit Mill / Crusher Capacity: 500 kg per hour All contact part SS304, motorized, supported on MS stand complete with electricals.	1 No.	
3.	Pulper with transfer pump and collection tank (500 ltr.) Capacity: 500 kg per hour All contact part SS304, motorized, supported on MS stand.	1 No.	
4.	Helicoidal Juice Extractor with transfer pump and collection tank (500 ltr.) Capacity: 500 kg per hour All contact part SS304, motorized, supported on MS stand.	1 No.	
5.	Juice Holding tank Capacity: 500 kg per hour, all contact part SS304	1 No.	
6.	Steam Jacketed Boiling Kettle Capacity: 50 ltr. Fixed type with scraper attachment, fabricated from SS304, minimum sheet thickness of 2.5 mm. Provided pressure gauge, safety valve, steam release cock.	1 No.	

7.	Steam Jacksted Roiling Kettle	1 No.
/.	Steam Jacketed Boiling Kettle	I NO.
	Capacity: 50 ltr.	
	Tilting type with scraper attachment,	
	fabricated from SS304, minimum sheet	
	thickness of 2.5 mm. Provided main	
	valve, pressure gauge, safety valve,	
	steam release valve.	
8.	Steam Boiler (Automatic)	1 No.
	Capacity: 200 kg per hour	
	Electric operated, complete with	
	mounting & pipe fittings up to the	
	Steam Jacketed Kettle, working	
	pressure 10.7 kg/cm ²	
9.	Sugar Syrup making Tank fitted	1 No.
	with stir	
	Capacity: 200 liter	
	Made up of 2 mm thick SS304.	
10.	Storage Tank with inlet & outlet	4 No.
10.	arrangement	11101
	Capacity: 200 liter	
	Made up of 2 mm thick SS304.	
11.	·	4 Nos
11.	Storage Tank with inlet & outlet	4 1105.
	arrangement	
	Capacity: 50 liter	
4.0	Made up of 2 mm thick SS304.	
12.	Mixing Tank with inlet & outlet	1 No.
	arrangement	
	Capacity: 200 liter	
	Made up of 2.5 mm thick SS304 with	
	stirrer.	
13.	Homogenizer	1 No.
	Capacity: 200 liter per hour	
	Contact part SS304.	
14.	Blending Tank with heating system	1 No.
	Capacity: 500 liter	
	Made up of SS304.	
15.	Stroke type volumetric Filling	1 No.
	Machine (two head) to fill in plastic	
	bottles of 500 ml.	
	Capacity: 10-14 bottles / minutes	
	SS304, Complete with electricals	
16.	Working table (SS top) wit bin	1 No.
	2 mtr. x 1 mtr. 1 mtr. (ht.)	
17.	ROPP Cap Sealer (motorized)	1 No.
18.	Weigh Scale (Digital display)	1 No.
10.	Capacity: 200 kg, readability 20 gm.	
	Lapacity i 200 kg, reducibility 20 gilli	

19.	Weigh Scale (Digital display) Capacity: 1 kg, readability 0.1 gm.	1 No.
20.	Refractometer Type:A range 0 to 32% Brix Type:B range 28 to 62% Brix Type:C range 58 to 92% Brix	1 No.
21.	Interconnecting pipeline	1 Lot
22.	Material handling equipments (wheel trolley, capacity 50 kg.)	2 Nos.
23.	Working equipments consisting of the following: (i) Punches from SS material • Pineapple punches, punches for tits-bits, corner, cutting blades- 2 sets each (ii) Knife from SS material • Pitting, coring, peeling and fruit cutting (size 7", 5.5", 3.5") - 2 sets each (iii) Slicer Mango for general purpose - 2 sets each.	1 Lot
24.	Autoclave, vertical Maximum working pressure: 25 lbs/psi Double walled construction, fabricated by SS304, inner dimension:14" dia x 22" deep	1 No.
25.	B.O.D. Incubator Capacity: 6 cft. Digital temperature indicator/controller, motorized blower, with double door	1 No.
26.	Bacteriological Incubator Triple walled construction, inner chamber made of SS304, centre with GI sheet and outer cabinet from mild steel, double door, digital temperature indicator/controller, inner dimension: 15"x15"x18"	1 No.
27.	Hot Air Oven – Gravity Convection Double walled construction, inner chamber made from SS304, outer cabinet fabricated from mild sheet, temperature indicator/controller, inner dimension: 15"x15"x18"	1 No.

Signature of Bidder
Seal of Bidder

28.	pH Meter Digital LCD display for pH and millivolt (range 0-14 pH, 0-199 mv), resolution: 0.01 pH	1 No.
29.	Microscope Standard set complete with in-built 6V 20 W Halogen light illuminator, with anti-fungus Achromatic objectives iNE4x, 10x, 40x (spring) & 100 x (oil, spring) paired eyepieces wide Field ICWHK 10	1 No.
30.	Abbe Refractometer For measuring refractive index from 1.3 to 1.7 nd with an accuracy 0.0001 nd by estimation. Sugar scale upto 0-95% with 1% by estimation and provision for measuring dispersion.	1 No.
31.	Laminar Flow Clean Air Bench Working dimension: 3'x2'x2' Complete with fluorescent tube light with operation switch on control panel and accessories.	1 No.
32.	Spares for two years of normal operation (details to be specified)	1 Lot
33.	Raw material for 30 days for trial production (excluding edibles / perishables) consisting of the following: 1. Plastic bottle of 500 ml. with cap – 500 nos. 2. Plastic levels (self glued) – 25 Kg. 3. Lab consumables & chemicals for 30 days production Others, if any (details to be specified) 4. Others, if any (details to be specified)	1 Lot

List of additional equipments, if any

SI.	Description and Technical specification	Quantity
No.	of goods	

Enclosures:

- 1. Company profile with catalogues.
- 2. Detailed specification of all items mentioned above.

- 3. Copy of purchase orders/ contracts of similar nature and size in the last five years.
- 4. Copy of Pan Card / Sales tax / VAT registration certificate.
- 5. Copy of SSI / MSME Memorandum part II / NSIC registration certificate, if applicable.
- 6. Demand draft for Rs. 1,20,000/- as EMD.
- 7. Authorization letter in favour of authorized signatory from the bidder.

Annexure-II

Financial price schedule

SI. No.	Description and Technical specification		Price (INR)	Tax & Duties (As applicable) (INR)	Total price (FOB, Mumbai) (INR)
	set of processing plant for Tomato & mato Ketchup and 50 ltr. of fruit ing:		-	-	-
1.	Vegetable / Fruit Washer Capacity: 500 kg per hour Rotary type, drum length 8 ft. with motorized water spray arrangement. All contact parts of SS, supported on MS structure.	1 No.			
2.	Fruit Mill / Crusher Capacity: 500 kg per hour All contact part SS304, motorized, supported on MS stand complete with electricals.	1 No.			
3.	Pulper with transfer pump and collection tank (500 ltr.) Capacity: 500 kg per hour All contact part SS304, motorized, supported on MS stand.	1 No.			
4.	Helicoidal Juice Extractor with transfer pump and collection tank (500 ltr.) Capacity: 500 kg per hour All contact part SS304, motorized, supported on MS stand.	1 No.			
5.	Juice Holding tank Capacity: 500 kg per hour, all contact part SS304	1 No.			
6.	Steam Jacketed Boiling Kettle Capacity: 50 ltr. Fixed type with scraper attachment, fabricated from SS304, minimum sheet thickness of 2.5 mm. Provided pressure gauge, safety valve, steam release cock.	1 No.			

7	Charm Indicated Dailing Mattle	1	
7.	Steam Jacketed Boiling Kettle	_	
	Capacity: 50 ltr.	No.	
	Tilting type with scraper attachment,		
	fabricated from SS304, minimum		
	sheet thickness of 2.5 mm. Provided		
	main valve, pressure gauge, safety		
	valve, steam release valve.		
8.	Steam Boiler (Automatic)	1	
	Capacity: 200 kg per hour	No.	
	Electric operated, complete with		
	mounting & pipe fittings up to the		
	Steam Jacketed Kettle, working		
	pressure 10.7 kg/cm ²		
9.	Sugar Syrup making Tank fitted	1	
	with stir	No.	
	Capacity: 200 liter		
	Made up of 2 mm thick SS304.		
10.	Storage Tank with inlet & outlet	4	
	arrangement	No.	
	Capacity: 200 liter		
	Made up of 2 mm thick SS304.		
11.	Storage Tank with inlet & outlet	4	
	arrangement	Nos	
	Capacity: 50 liter		
	Made up of 2 mm thick SS304.		
12.	Mixing Tank with inlet & outlet	1	
	arrangement	No.	
	Capacity: 200 liter		
	Made up of 2.5 mm thick SS304 with		
13.	stirrer.	1	
13.	Homogenizer		
	Capacity: 200 liter per hour	No.	
14.	Contact part SS304. Blending Tank with heating	1	
14.	Blending Tank with heating system	No.	
	Capacity: 500 liter	INO.	
	Made up of SS304.		
15.	Stroke type volumetric Filling	1	
1).	Machine (two head) to fill in plastic	No.	
	bottles of 500 ml.	INU.	
	Capacity: 10-14 bottles / minutes		
	SS304, Complete with electricals		
16.	Working table (SS top) wit bin	1	
10.	2 mtr. x 1 mtr. 1 mtr. (ht.)	No.	
17.	ROPP Cap Sealer (motorized)	1	
1/.	ROFF Cap Sealer (IIIOtorizeu)	No.	
		INU.	

18.	Woigh Scale (Digital display)	1
10.	Weigh Scale (Digital display)	
10	Capacity: 200 kg, readability 20 gm.	No.
19.	Weigh Scale (Digital display)	
20	Capacity: 1 kg, readability 0.1 gm.	No.
20.	Refractometer	1
	Type:A range 0 to 32% Brix	No.
	Type:B range 28 to 62% Brix	
	Type:C range 58 to 92% Brix	
21.	Interconnecting pipeline	
22	Material bandling equipments	Set
22.	Material handling equipments	2
22	(wheel trolley, capacity 50 kg.)	Nos
23.	Working equipments consisting of	
	the following:	Lot
	(i) Punches from SS material	
	Pineapple punches, punches for	
	tits-bits, corner, cutting blades-	
	2 sets each	
	(ii) Knife from SS material	
	Pitting, coring, peeling and fruit	
	cutting (size 7", 5.5", 3.5") – 2	
	sets each	
	(iii) Slicer Mango for general purpose	
	– 2 sets each.	
24.	Autoclave, vertical	1
	Maximum working pressure: 25	No.
	lbs/psi	
	Double walled construction, fabricated	
	by SS304, inner dimension:14" dia x	
	22" deep	
25.	B.O.D. Incubator	1
	Capacity: 6 cft.	No.
	Digital temperature	
	indicator/controller, motorized	
	blower, with double door	
26.	Bacteriological Incubator	1
	Triple walled construction, inner	No.
	chamber made of SS304, centre with	
	GI sheet and outer cabinet from mild	
	steel, double door, digital	
	temperature indicator/controller,	
	inner dimension: 15"x15"x18"	
27.	Hot Air Oven - Gravity Convection	1
	Double walled construction, inner	No.
	chamber made from SS304, outer	
	cabinet fabricated from mild sheet,	
i	, sasst rastreated from fille street,	

	La constant to the standard section of the standard se				
	temperature indicator/controller, inner dimension: 15"x15"x18"				
28.	pH Meter Digital LCD display for pH and millivolt (range 0-14 pH, 0-199 mv), resolution: 0.01 pH	1 No.			
29.	Microscope Standard set complete with in-built 6V 20 W Halogen light illuminator, with anti-fungus Achromatic objectives iNE4x, 10x, 40x (spring) & 100 x (oil, spring) paired eyepieces wide Field ICWHK 10	1 No.			
30.	Abbe Refractometer For measuring refractive index from 1.3 to 1.7 nd with an accuracy 0.0001 nd by estimation. Sugar scale upto 0-95% with 1% by estimation and provision for measuring dispersion.	1 No.			
31.	Laminar Flow Clean Air Bench Working dimension: 3'x2'x2' Complete with fluorescent tube light with operation switch on control panel and accessories.	1 No.			
Total	price (Sl. No. 1 to 31) (X)				
32.	Spares for two years of normal operation (To be specified with cost break- up of all items)	1 Lot			
33.	Raw material for 30 days for trial production (excluding edibles / perishables) consisting of the following (To be specified with cost break- up of all items):	1 Lot			
	1. Plastic bottle of 500 ml. with cap – 500 nos.				
	2. Plastic levels (self glued) – 25 Kg.				
	3. Lab consumables & chemicals for				

30 days production			
4. Others, if any (To be specified w	ith		
cost break- up of all items)			
Total price (Sl. No. 32 to 33 (Y)			
Total (Z)=(X+Y)			

Lump sum price for one set of plant (Z): Rs (in words Rupees_)
Total price for three sets of Plant (3Z): Rs	
(in words Rupees)

Price schedule for additional equipments for each set, if any

SI.	Description and Technical	Quantity	Price per	Tax &	Total
No.	specification		unit	Duties (As	price
			(INR)	applicable)	(FOB,
				(INR)	Mumbai) (INR)

Note: The above price should be inclusive of sea-worthy packing, transportation and insurance and Taxes & Duties etc.

Annexure-III

Seal of Bidder

Format of covering letter

Annexure-IV

Proforma for Bank Guarantee

In consideration of the National Small Industries Corporation Ltd. (NSIC), Okhla Industrial Estate, New Delhi (hereinafter called the 'Company') having agreed to exempt
'Contractor' which term includes Suppliers for the purpose of this Bond) from the demand under the terms and conditions of an Agreement date Made between for (hereinafter
called the said 'Agreement') of Security Deposit for the due fulfillment by the said Contractor of the terms and conditions contained in the said Agreement, on production of a Bank Guarantee for Rs (Rupeesonly).
a. We,
b. We,
c. We undertake to pay to the Company any money so

demanded notwithstanding any dispute or disputes raised by the Contractor(s) in any suit or proceeding pending before any court or Tribunal relating thereto our liability under this present being absolute and unequivocal.

discharge of our liability for payment there under and the Contractor(s) shall have no claim against us for making such payment.
d. We,
e. We,(indicate the name of the Bank) further agree with the Company that the Company shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said Agreement or to extend time of performance by the said contractor(s) form time to time or to postpone for any time or from time to time any of the power exercisable by the company against the said contractor(s) and to forbear or enforce any of the terms and conditions relating to the said Agreement and we shall not be relieved from our liability by any reason of any such variation or extension being granted to the said contractor(s) or for any forbearance, act or omission on the part of the company or any indulgence by the company to the said contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would but for this provision have effect of so relieving us.
f. This guarantee will not be discharged due to the change in the constitution of the Bank or the contractor(s).
g. We,(indicate the name of the bank) lastly undertake not to revoke this guarantee during its currency except with the previous consent of the Company in writing.
Dated the day of For (indicate the name of the bank)
i oi (iiiuicate the name of the bank)

The payment so made by us under this bond shall be a valid