

TENDER

FOR

**Setting up of toilet block at camp office
Ministry of MSME, Safdarjung road,
New Delhi - 110001**



THE NATIONAL SMALL INDUSTRIES CORPORATION LTD.

(A Government of India Enterprise)

Okhla Industrial Estate

New Delhi-110020

Website: <http://www.nsic.co.in>

THE NATIONAL SMALL INDUSTRIES CORPORATION LTD.
(A GOVERNMENT OF INDIA ENTERPRISES)
Okhla Industrial Estate New Delhi-110020

Ref: - SIC/HO/WD/1(xxxiv)/04

Date: 15-6-2016

M/s. -----

**Sub:- Setting up of toilet block at Camp office , Ministry of MSME ,
Bungalow no. 3 , Safdarjung road , New Delhi-110001**

Sir,

Tender documents in respect of the above mentioned works containing 26 pages as detailed on page 4 (Index) are forwarded herewith. ***Please note that tender is to be delivered in the office of the Chief General Manager, (Works) NSIC Ltd., NSIC Bhawan Okhla Industrial Estate New Delhi-110020 on 27-6-2016 up to 3.00 P.M.***

The Tender should be signed on each page, dated and witnessed in all places provided for in the documents; all other papers should be initialed.

The tender should be accompanied by Earnest Money Deposit in the form of demand draft as mentioned in Appendix. Tenders without earnest money deposit shall be summarily rejected. The tenders will be opened at 3.30 P.M. on 27-6-2016.

The person, signing the tender on behalf of company/firm or on behalf of another person shall attach with tender a certified copy of proper authority/power of attorney on a non-judicial stamp paper of requisite value duly executed in his favour by such person, company/firm and must state specifically that he has authority to sign such tenders for and on behalf of such person or company/firm as the case may be, and in all matters pertaining to the contract including arbitration clause.

This letter shall form part of the "**CONTRACT**" and must be signed and returned along with the tender documents.

Yours faithfully

Encl. 26 Pages

Dy. General Manager (Works)

Signature of the Contractor with stamp

Tender notice for **Setting up of toilet block at Camp office , Ministry of MSME , Bungalow no. 3 , Safdarjung road , New Delhi-110001**

Ref: - SIC/HO/WD/1(xxxiv)/04

Date: 15-6-2016

Sealed item rate tenders are hereby invited on behalf of NSIC Ltd. from experienced Contractors.

S. No.	Name of the work	Estimated cost Rs. (Lacs)	EMD (Rs)	Completion Time	Issue of Blank Tender Document	Last Date of Submission Tender
1.	Setting up of toilet block at Camp office , Ministry of MSME , Bungalow no. 3 , Safdarjung road , New Delhi-110001	1.72 lacs	5000	20 days	From 16-6-2016 To 27-6-2016	27-6-2016 Upto 3.00 PM

- 1 The intending tenderers can also download the complete tender document available on the NSIC web site www.nsic.co.in and submit the same along with requisite earnest money deposit and supporting documents by the due date.
2. Intending tenderers should have valid registration with Service tax, Works Contract tax with concern authorities.
3. The intending tenderers should have satisfactorily completed at least one similar nature work of 80% of the estimated cost put to tender or two similar natures works each of 60% of the estimated cost put to tender or three similar natures works each of 40% of the estimated cost put to tender in last seven years. Similar nature work means civil , electrical and interior work----etc.
4. The tender documents duly completed along with EMD in form of demand draft/pay order in favour of the "The National Small Industries Corporation Ltd." payable at New Delhi from any Nationalized Bank will be submitted at the office of the Chief General Manger (Works) , NSIC Ltd, NSIC Bhawan, Okhla Industrial Estate, New Delhi 110020 upto 3.00 PM on 27-6-2016 and. The bids of the parties shall be opened on the same day (i.e. due date of submission) at 3.30 PM. The tender without EMD and supporting documents shall be summarily rejected.

5. NSIC reserves the right to reject any or all the tenders without assigning any reason thereof and also not bound to accept lowest tender. Tenders in whom any of the prescribed conditions are not fulfilled or found incomplete in any respect are liable to be rejected.
6. Canvassing whether directly or indirectly in connection with tender is strictly Prohibited and the tender submitted by the contractors who resort canvassing will be liable to be rejected.
7. The bid submitted by the parties shall be opened on the same day i.e last date of submission at 3.30 PM in the presence of tenderers who wish to be present.

Dy. General Manager (Works)
NSIC-Ltd, NSIC Bhawan
New Delhi -110020

THE NATIONAL SMALL INDUSTRIES CORPORATION LTD. (NSIC)
(A GOVERNMENT OF INDIA ENTERPRISES)
NSIC Bhawan, Okhla Industrial Estate, New Delhi- 110020

Ref: - SIC/HO/WD/1(xxxiv)/04

Date: 15-6-2016

INDEX OF TENDER DOCUMENTS

S. NO.	DESCRIPTION	PAGES
1	INSTRUCTION TO TENDERERS	5-8
2	GENERAL CONDITIONS OF CONTRACT	9-11
3	FORM OF TENDER	12-13
4	APPENDIX	14
5	SPECIAL CONDITIONS	15
6	SCHEDULE OF QUANTITIES (PRICE BID)	16-26

INSTRUCTIONS TO TENDERERS

1.0 GENERAL

Tenderers are advised to acquaint themselves fully with the description of work, scope of services, time schedule and terms and conditions including all the provisions of the tender document before framing up their tender.

2.0 SITE PARTICULARS

Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to nature of work, site conditions, means of access to the site etc.

3.0 SUBMISSION OF TENDER

- a) The expression "Tender Notice" referred to in the Tender Documents shall be deemed to include any Notice / Letter Inviting Tender with respect to the work forming the subject matter of the documents and vice-versa.
- b) The tender complete in all respects shall be submitted along with Earnest Money as stipulated in the Notice / Letter Inviting Tender ONLY. Tenders without Earnest Money Deposit will be out rightly rejected.

Tenders shall be submitted in one sealed envelopes Super scribed as following:

Name of work :

Tender no. :

Due date & time of opening :

Addressed to : Chief General Manager (Works), The National
Small Industries Corporation Ltd., NSIC Bhawan,
Okhla Industrial Estate, New Delhi -110020

From:

Name & address of the tenderer

This envelope shall contain the following: -

- EMD of requisite amount in the form of Demand Draft drawn on a scheduled/nationalized bank in favour of 'The National Small Industries Corporation Ltd.' payable at New Delhi. Cheque will not be accepted.
- Details of one work of 80% or two works each of 60% or three works each of 40% of the estimated cost put to tender, executed by the tenderer during last seven years, on the basis of which tenderer wishes to get qualified and copies of supporting work orders or completion certificate. TDS certificate is also to be enclosed in case of work executed for private parties.
- Valid registration with Sales Tax department for Service tax, Work Contract Tax with concerned authorities.
- Partnership Deed in case of partnership firm and Articles of Association in case of limited Company.
- Power of Attorney in favour of person who has signed the tender document. In case of company, the authority to sign the tender is to be given under Board resolution.
- The tenderers registered with NSIC under Single Point Registration Scheme (SPRS) of Government Purchase Program should also place a self-attested photocopy of registration certificate issued by NSIC under Single Point Registration Scheme in this envelope for availing exemption of earnest money/ tender cost.
- The price bid portion(Schedule of quantities) of the tender document mentioning the individual item rates, corresponding amount and total price to be charged by the tenderer for executing the work, complete in all respect. It is to be noted that this part shall contain only **PRICES** and no conditions i.e. deviations / assumptions / stipulations / clarifications / comments / any other request whatsoever. Any conditional offer will be rejected.
- **NOTE:**
All the photocopies of the documents should be signed by the tenderer/ authorized person.

4.0 ABNORMAL RATES

The tenderer is expected to quote rate for each item after careful analysis of costs involved for the performance of the complete item considering technical specifications and conditions of contract. This will avoid a loss of profit or gain in case of curtailment or change of specifications for any item. If it is noticed that the unit rates quoted by the Tenderer for any items are usually high or unusually low, it will be sufficient cause for rejection of the tender unless the Corporation is

convinced about the reasonableness of the unit rates on scrutiny of the analysis for such unit rate to be furnished by the tenderer on demand.

5.0 DEVIATIONS TO TENDER CLAUSES:

Tenderers are advised to submit the tender strictly based on the terms and conditions and specification contained in the Tender Document and not to stipulate any deviation. Conditional tenders are liable to be rejected.

6.0 VALIDITY OF OFFER

Tender submitted by tenderers shall remain valid for acceptance for a minimum period of 120 days from the date of opening of the tenders.

7.0 AWARD OF WORK

Corporation reserves the right to split the job into two or more parts and to award the work to separate agencies/contractors.

8.0 ACCEPTANCE / REJECTION OF TENDER

- i). Corporation does not bind itself to accept the lowest tender.
- ii). Corporation also reserves the right to accept or reject any tender in part or full without assigning any reason whatsoever.
- iii). Corporation also reserves the absolute right to reject any or all the tenders at any time solely based on the past unsatisfactory performance by the tenderer(s) the opinion/decision of NSIC regarding the same shall be final and conclusive.

9.0 CORRECTIONS

No corrections or overwriting will be entertained in schedule of rates by using correcting fluid.

10.0 Inconsistencies/ Ambiguities in the price bid (schedule of quantities) shall be dealt with in accordance with the following rules: -

- a) Since this is an Item Rate Tender, only rates quoted shall be considered. Any tender containing percentage below/ above the rates is liable to be rejected.
- b) Rates quoted by the tenderer in figures and words shall be accurately filled in so that there is no discrepancy in the rates written in figures and words. However, if a discrepancy is found, the rates which correspond with the amount worked out by the tenderer shall be taken as correct..
- c) In the event no rate has been quoted for any item(s), leaving space both in figure(s), word(s) , and amount blank, it will be presumed that the contractor has included the cost of this/ these item(s) in other items and rate for such item(s) shall be considered as zero and work will be required to be executed accordingly.

11.0 FIRM RATES

The rates quoted by tenderer shall remain firm till completion of all works even during the extended period, if any, on any account what so ever.

12.0 It will be obligatory on the part of the tenderer to sign the tender documents for all the components & parts.

13.0 Any addendum/ corrigendum issued shall form a part of the tender document. There will not be any press notification on amendment/ corrigendum. EMD of the unsuccessful tenderers shall be refunded without any interest after completion of the tendering process.

**Dy. General Manager (Works)
NSIC, New Delhi**

SIGNATURE OF THE CONTRACTOR

GENERAL CONDITIONS OF CONTRACT

1. Where the context so requires, words importing the singular only also include the plural and vice versa.
2. Corporation shall mean 'The National Small Industries Corporation Ltd. (A Government of India Enterprise) having its registered office at 'NSIC Bhawan', Okhla Industrial Estate, New Delhi- 110020 and shall include their legal representatives, successors and permitted assigns.

3. Works to be carried out:

The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant, equipment and transport which may be required in preparation of and for and in the full and entire execution and completion of the works.

4. Security Deposit:

Total security deposit shall be 10% of the accepted tender cost and shall be deposited/deducted by/from the contractor @ 10% from their bill (Including EMD amount) reaches to 10% of value of tender. However, if the value of tender i.e. actual execution exceeds the accepted value of tender, further deduction shall be effected @ 10% (Ten percent) of the value in excess of the accepted value of the Tender from their bill.

4.1 **Refund of Security deposit:** One half of the Security deposit refundable to the Contractor worked out on the basis of the value of work completed shall be refunded to the Contractor on the Engineer-In-Charge certifying in writing that the work has been completed satisfactorily.

4.2 On expiry of the Defects Liability Period Engineer-In-Charge shall, on demand from the Contractor, refund to him the remaining portion of the security deposit provided the Engineer-in-Charge is satisfied that there is no demand outstanding against the Contractor.

4.3 No interest shall be payable to the contractor against the Security Deposit furnished / recovered from the contractor, by the Corporation.

5. Rates for Extra/Additional Items

- i) If the rate for additional, altered or substituted item of work is specified in the Schedule of Quantities the Contractor shall carry out the additional, altered or substituted item at the same rate.
- ii) If the rate for any altered, additional or substituted item of work is not specified in the schedule of Quantities the rate for that item

shall be derived from the rate for the nearest similar item specified therein.

- iii) If the rate for any altered, additional or substituted item of work cannot be determined in the manner specified in sub-paras (i) and (ii) above, the contractor shall within 7 days of the receipt of the order to carry out the said work, inform the Engineer-in-Charge under advice to the Accepting Authority of the rate which he proposes to claim for such item of work, supported by analysis of the rate claimed, and the Engineer-in-Charge shall, within one month thereafter, after giving due consideration to the rate claimed by the Contractor determine the rate on the basis of market rate(s). In the event of the contractor failing to inform the Engineer-in-Charge within the stipulated period of time, the rate which he proposes to claim, the rate for such item shall be determined by the Engineer-in Charge on the basis of market rate(s) and shall be final.
- 6 . The Contractor shall arrange, at his own expense, all tools, plant and equipment hereafter referred to as (T & P) labour required for execution of the work.
- 7. MATERIALS**
- 1. All materials to be provided by the Contractor shall be in conformity with the specifications laid down in the contract and the Contractor shall, if requested by the Engineer-in-Charge, furnish proof to the satisfaction of Engineer-in-Charge in this regard.
- 8. Liquidated Damages for Delay**
- 8.1 Time is essence of the contract. In case the CONTRACTOR fails to complete the whole work within the stipulated period, and clear the site, he shall be liable to pay liquidated damages @ 0.5 % (One half percent only) of the value of contract per week and or part thereof of the delay subject to a maximum of 10% (ten percent only) of the value of the contract. .
- 9. Defects Liability Period:**
- The Contractor shall be responsible to make good and remedy at his own expense within defect liability period of one year from the date of completion of the work in all respect.
- 10. Safety Code:**
- 10.1 The corporation shall not be liable for any accident, injury or for any other mishap caused to him/them/their employees/agents and labour employed by the contractor and for any kind of damage during the execution of the

contract or work done. For any kind of such injury or loss caused to any person/persons mentioned herein above, the contractor shall be exclusively liable.

11. PAYMENTS:

Payment will be released by cheque after satisfactory completion of the work on actual measurement basis. However running payment may be released on the request of the contractor as approved by the Engineer In-charge. All statutory deductions as applicable shall be deducted from your payable amount.

Dy. General Manager (Works)
NSIC, New Delhi

SIGNATURE OF THE CONTRACTOR

FORM OF TENDER

To

***The Chief General Manager,
NSIC Ltd., NSIC Bhawan,
Okhla Industrial Estate, New Delhi- 110020***

I/We have read and examined the following documents relating to.....

.....
.....

(Name of the Work)

- (a) Notice inviting tender.
- (b) Instructions to Tenderers
- (c) Technical Specifications
- (d) General Conditions of Contract including Contractors, Labour Regulations, Model Rules for Labour Welfare and Safety Code appended to these conditions together with the amendments thereto if any.
- (e) Special Conditions of contracts if any.
- (f) Bill of Quantities

I/We hereby tender for execution of the works referred to in the aforesaid documents upon the terms and conditions contained or referred to therein and in accordance in all respects with the specifications, designs, drawings and other relevant details at the rates contained in Schedule and within the period(s) of completion as stipulated in Appendix.

In consideration of I/We being invited to tender, I/We agree to keep the tender open for acceptance for 120 days from the due date of submission thereof and not to make any modifications in its terms and conditions which are not acceptable to the Corporation.

A sum of Rs 5000/- is hereby forwarded as Earnest Money Deposit in the form of Demand Draft in favour of "The National Small Industries Corporation Ltd., payable at New Delhi.

If I/We fail to keep the tender open as aforesaid or make any modifications in the terms and conditions of the tender which are not acceptable to the Corporation, I/We agree that the Corporation shall without prejudice to any other right or

remedy, be at liberty to forfeit the said earnest money absolutely. Should this tender be accepted, I /We agree to abide by & fulfill all the terms conditions of aforesaid document.

If after the tender is accepted, I/we fail to commence the execution of the work as provided in the conditions. I/We agree that Corporation shall without prejudice to any other right or remedy is at liberty to forfeit the said earnest money absolutely.

Signature of contractor
Duly authorized to sign the tender on behalf
of the Contractor (in block capitals).....

Dated.....

Witness.....

Date.....

Address.....

.....

APPENDIX

- | | | |
|----|--|---|
| 1. | Competent Authority | C.M.D. NSIC or his
Authorized executives |
| 2. | Earnest money/Security deposit | |
| | a) Estimated cost of the Works | Rs. 1.72 Lacs |
| | b) Earnest money | Rs 5000/- in the form of DD /Pay
order in favour of “The National Small
Industries Corporation Ltd.”, payable
at New Delhi |
| | c) Security Deposit | 10% of the contract valu only |
| 4. | Time allowed for execution of work | 20 days |
| 5. | Authority competent to decide if
“any other cause” of delay is beyond
Contractor’s control | CGM (Works) or his
authorized representative |
| 6. | Liquidated Damaged | 0.5% (one half percent) per week
subject to a Maximum 10% value
of the contract |
| 7. | Defect Liability Period | 12 months from the date
of Completion of work in
all respect |
| 8. | Authority competent to reduce
Compensation | CGM (Works) NSIC or his
authorized executive. |

SPECIAL CONDITIONS

1. During working at site, some restrictions may be imposed by Engineer-in-Charge/Security staff of Corporation or Local Authorities regarding safety and security etc., the contractor shall be bound to follow all such restrictions/instruction & nothing extra shall be payable on this account.
2. No compensation shall be payable to the contractor for any damage caused by rains lightening, wind, storm, floods Tornado, earth quakes or other natural calamities during the execution of work. He shall make good all such damages at his own cost; and no claim on this account will be entertained..
3. All rates quoted by the tenderers shall be complete inclusive of all taxes, duties, labour, Tool & Plant, Transportation etc., and the same shall remain firm for the entire contract period and extended contract period, if any.
4. If the contractor fails to proceed with the work within the stipulated time as specified from the date of issue of letter of intent/letter to proceed with the work, the Corporation shall forfeit the earnest money deposited by him along with the tender.

Signature of Contractor

Schedule of quantities

S.no	Description of item	Unit	Qty	Rate (Rs.)		Amount (Rs.)
				In figure	In words	
A.	Civil works:					
1	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m in width or 10 sqm on plan) ,including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.All kinds of soil.	Cum	2.25			
2	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m : 2.10.1 All kinds of soil	Mtr	15			

3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	Cum	0.920			
4	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundations and plinth in cement mortar 1:4 (1 cement : 4 coarse sand)	Sqm	27.00			
5	12 mm cement plaster of mix :1:6 (1 cement: 6 fine sand)	sqm	54.00			
6	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : New work (two or more coats) over and including water tinnable priming coat with cement primer	Sqm.	18.00			
7	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes	Kg	80.00			
8	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05	sqm	7.200			

	<p>%) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin-charge. The sheet shall be fixed using self drilling / self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.</p>					
9	<p>Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make,in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of</p>	Sqm.	24.2			

	matching shade complete.s					
10	French spirit polishing : Two or more coats on new works including a coat of wood filler	Sqm.	7.56			
11	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately). Second class teak wood	Cum	0.1060			
12	Providing and fixing paneled or paneled and glazed shutters for doors, windows and clerestory windows, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws, excluding paneling which will be paid for separately, all complete as per direction of Engineer-in-charge. 9.5.1 Second class teak wood	Sqm	4.2			
13	Providing and fixing factory made ISI marked steel glazed doors, windows and ventilators, side /top /centre hung, with beading and all members such as F7D, F4B, K11 B and K12 B etc. complete of standard rolled steel sections, joints mitered and flash butt welded and sash bars tenoned and riveted,	Kg.	10.80			

	including providing and fixing of hinges, pivots, including priming coat of approved steel primer, but excluding the cost of other fittings, complete all as per approved design, (sectional weight of only steel members shall be measured for payment). 10.11.1 Fixing with 15x3 mm lugs 10 cm long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)					
14	Providing and fixing bright finished brass hanging type floor door stopper with necessary screws, etc. complete	Nos.	2			
B	WATER SUPPLY & SANITARY WORKS					
1	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors : 17.60.1 100 mm inlet and 100 mm outletm dia.)	Nos.	2			
2	Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall :					
	a)15mm nominal bore	Meter	12			

	b) 20 mm nominal bore	Meter	20			
3	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:anufacturer's specifications. (Make-Hindware, Parryware or equivalent) as approved by Engineer-In- harge.White Vitreous China Wash basin size 550x400 mm with a pair of 15 mm C.P. brass pillar taps	Nos.	2			
4	Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I.brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : 17.3.1 W.C. pan with ISI marked white solid plastic seat and lid	Nos.	2			
5	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut	Sqm	1.2			

	for kitchen platforms, vanity counters, window sills , facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. Granite of any colour and shade Area of slab over 0.50 sqm					
6	Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge for Granite work	Meter	4.4			
7	Extra for providing opening of required size & shape for wash basin/ kitchen sink in kitchen platform, vanity counter and similar location in marble/ Granite/stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete	Nos.	2			
8	Providing and fixing PTMT Bottle Trap for Wash basin and sinkBottle trap 38 mm single piece moulded with height of 270 mm, effective length of tail pipe 260 mm from the centre of the	Nos.	2			

	waste coupling, 77 mm breadth with 25 mm minimum water seal, weighing not less than 263 gms					
9	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 a) 15 mm nominal bore 18.53.1 15mm nominal boreashbasins as per design & drawing and manufacturer's specifications as approved by Engineer-In-Charge.	Nos.	2			
10	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : 15 mm nominal bore	Nos.	4			
11	Providing and fixing PTMT liquid soap container 109 mm wide, 125 mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour, weighing not less than 105 gms..	Nos.	2			
12	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing : Circular shape 450 mm dia.	Each	2			
13	0.91 m deep with S.F.R.C. cover and frame (heavy duty, HD-20 grade designation) 560 mm	Each	1			

	<p>internal diameter conforming to I.S. 12592, total weight of cover and frame to be not less than 182 kg., fixed in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) including centering, shuttering all complete. Excavation, foot rests and 12mm thick cement plaster at the external surface shall be paid for separately) : 19.9.1.1 With common burnt clay F.P.S. (non modular) bricks of class designation 7.5</p>					
14	<p>Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), including grouting the joints with white cement and matching pigments etc., complete.</p>	Sqm	6.97			
15	<p>Providing, laying and jointing glazed stoneware pipes class SP-1 with stiff mixture of cement mortar in the proportion of 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete 150 mm diameter:</p>	Meter	15			

16	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design	Meter	15			
					Total of B	
C.	Interior and Electrification					
1	Providing and fixing Armstrong tiled false ceiling of approved materials of size 595x595 mm in true horizontal level suspended on inter locking metal grid of powder coated metal consisting of main T runner with suitably spaced at joints to give required length a	Sqft	30			
2	Supply of light fixture size 2'x2' with 3x36 watt CFL complete fitting in all respect of Philips make.	Nos.	1			
3	Light point wiring with 2x1.5 Sqmm FRLS Copper wire make: Havells/KEI/Finolex with conduit fitting 5 Amps. Switch, cover plate modular on flat box make : Roma / Havells.	Nos.	6			
4	Power point with 2x2.25 Sqmm FRLS with earth wire 0.75 Sqmm make: Havells/KEI/Finolex make switch socket modular plate complete in all respect. Make Roma / Havells.	Nos.	2			
					Total of C	

					Total (A+B+C)	
	Add tax if any				@	
					Grand total	

Total Rs. In words-----

Signature of bidder with stamp