# TENDER FOR INSTRUMENT / EQUIPMENTS

# TENDER NO. NSIC/TSC/Raj/Tender/SPTL/01/14-15



# NSIC TECHNICAL SERVICES CENTRE

(THE NATIONAL SMALL INDUSTRIES CORPORATION LTD.)
(A GOVT. OF INDIA ENTERPRISE)
AJI INDUSTRIAL AREA,
BHAVNAGAR ROAD,
RAJKOT – 360 003.

Ph: 2387397-8, 2387613 FAX: 0281 - 2387729

E-Mail: <a href="mailto:ntscraj@nsic.co.in">ntscraj@nsic.co.in</a> Web Site: <a href="http://www.nsic.co.in">http://www.nsic.co.in</a>

<u>Page No.1:</u>
Notice inviting tender:



### **TENDER NOTICE**

NSIC-Technical Services Centre (A Unit of NSIC Ltd., A Govt. of India Enterprise) Aji Industrial Area, Bhavnagar Road, Rajkot-360 003

On behalf of Chairman-Cum-Managing Director, NSIC Ltd, separate sealed tenders are invited from Manufacturer for supply of Humidity Chamber with Installation and commissioning in TWO BID system, viz. (1) Technical Bid (2) Financial Bid. The details of the Technical specifications and terms and conditions can be had from "Dy. General Manager", NSIC-Technical Services Centre, Aji Industrial Area, Bhavnagar Road, Rajkot-3 by paying Tender fee of Rs. 500/- in the form of Cash / payable at par Cheque / DD favoring "NSIC Ltd." Pavable at Rajkot. The tender can also be down loaded from our Web site: www.nsic.co.in. The Centre as mentioned the terms & condition in tender documents for reference. The tender fee can be enclosed along with tender document in a separate envelope by clearly mentioning "Tender Fee" on it. Completed tender forms can be submitted "in a Sealed cover" to "Dy. General Manager, at above address" by 2.00 PM on 14/07/14. Technical bids will be opened on the same day at 3.00 PM.

Tender should be submitted in four covers as under all covers should be **SUPERSCRIPTED** i.e. Technical bid/financial bid/EMD/Tender fee. Tender No. /Name of instrument with bidders full address. The terms and conditions should be attached with Technical bid. All the following four covers should be sealed separately and put into a separate sealed cover.

Cover (I) Technical. No financial terms should be mentioned directly or indirectly in the technical bid.

Cover (II) - Financial Bid in a separately sealed cover.

Cover (III) EMD should be paid as mentioned in the tender documents.

Cover-(IV): Tender Fee in case of using down loaded Tender form

The tender fee and EMD should be paid in the payable at par Cheque / DD in favour of "NSIC Ltd." payable at Rajkot.

• NSIC registered unit are exempted from Tender Fee & EMD.

### **Covering Letter**

TENDER NO: NSIC/TSC/Raj/Tender /Sl	PTL/01/14-15 DATE:
To, The Dy. General Manager, NSIC-Technical Services Centre, Aji Industrial Area, Bhavnagar Road, RAJKOT-360 003.	
Ref:- Your Advertisement in	Dated
Sub:- Sealed Tender offered for the su	pply of <b>Humidity Chamber</b> .
Dear Sir,	
With reference to your above referred a our offer.	dvertisement, we are herewith submitting
We have gone through the general term and we fully agree to abide by the s	as & conditions of this tender as attached same.
We would like to inform you that the VAND CAN BE / CAN NOT BE EXTEN	ALIDITY of THIS OFFER IS 90 DAYS DED on request, if required.
Thanking you,	Yours truly,
	Signature:
PLACEDATE	NAME:

### **Official Seal**

#### **Note:**

All covers should be **SUPERSCRIPTED** i.e. Technical bid/financial bid/EMD/Tender fee. Tender No./Name of instrument with bidders full address. The terms and conditions should be attached with Technical bid. All the following four covers should be sealed separately and put into a separate sealed cover.

Cover (I). Technical bid. No financial terms should be mentioned directly or indirectly in the technical bid Cover (II) - Financial Bid in a separately sealed cover.

Cover (III) EMD should be paid as mentioned in the tender documents.

Cover-(IV): Tender Fee in case of using down loaded Tender form

The tender fee and EMD should be paid in the payable at par Cheque  $\prime$  DD in favour of "NSIC Ltd." payable at Rajkot.

**SIC** registered unit are exempted from Tender Fee & EMD.

## **Specifications of Equipment & EMD**

EMD:- Rs. 20000/- fixed

## 1. Humidity Chamber.

**Quantity: 01 No.** 

## **Specification**

Description &	Specification / Range	
Accessories		
For Conditions as per	25°C – 60% RH / 40°C - 95% RH / 30°C – 65% RH	
ICH Guidelines		
Construction	Double wall with Poly Urethane (PUF) insulation provided with door	
	having locking arrangement and inner glass viewing door.	
Temperature range	10.0°C to 60.0°C	
Temperature resolution	$0.1^{\circ}$ C	
Temperature accuracy	$\pm 0.2^{\circ}\mathrm{C}$	
Temperature uniformity	$\pm 1^{\circ}$ C	
Temperature Control	Microprocessor based PID Control with Auto Tune CE Marked	
Temperature Sensor	PT100 RTD Type Class"A",made in Germany	
Temperature Sensor	±0.25%	
Accuracy		
Humidity Range	40%~95% RH	
Humidity Resolution	1%	
Humidity Accuracy	±2% RH	
Humidity Uniformity	±3% RH	
Humidity Sensor	Make HUMIREL made in France ,Capacitance Type ,	
	High Reliability and long term stability,	
	Calibration within +2% RH @55% RH	
	Humidity Measuring Range 0~100%	
	Not affect by water immersion	
Cooling	CFC free Copeland make compressor utilizing R134A ecofriendly	
	refrigerant with condenser ,motor ,Relay complete unit with Copeland	
	Make	
Steam Injection	Boiler with reservoir made of thick stainless steel, with heater ,water inlet	
	control ,low water level safeguard and insulation	
Heating	"U" shaped Nichrome Wire heater in SS Sheathing	
Air Circulation	Flange motor with impeller /Blower	
Insulation	Polyurethene (PUF)	
Chamber Illumination	Fluorescent light with door switch	
Trays	SS Wire meshes heavy duty	
Feet		
Electrical	ectrical 230 v /15 A/50 Hz	
Loading arrangement	Suitable loading arrangement to be provided	
Safety Feature		
Temperature	High temperature safety cut off	
Boiler cut off	low water level boiler cut off	
Compressor	Electrical overload cut off relay for compressor	
Electrical	Time relay for compressor switch ON	

## Pre installation Mandatory Requirement: (Guarantee void in case of noncompliance)

- a)Drinking quality pure water or DM water continuous supply with tap for boiler input of ½" BSP at 3 feet height from ground level
- b) Room temperature around machine preferable at  $25 \sim 40 \deg C$  with air conditioning or well ventilated room with exhaust fan .However surrounding temperature should not exceed  $40 \deg C$ .
- C) Stabilized input voltage of 230V AC 20 amps .Use of Servo Controlled Stabilizer is recommended
- d) Water drains line with ½" nozzle to be provided at floor level

### **Calibration & Validation:**

Calibration	Temperature sensor probe calibration with traceability to ERTL
	Humidity sensor calibration with traceability to ERTL
	Temperature controller calibration with traceability to ERTL
	Humidity controller calibration with traceability to ERTL
Validation	IQ ,OQ and PQ documentation and protocols shall be provided with
	equipment

### **Other Technical Specification:**

- 1) Outer cabinet mild steel powder coated
- 2) Inner chamber stainless steel 304 grade

Internal size	External size	Capac	ity	Shelves Provided
WXDXH cm	WXDXH cm	Cu.Ft	Litres	S S Trays
120x120x80	136x181x300	40	1150	6

### Page No. 4

#### **GENERAL TERMS & CONDITIONS**

**TENDER ENQUIRY NO:** NSIC/TSC/Raj/Tender /SPTL/01/14-15

**TENDER FOR** : Humidity Chamber

- 1. Separate sealed tender should be submitted under two bid system.
- 2. Tenderer should set their quotation in firm figures. Each figure stated should be repeated in words also. In the event of any discrepancy between the amount stated in figures and words, the rate quoted in the words shall be deemed to be the final quotation. Tenders with qualifying term such, as "SUBJECT TO A MINIMUM ACCEPTANCE or "SUBJECT TO PRIOR SALE" etc shall be liable to disqualification. Technical & Commercial bid is to be submitted as per our specifications in the following format.

# Format for Technical Bid Name of Equipment:

S1.NO	Specification as per Tender	Specification of equipment	Remark
	Description & Accessories	Description& Accessories	

3. The Financial bid should be submitted along with Tender document in a separate sealed cover.

- 4. The technical bid will be opened first and the technical suitability will be analyzed. The Financial bid of those bidders who are technically considered fit will be opened later. The date and time of opening of the financial bid will be intimated to the successful technical bidders in advance.
- 5. Tenderer must furnish illustrative literatures, catalogues and complete technical details for the item quoted by them with brand names / model etc.
- 6. Tenderer shall submit USER'S LIST of the item quoted along with the tender.
- 7. Last date of the receipt of this tender is 14/07/14 up to 2.00 PM. Tenders received after this due date will not be entertained. Technical bids will be opened on the same day at 3.00 PM.
- 8. The tender should be valid for acceptance for a minimum period of **90 DAYS FROM THE DATE OF CLOSING OF THE TENDER**. However if bidders desirous of quoting shorter/longer validity period, it should be specifically mentioned in the tender. No mention of validity period will be assumed as having validity of 90 days and tenderer will be liable to supply the materials if orders are placed.
- 9. All tenders must accompany EMD as mentioned in the tender document by way of at pare Cheque or Demand draft favoring "NSIC Ltd." payable at RAJKOT. EMD will be returned to unsuccessful tenderers within 90 days after the finalization of the contract OR within 180 days after the last date of the closing of this tender whichever is earlier.

### Tenderer must explicitly specify the followings:

- **a.** DELIVERY PERIOD OFFERED: Expected within 120 days after placement of order. TAXES, DUTIES, LEVIES APPLICABLE:
- **b.** PRICES QUOTED: F.O.R Destination basis / Ex-works / with or without packing, forwarding charges etc.
- c. PAYMENT TERMS:
  - 1. Payment will be released after satisfying the all the conditions as per the tender terms and conditions. **and satisfactory functioning of the equipment**
- d. <u>Technical bid should contain the details of</u> Guarantee / Warrantee offered for Humidity Chamber of equipment's having multiple components. All non standard components should be covered under the guarantee period invariably. <u>Minimum guarantee/warrantee required is ONE YEAR from the date of successful commissioning of the equipment.</u>
- e. <u>Performance guarantee is to be accorded by the supplier invariably for all the equipments that will be supplied under this Tender.</u>
- **f.** Free of cost, on site training for operating the item to our officials is a must.
- **g.** Party fail to deliver the equipment within stipulated time the let delivery charge will applicable as the decided by competent Authority.

### Page No. 6

- 10. The Center reserves all rights to accept / reject or prefers any tender without assigning any reasons what so ever reason. Likewise the center may at its discretion accept or reject any tender in parts.
- 11. The Center will not be held liable for any postal delays or any other reasons beyond its control in any of the Communication in respect of this tender.
- 12. The Tenderer must attached Suppler list of Last One Year.
- 13. The tenderer must ensure that the price quoted shall not be higher than those quoted to any other government department for the same item in the last **one year** from the date of submitting this offer.
- 14. Tenderer must invariably indicate their full address, telephone, Mail ID and fax numbers, website, name of contact person etc in the tender.
- 15. **REJECTION OF ITEM / ITEMS**: All the liabilities on the account of rejection of the items supplied, short packing defect, transit damages and loss etc will be on the supplier's account and this center will not be liable in any manner on this account.
- 16. The delivery time being of utmost essence, the contract / order shall stand terminated and the EMD will be forfeited if it is not executed within the stipulated delivery schedule, prescribed in the order / tender contract to compensate for the damages to the centre unless and otherwise prior consent on the extension of the delivery period is granted by the center.
- 17. Competent Authority reserves the right to accept or reject any or all the tenders without assigning any reasons thereof.
- 18. All pages of the tender document should be signed by the authorized person of the bidder with official seal.
- 19 Any legal proceeding arising out of this contract shall be instituted at Rajkot only.

Dy. General Manager NSIC Technical Services Centre, Rajkot

### Financial bid

1	(To be enclosed in a separately Vender's name	sealed cover superscripting Financial bid)
2	Address	:
3	Tender no.	: NSIC/TSC/Raj/Tender /SPTL/01/14-15
4	Item	:
5	Model	:
6	Basic price Rs. For One	:
7	Excises duty Rs.	:
8	Sales tax Rs.	:
9	Packing /Forwarding	:
10	Transportation	:
11	Insurance	
12	Installation & Demonstration Charges	
13	Octroi Rs.	:
14	Total Price	:
15	Discount if any	:
16	Landed Price at NSIC-TSC	:
17	Rajkot (Appx.) Delivery Point	NSIC-Technical Services Centre, Rajkot
18	Delivery Period	:( Preferably within 120 days.)
19	Payment Terms	: As mentioned in the Tender Document
20	Validity of Offer	Terms & Condition at Pg. No. 8,9,10 :(Preferably 90 Days from the date of closing of the tender.)
21	EMD	Rs
	(as mentioned in the tender document)	DD noat Rajkot.
22	Any other details (Pl. specify)	:

Tenderer's sign & date